

**Clarence Stream South Zone Drill Hole Results**

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Au Cut g/t	Azimuth	Dip	UTM		Total Depth (m)
									Easting	Northing	
<b>CS 16-331</b>	215.0	216.0	1.0	1.0	0.8	147°	-54°	658089	5023925	402	
	258.3	259.1	0.8	0.8	0.8						
	332.4	338.4	6.0	6.0	2.1						
including	332.4	333.4	<b>1.0</b>	<b>1.0</b>	<b>6.3</b>						
<b>CS 16-332</b>	170.2	171.2	1.0	1.0	3.7	145°	-60°	658149	5023920	399	
	304.8	305.8	1.0	1.0	1.9						
	329.5	330.0	0.5	0.5	2.5						
<b>CS 16-333</b>	211.2	211.8	0.6	0.6	1.1	140°	-47°	658166	5023990	396	
	213.0	213.8	0.8	0.8	2.6						
	291.5	292.0	0.5	0.5	3.8						
	351.8	352.3	0.5	0.5	1.4						
	366.5	367.0	0.5	0.5	1.2						
	372.0	373.0	1.0	1.0	1.5						
<b>CS 16-334</b>	379.5	381.7	2.2	1.6	1.1	158°	-71°	658089	5023933	453	
<b>CS 16-335</b>	201.0	211.0	<b>10.0</b>	<b>9.3</b>	<b>0.9</b>	145°	-53°	658141	5023797	252	
<b>CS 16-336</b>	301.3	302.3	<b>1.0</b>	<b>0.9</b>	<b>20.0</b>	138°	-53°	658021	5023840	340	
<b>CS 16-337</b>	84.0	84.5	0.5	0.5	1.4	151°	-52°	658403	5023848	186	
	141.8	143.8	2.0	1.9	1.6						
<b>CS 16-338</b>	331.3	336.8	<b>5.5</b>	<b>5.2</b>	<b>5.5</b>	143°	-50°	659024	5024498	402	
	including	335.3	336.8	1.5	1.4						13.2
		350.9	351.6	0.7	0.6						2.4
<b>CS 16-339</b>	349.1	349.7	0.6	0.5	2.8	162°	-71°	659091	5024482	399	
<b>CS 16-340</b>	264.0	273.0	<b>9.0</b>	<b>7.4</b>	<b>1.4</b>	146°	-66°	659032	5024383	300	
<b>CS 16-341</b>	151.8	152.8	1.0	0.9	2.1	135°	-62°	657883	5023687	240	
	156.8	157.8	<b>1.0</b>	<b>0.9</b>	<b>9.0</b>						
<b>CS 16-342</b>	No significant values						145°	-55°	657871	5023603	200
<b>CS 16-343*</b>	33.0	63.0	<b>30.0</b>	<b>29.1</b>	<b>4.6</b>	145°	-45°	658305	5023694	180	
including**	33.0	47.0	<b>14.0</b>	<b>13.6</b>	<b>8.9</b>						
includes	33.0	34.0	1.0	1.0	28.0						
includes	38.0	39.0	1.0	1.0	20.7						
includes	45.0	46.0	1.0	1.0	32.1						
<b>CS 16-344*</b>	28.0	51.0	<b>23.0</b>	<b>22.3</b>	<b>4.3</b>	145°	-45°	658286	5023677	100	
	including**	29.0	45.0	<b>16.0</b>	<b>15.5</b>						<b>5.6</b>
	includes	30.0	31.0	1.0	1.0						21.4
	includes	35.0	37.0	2.0	1.9						13.6
<b>CS 16-345*</b>	17.0	41.0	<b>24.0</b>	<b>23.2</b>	<b>4.6</b>	145°	-45°	658293	5023669	51	
	including**	19.0	27.0	<b>8.0</b>	<b>7.7</b>						<b>9.6</b>
	includes	19.0	20.0	1.0	1.0						12.1
	includes	20.0	21.0	1.0	1.0						10.4
	includes	21.0	22.0	1.0	1.0						16.3
	includes	25.0	26.0	1.0	1.0						12.5
	includes	26.0	27.0	1.0	1.0						15.6
	includes	30.0	31.0	1.0	1.0						8.6

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Au Cut g/t	Azimuth	Dip	UTM	Total Depth (m)
<b>CS 16-346*</b>	15.0	46.0	<b>31.0</b>	<b>29.9</b>	<b>10.0</b>	6.6	145°	-45°	658331 5023680	51
including**	15.0	27.0	<b>12.0</b>	<b>11.6</b>	<b>24.2</b>	15.3				
includes	15.0	16.0	1.0	1.0	55.8	30.0				
includes	16.0	17.0	1.0	1.0	5.6					
includes	17.0	18.0	1.0	1.0	9.0					
includes	18.0	19.0	1.0	1.0	10.4					
includes	19.0	20.0	1.0	1.0	20.5					
includes	20.0	21.0	1.0	1.0	8.1					
includes	23.0	24.0	1.0	1.0	13.0					
includes	24.0	25.0	1.0	1.0	59.2	30.0				
includes	25.0	26.0	1.0	1.0	81.7	30.0				
includes	26.0	27.0	1.0	1.0	25.2					
<b>CS 16-347*</b>	23.0	41.0	<b>18.0</b>	<b>17.4</b>	<b>7.9</b>	5.6	145°	-45°	658269 5023658	51
including**	23.0	27.0	<b>4.0</b>	<b>3.9</b>	<b>30.1</b>	19.7				
includes	23.0	24.0	1.0	1.0	50.6	30.0				
includes	24.0	25.0	1.0	1.0	7.2					
includes	25.0	26.0	1.0	1.0	11.6					
Includes	26.0	27.0	1.0	1.0	50.8	30.0				
<b>CS 16-348*</b>	165.0	178.0	<b>13.0</b>	<b>12.2</b>	<b>10.1</b>	4.1	154°	-50°	658184 5023769	198
including**	165.0	170.0	<b>5.0</b>	<b>4.7</b>	<b>24.9</b>	9.3				
includes	165.0	166.0	1.0	0.9	108.0	30.0				
includes	168.0	169.0	1.0	1.0	6.8					
<b>CS 16-349</b>	194.3	207.0	12.8	10.2	2.1	2.1	151°	-63°	658184 5023769	213
including	194.3	196.3	2.0	1.6	7.5	7.5				
<b>CS 16-350</b>	Appears to have stopped short of the target on the Gabbro contact; it will be extended.						145°	-56°	658115 6023783	228
<b>CS 16-351</b>	72.0	79.0	7.0	6.2	1.1	1.1	145°	-53°	658161 5023810	252
including	78.0	79.0	1.0	0.9	3.5	3.5				
	180.1	180.6	0.5	0.4	9.7	9.7				
	221.3	226.7	5.4	4.8	5.0	5.0				
	221.8	222.4	0.7	0.6	29.0	29.0				
<b>CS 17-355</b>	44.0	45.0	1.0	1.0	1.2		145°	-45°	658290 5023785	201
	110.0	153.0	<b>43.0</b>	<b>42.2</b>	<b>0.7</b>					
including	117.0	118.0	1.0	1.0	8.3					
including	129.5	130.5	1.0	1.0	2.3					
including	149.0	150.0	1.0	1.0	3.3					
<b>CS 17-356</b>	65.5	66.5	1.0	1.0	2.0		145°	-45°	658324 5023729	210
	89.0	91.8	2.8	2.7	2.1					
<b>CS 17-357</b>	56.0	57.0	1.0	1.0	2.4		145°	-45°	658351 5023728	222
	150.0	153.0	3.0	2.9	0.8					
<b>CS 17-358</b>	13.1	19.0	<b>5.9</b>	<b>5.7</b>	<b>17.4</b>	16.3	145°	-45°	658329 5023690	171
including	14.1	17.3	<b>3.2</b>	<b>3.1</b>	<b>31.4</b>	29.8				
	47.0	54.5	7.5	7.3	1.1					
including	53.0	53.5	0.5	0.5	4.1					
	60.0	65.5	5.5	5.3	2.5					
	114.0	115.0	1.0	1.0	1.2					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Au Cut g/t	Azimuth	Dip	UTM	Total Depth (m)	
<b>CS 17-359</b>	42.6	43.6	1.0	1.0	1.2		145°	-45°	658237 5023685	118	
	50.0	62.0	<b>12.0</b>	<b>11.7</b>	<b>7.6</b>	6.8					
including	56.7	58.5	<b>1.8</b>	<b>1.7</b>	<b>41.8</b>	36.5					
<b>CS 17-360</b>	103.4	115.8	<b>12.4</b>	<b>12.0</b>	<b>11.8</b>	6.6	145°	-45°	658208 5023727	171	
including	103.4	104.5	<b>1.2</b>	<b>1.0</b>	<b>105.0</b>	40.0					
<b>CS 17-361</b>	62.0	63.0	1.0	1.0	1.7		145°	-45°	658193 5023655	120	
<b>CS 17-362</b>	61.3	64.5	<b>3.2</b>	<b>3.1</b>	<b>11.6</b>		145°	-45°	658181 5023677	120	
including	61.3	62.5	<b>1.2</b>	<b>1.2</b>	<b>26.8</b>						
<b>CS 17-363</b>	130.0	132.8	2.8	2.5	3.6		145°	-55°	658066 5023715	186	
including	130.8	131.8	1.0	0.9	7.6						
<b>CS 17-364</b>	No significant values							140°	-45°	658401 5023795	150
<b>CS 17-365</b>	26.0	38.0	<b>12.0</b>	<b>11.6</b>	<b>1.0</b>		143°	-45°	658509 5023767	102	
including	34.0	35.0	1.0	1.0	2.6						
<b>CS 17-366</b>	17.5	32.6	<b>15.1</b>	<b>14.6</b>	<b>6.1</b>	4.2	142°	-55°	658468 5023742	102	
including	21.3	23.6	<b>2.3</b>	<b>2.2</b>	<b>27.3</b>	15					
	30.0	31.0	1.0	1.0	8.6						

\*Intersects are calculated with a 0.5 g/t Au bottom cut. \*\*Intersects are calculated with a 3.0 g/t Au bottom cut.