


LINE P0100N
MT (joint MT+IP) Resistivity Section



SURVEY SPECIFICATIONS:




Survey Type: TITAN24 DCIP & MT Survey
 Station Interval: 100 m
 Dipole size: 100 m
 IP Array: Pole-Dipole

INVERSION HISTORY:

2D IP Inversion
 UBC 2D IP (DC referenced) Inversion

PLOTTING PARAMETERS:

Gridding Algorithm: Minimum Curvature
 Grid Cell Size: 25 metres
 Contours: Linear 2, 10 levels
 Colour Zoning: Linear (cbr_32.tbl)
 Coordinate System: Station Coordinate



SURVEY SPECIFICATIONS:
 Survey Type: TITAN24 DCIP & MT Survey
 Station Interval: 100 m
 Dipole size: 100 m
 MT Array: Tensor AMT+MT


INVERSION HISTORY:
 2D MT Inversion
 JC MT 2D from 1k Ohm-m Half-Space model

PLOTTING PARAMETERS:
 Gridding Algorithm: Minimum Curvature
 Grid Cell Size: 25 metres
 Contours: Log Linear 16 levels/log decade
 Colour Zoning: Log Linear (GalwayResis 100 to 20000edt.tbl)
 Coordinate System: Station Coordinate

1.1% CU/9.4m

**>130m CU STRINGER ZONE;
 4.2% CU/0.7m + 2.4% CU/ 0.6m
 + 1.8% CU/0.5m IN 0.5% CU/22.0m**

HISTORICAL DRILLING
GALWAY DRILLING 2018



Galway Metals Inc.

Estrades Project
 QuÃ¡fÃ¡bec
LINE P0100N
 MT Resistivity Section
 TITAN24 DCIP & MT Survey

Quantec Geoscience Ltd.
 146 Sparks Ave
 Toronto, ON M2H 2S4 Canada

