

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM18BL-12	49.85	86.50	36.65	10.3	7.3			120	-45	653461	5021594	270
including	51.75	58.25	6.50	1.8	38.1 V.G.							
including	51.75	52.50	0.75	0.2	58.2							
including	52.50	53.50	1.00	0.3	41.6							
including	53.50	54.50	1.00	0.3	28.1							
including	54.50	55.50	1.00	0.3	23.6							
including	55.50	56.50	1.00	0.3	41.3							
including	56.50	57.50	1.00	0.3	33.2							
including	57.50	58.25	0.75	0.2	48.4							
	4.50	9.70		5.20	1.5							
	26.00	27.00	1.00	0.3	0.7							
	138.50	139.50	1.00		1.0							
	143.00	144.00	1.00		0.6							
	186.55	187.70	1.15		3.0							
	214.10	215.10	1.00		0.8							
GWM19BL-13	49.10	50.50	1.40	1.3	13.4			300	-45	653458	5021474	311
	52.00	53.00	1.00	0.9	0.6							
	55.55	56.50	0.95	0.9	0.5							
	65.00	66.00	1.00	0.9	0.8							
	78.90	80.00	1.10	1.0		2.1						
	99.90	106.75	6.85	6.3	2.5							
including	99.90	102.10	2.20	2.0	7.1							
	101.30	105.05	3.75	3.4								
including	102.10	105.05	2.95	2.7								
	190.00	191.00	1.00		0.7							
GWM19BL-14	139.70	140.20	0.50		1.1			300	-45	653598	5021622	293
	148.05	148.70	0.65		0.7							
	205.75	206.90	1.15		0.4							
GWM19BL-15	18.85	19.35	0.50	0.4	0.4			12	-45	653442	5021477	348
	35.75	36.50	0.75	0.6	0.8							
	59.90	61.15	1.25	0.9	0.4							
	101.00	110.00	9.00	6.6	1.4							
including	103.00	106.00	3.00	2.2		1.6						
	124.50	132.00	7.50	5.5	1.5							
including	126.00	127.00	1.00	0.7	7.6							
including	188.00	199.00	11.00		5.4							
including	189.95	192.50	2.55		20.9 V.G.							
	308.40	309.00	0.60		3.6							
	315.00	316.00	1.00		0.9							
	335.00	336.00	1.00		2.7							
GWM-19BL-28	41.25	42.10	0.85	0.51	5.7			22.5	-67	653474	5021489	338
	75.00	75.80	0.80	0.48	1.2							
	86.90	94.10	7.20	4.34	2.3							
including	89.50	90.80	1.30	0.78	6.8							
	103.00	105.65	2.65	1.60	0.7							
	125.40	130.70	5.30	3.19	3.5							
including	127.70	128.60	0.90	0.54	12.5							
	145.30	146.00	0.70	0.42	1.0							
	173.80	175.20	1.40	0.84	1.6 V.G.							
GWM-19BL-30	36.65	37.35	0.70	0.53	4.0			353	-67	653473	5021490	422
	71.20	84.00	12.80	9.62	2.1							
including	81.90	83.00	1.10	0.83	14.4							
	87.25	88.75	1.50	1.13	0.5							
	107.50	108.40	0.90	0.68	0.5							
	113.10	129.10	16.00	12.02	1.5							
	133.80	134.90	1.15	0.86	0.5							
	135.95	136.60	0.65	0.49	0.5							
	138.25	139.00	0.75	0.56	0.5							
	202.85	203.85	1.00	0.75	0.5							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-19BL-33	41.50	42.10	0.60		1.2			52	-45	653495	5021509	224
	46.00	47.00	1.00		1.2							
	77.30	79.50	2.20		1.3							
	121.65	122.60	0.95		0.9							
GWM-19BL-35 including including	84.00	105.25	21.25		1.1			50	-67	653474	5021489	311
	88.85	90.30	1.45		5.4							
	119.15	119.80	0.65		2.3							
	133.40	134.55	1.15		0.4							
	147.00	147.80	0.80		0.7							
	160.90	161.55	0.65	0.3	0.5							
	162.45	172.75	10.30	5.0	1.1							
	172.25	172.75	0.50	0.2	6.2							
	206.00	206.50	0.50	0.2	4.6							
240.75	243.00	2.25	1.1	0.6								
GWM-19BL-37	190.50	191.30	0.80		0.4			75	-45	653477	5021487	299
GWM-19BL-39 including including including	20.00	21.50	1.50	1.3	1.4			355	-45	653467	5021547	320
	20.50	21.00	0.50	0.4	3.25 V.G.							
	24.00	25.00	1.00	0.9	1.0							
	26.75	27.35	0.60	0.5	0.6							
	36.43	37.10	0.70	0.6	0.6							
	37.81	52.17	14.40	12.6	0.7							
	42.35	43.00	0.65	0.6	2.6							
	62.80	63.83	1.00		4.0							
	63.30	63.83	0.50		7.2							
	72.40	73.58	1.18		1.0							
	78.75	79.25	0.50		0.8							
	89.17	89.93	0.76		0.5							
	102.80	103.30	0.50		3.2							
113.25	114.25	1.00		0.6								
GWM-19BL-58 including	0	94.65			PENDING			300	-65	653468	5021479	257
	95.35	108.5	13.15		0.7							
	105.45	106.5	1.05		1.8							
	116	116.9	0.9		0.6							
	121	122	1		1.1							
	123.8	125	1.2		0.5							
	137.95	139.05	1.1		0.8							
	145.05	257			PENDING							
GWM-19BL-59 including	0.00	59.20			PENDING			310	-65	653503	5021513	80
	67.70	79.70	12.00		5.9							
	76.75	77.25	0.50		119.0 V.G.							
GWM-19BL-60 including including	0.00	65.50			PENDING			325	-78	653518	5021535	257
	65.50	84.05	18.55		1.7							
	76.05	77.00	0.95		14.2							
	81.95	83.00	1.05		3.9							
	84.05	121.55			PENDING							
	130.20	220.20			PENDING							
227.00	257.00			PENDING								
GWM-19BL-62	107.00	108.00	1.00	0.90	3.0			330	-45	653544	5021550	330
GWM-19BL-64 (using 0.25 g/t)	119.40	120.85	1.45		1.3			360	-45	653565	5021682	341
	117.50	122.30	4.80		1.0							
	164.00	164.50	0.50		0.6							
GWM-19BL-65	88.90	89.90	2.00		1.6			320	-80	652801	5021114	111
GWM-19BL-66	82.75	83.50	0.75		2.9			320	-45	652889	5021031	171
	148.00	149.00	1.00		0.7							
	163.20	164.20	1.00		0.7							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-19BL-67	20.90	21.75	0.85		0.5			332	-75	653472	5021544	221
	25.75	27.70	1.95		0.9							
	32.75	57.40			PENDING							
	57.40	74.00	16.60		2.2							
	including 58.50	59.50	1.00		14.0							
	including 62.75	63.80	1.05		11.6							
	85.50	99.95			PENDING							
	106.75	170.05			PENDING							
	172.65	173.80	1.15		1.1							
187.30	221.00			PENDING								
GWM-19BL-68	54.00	76.00			PENDING			320	-45	653078	5021112	263
	including 153.00	165.00	12.00		3.0							
	including 158.00	159.00	1.00		8.3							
	including 163.00	164.10	1.10		13.3							
	226.00	226.95	0.95		3.9							
GWM-19BL-69	0.00	133.00			PENDING			310	-80	653467	5021486	310
	137.60	138.10	0.50	0.30	1.2							
	141.30	158.00	16.70	10.40	5.5							
	including 142.60	143.10	0.50	0.30	50.7							
	including 143.60	144.10	0.50	0.30	9.5							
	including 151.40	152.00	0.60	0.40	8.4							
	including 152.50	153.00	0.50	0.30	32.4							
	including 153.00	153.60	0.60	0.40	43.2							
	including 155.75	156.35	0.60	0.40	11.7							
	164.00	263.00			PENDING							
GWM-19BL-71	56.95	58.70	1.75		0.9			330	-63	653467	5021486	185
	including 103.95	131.00	27.05		1.1							
	including 105.85	106.85	1.00		7.1							
	including 106.85	107.80	0.95		4.6							
	including 118.20	118.70	0.50		5.0							
	132.95	185.00			PENDING							
GWM-19BL-72	0.00	89.95			PENDING			278	-85	653462	5021486	278
	107.00	128.35			PENDING							
	128.35	158.00	29.65	16.81	4.6							
	including 142.00	143.00	1.00	0.57	20.2							
	including 151.20	154.85	3.65	2.07	40.5							
	including 151.20	152.00	0.80	0.45	63.6							
	including 152.00	152.50	0.50	0.28	49.1							
	including 154.10	154.85	0.75	0.43	17.5							
	158.00	183.70	25.70	14.57	0.32							
	including 162.35	171.70	9.35	5.30	0.43							
	including 177.20	178.25	1.05	0.60	0.5							
	183.70	193.15	9.45	5.36	20.7							
	including 184.40	185.15	0.75	0.43	92.0							
	including 187.05	188.15	1.10	0.62	23.5							
	including 188.15	189.05	0.90	0.51	51.9							
	197.35	280.00			PENDING							
	GWM-19BL-74	98.00	108.50	10.50		1.2						
including 98.00		99.90	1.90		4.3							
116.00		116.65	0.65		2.1							
127.15		136.45	9.30	5.00	1.5 **							
127.15		137.40	10.25		1.4 **							
including 127.15		128.00	0.85	0.50	3.7 **							
including 132.10		132.65	0.55	0.30	11.2 **							
151.00		152.00	1.00		1.1							
175.65		186.40	10.75		0.8							
including 179.40		180.15	0.75		3.4 **							
including 181.60		182.10	0.50		3.2 **							
188.00		189.00	1.00		0.4 **							
192.75		193.75	1.00		0.5 **							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-19BL-77	0.00	116.05										
	128.50	159.60	31.10	16.00	1.2 **			320	-87	653374	5021412	3163920
including	147.30	148.25	0.95	0.50	7.3 **							
including	154.70	155.90	1.20	0.60	4.9 **							
	180.20	200.80	20.60		1.2							
	189.10	200.80	11.70		1.7 **							
including	198.80	199.70	0.90		6.0 **							
	212.00	213.25	1.25		0.6							
	213.90	278.00										
GWM-19BL-78	91.10	91.80	0.70		0.4			320	-75	653374	5021412	3163920
	92.40	93.10	0.70		0.5							
	93.80	109.80	16.00	11.00	2.4							
including	95.70	96.85	1.15	0.80	15.7 **							
including	108.55	109.20	0.65	0.40	12.6 **							
	116.00	117.00	1.00	0.70	0.9							
	121.00	143.55	12.50	8.65	8.4							
	128.75	133.50	4.75	3.20	20.9 **							
including	130.85	131.45	0.60	0.40	64.6 **							
including	131.45	132.35	0.90	0.60	54.5 **							
	143.55	203.00										
GWM-19BL-81	0.00	73.00						280	-68	653094	5021140	309
	101.90	157.45										
	170.15	217.30										
	218.35	219.35	1.00		0.5							
	226.00	249.00	23.00		0.8							
including	237.95	239.00	1.05		2.1							
including	242.95	243.50	0.55		10.0							
including	248.40	249.00	0.60		3.1							
	284.45	309.00										
GWM-19BL-82	0.00	46.30						287	-58	653518	5021534	251
	54.10	80.00	25.90		1.8							
including	55.15	56.25	1.10		9.7							
including	56.25	57.25	1.00		4.1							
including	63.50	64.50	1.00		4.2							
including	72.80	73.75	0.95		7.6							
	87.00	88.00	1.00		1.1							
	92.00	93.00	1.00		1.0							
	95.00	96.00	1.00		0.8							
	102.00	103.00	1.00		0.5							
	104.00	111.00	7.00		1.7							
including	108.00	109.00	1.00		4.4							
	112.00	251.00										
GWM-20BL-84	0.00	77.10						35	-72	653464	5021474	284
	90.00	103.00	13.00		4.6							
including	90.65	91.60	0.95		10.9							
including	95.50	96.40	0.90		33.7							
	111.00	112.00	1.00		0.5							
	117.00	118.00	1.00		3.7							
	189.90	284.00										
GWM-20BL-85	49.00	91.40						320	-45	653640	5021791	242
	122.25	124.15	1.90		1.2							
	158.90	183.00										
	186.55	192.00										
	215.40	216.00	0.60		0.5							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-20BL-86	42.55	43.10	0.55		5.8			140	-45	653619	5021817	222
including	66.25	72.55	6.30		1.0							
	69.25	69.95	0.70		5.4							
	75.20	76.10	0.90		0.6							
	89.00	90.00	1.00		0.9							
	92.60	93.80	1.20		0.8							
	104.00	105.30	1.30		0.5							
	119.60	130.90			PENDING							
	156.55	161.80			PENDING							
	165.80	171.00			PENDING							
	181.00	181.95	0.95		1.0							
	201.00	203.20	2.20		1.2							
	256.20	256.80	0.60		0.5							
	440.85	444.15	3.30		0.5							
including	440.85	441.40	0.55		1.4 V.G.							
GWM-20BL-87	0.00	69.30			PENDING			256.5	-82	653464	5021474	281
	73.00	74.00	1.00	0.50	0.4							
	105.00	137.00	32.00	17.40	1.2							
including	106.85	107.55	0.70	0.40	9.9 V.G.							
including	112.00	113.00	1.00	0.50	10.9							
including	120.00	121.00	1.00	0.50	3.8							
	147.00	148.00	1.00	0.50	0.5							
	153.00	200.00	47.00	25.60	10.6							
including	153.00	153.50	0.50	0.30	20.6 V.G.							
including	176.90	177.75	0.85	0.50	35.7							
including	187.20	196.70	9.50	5.20	44.1							
including	187.20	188.00	0.80	0.40	21.3							
including	189.00	189.50	0.50	0.30	495.0 V.G.							
including	191.00	191.75	0.75	0.40	42.4							
including	191.75	192.25	0.50	0.30	57.9							
including	193.20	193.75	0.55	0.30	67.8							
including	196.05	196.70	0.65	0.40	51.6							
	207.25	281.00			PENDING							
GWM-20BL-91	113.00	114.50	1.50		8.5			320	-45	653314	5021362	248
	155.00	156.00	1.00		0.6							
	160.00	161.00	1.00		2.5							
	178.00	179.00	1.00		0.6							
	195.55	197.00	1.45		1.5							
GWM-20BL-93	90.10	164.00			PENDING			300	-90	653314	5021362	293
	170.00	200.00	30.00	24.9	2.4 **							
including	178.20	179.25	1.05	0.90	33.2 **							
including	180.65	181.30	0.65	0.50	9.0 **							
	209.00	210.00	1.00	0.80	0.6 **							
	217.00	222.00	5.00		2.3							
	228.20	229.15	0.95		0.6							
	265.50	267.25	1.75		7.7							
GWM-20BL-94	99.00	100.00	1.00		1.1			210	-87	653464	5021474	359
	137.00	138.00	1.00		0.6							
	338.00	339.35	1.35		0.7							
GWM-20BL-97	78.00	100.00			PENDING			98	-84	653372	5021426	338
	136.00	182.00	46.00		1.4							
including	156.00	157.00	1.00		3.5							
including	164.00	165.00	1.00		16.8							
including	180.00	181.00	1.00		4.7							
including	181.00	182.00	1.00		14.8							
	246.00	247.00	1.00		2.0							
	254.00	257.00	3.00		0.6							
	280.80	283.00	2.20		0.7							
	285.00	286.00	1.00		0.6							
	307.80	316.20	8.40		4.7							
including	314.70	316.20	1.50		24.1							
	319.25	320.40	1.15		0.6							
	322.50	323.00	0.50		2.4							
	330.10	331.20	1.10		1.2							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)	
										Easting	Northing		
GWM-20BL-107	20.00	275.00			pending			320	-85	653273	5021299	407	
	301.20	314.50	13.30	8.60	1.0								
	incl.	301.20	302.10	0.90	0.60	3.5							
	incl.	309.80	310.30	0.50	0.30	5.4							
		377.00	404.30			pending							
GWM-20BL-109	0.00	128.00			PENDING			320	-70	653259	5021299	350	
	166.00	171.00	5.00		1.3								
	including	170.00	171.00	1.00		3.4							
		174.00	175.00	1.00		0.6							
		181.00	182.00	1.00		0.7							
		193.00	209.00	16.00		4.1							
	including	196.00	197.00	1.00		22.7							
	including	206.00	206.50	0.50		65.7							
		237.00	251.00	14.00		1.0							
	including	240.00	241.00	1.00		7.6							
	271.00	350.00			PENDING								
GWM-20BL-111	165.00	166.00	1.00		0.5			140	-85	653273	5021299	443	
		175.00	197.50	22.50		1.7							
	including	189.00	189.90	0.90		28.8							
		275.00	276.00	1.00	0.50	0.5							
		381.00	382.00	1.00	0.50	0.8							
		383.00	384.00	1.00	0.50	0.6							
		400.00	410.00	10.00	4.80	1.5							
	including	407.00	408.00	1.00	0.50	6.6							
	434.00	440.00	6.00	2.90	0.8								
GWM-20BL-113	136.00	138.00	2.00	1.90	0.9			320	-55	653273	5021299	248	
		143.00	161.00	18.00	16.90	1.3							
	including	146.00	147.75	1.75	1.60	4.1							
	including	159.00	161.00	2.00	1.90	4.8							
		214.00	217.00	3.00	2.80	0.9							
GWM-20BL-118	67.00	187.70			pending			320	-70	653195	5021234	368	
		189.00	204.00	15.00	9.40	9.7							
	including	199.65	200.15	0.50	0.30	267.0 VG							
		208.00	335.80			pending							
GWM-20BL-120	137.00	138.00	1.00	0.80	1.1			320	-55	653195	5021234	296	
		149.60	159.50	9.90	8.00	1.9							
	including	152.00	153.00	1.00	0.80	6.4							
	including	154.00	155.00	1.00	0.80	5.0							
GWM-20BL-122	164.80	165.65	0.85	0.80	0.9			140	-85	653195	5021234	560	
		226.00	235.00	9.00	8.20	5.1							
	including	228.80	229.45	0.65	0.60	10.9							
	including	229.45	230.00	0.55	0.50	9.9							
	including	230.55	231.10	0.55	0.50	24.7							
		347.00	350.00	3.00	2.70	1.8							
		442.00	452.00			pending							
		464.00	467.00	3.00	2.70	0.6							
	472.20	490.30			pending								
GWM-20BL-125	60.00	61.00	1.00		0.7			140	-57	653619	5021817	370.5	
		64.00	67.15	3.15		0.44							
		70.00	147.00			pending							
		150.00	155.50	5.50		17.0							
	including	154.00	154.50	0.50		10.8							
	including	154.50	155.00	0.50		163.0 VG							
	160.00	370.50			pending								
GWM-20BL-127	62.10	96.50			pending			300	-85	653106	5021144	419	
		233.00	243.20	10.20	5.90	5.1							
		234.50	235.00	0.50	0.30	91.4 VG							
		246.00	415.15			pending							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-20BL-128	57.00	61.00			pending			286	-78	653699	5021718	495
	64.00	77.00	13.00		0.5							
	64.00	65.00	1.00		1.9							
	77.00	208.00			pending							
	208.00	233.50	25.50		5.3 VG							
	including	214.40	214.90	0.50		54.6						
	including	225.00	226.50	1.50		16.4						
	including	231.00	233.50	2.50		20.9						
		237.00	494.60			pending						

No cut has been determined for this new area

True Widths are unknown if not noted