

### Clarence Stream - George Murphy Zone Drill Hole Results

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWMCL17-01</b>	No significant Assays					180	-45	5022235	654218	210.0
<b>GWMCL17-02</b>	41.00	43.10	2.10	1.63	0.9	350	-45	5022212	654238	180.0
	49.20	51.30	2.10	1.63	1.7					
	57.50	59.45	1.00	0.77	1.5					
	123.15	126.00	2.85	1.89	0.6					
	78.90	86.50	<b>7.60</b>	5.05	<b>2.1</b>					
including	80.00	81.00	<b>1.00</b>	0.66	<b>6.3</b>					
<b>GWMCL17-03</b>	No significant Assays					0	-45	50223012	654190	192.0
<b>GWMCL17-04</b>	170.50	182.30	<b>11.90</b>	6.90	<b>2.2</b>	0	-45	5022395	654420	246.0
including	170.50	171.60	<b>1.20</b>	0.70	<b>12.4</b>					
	224.60	225.50	0.90	0.52	1.3					
	146.00	146.75	0.75	0.43	1.1					
	151.00	152.50	1.50	0.87	2.9					
	161.60	164.00	2.40	1.39	0.8					
<b>GWMCL17-05</b>	238.50	250.80	<b>12.30</b>	7.78	<b>0.6</b>	0	-45	5022250	654438	255.0
including	238.50	239.60	1.10	0.70	1.6					
including	248.30	248.80	<b>0.50</b>	0.32	<b>5.3</b>					
<b>GWM18CL-05 EXT</b>	307.40	308.10	0.70	0.40	<b>3.3 VG</b>	0	-45	5022250	654438	283
	347.00	353.20	<b>7.20</b>	<b>4.60</b>	<b>1.6</b>					
	389.00	397.40	8.40	5.30	0.9					
	406.00	410.00	4.00	2.50	1.0					
	538.00	539.00	1.00		<b>1,650 g/t Ag</b>					
<b>GWMCL17-06</b>	No significant Assays					180	-45	5022265	654445	198.0
<b>GWMCL17-07</b>	295.25	296.75	1.50		0.7	0	-45	5022406	654579	318.0
<b>GWMCL17-08</b>	No significant Assays					180	-45	5022112	654939	201.0
<b>GWMCL17-09</b>	212.85	213.50	0.65		0.4	180	-45	5021895	655186	315.0
	224.00	225.00	1.00		0.4					
	258.65	259.65	1.00		0.4					
<b>GWMCL17-10</b>	266.50	268.00	1.50		1.5	180	-45	5021920	655188	296.0
<b>GWMCL17-11</b>	No significant Assays					180	-45	5021880	655273	384.0
<b>GWMCL17-12</b>	No significant Assays					0	-45	5022024	655068	231.0
<b>GWMCL18-13</b>	216.50	217.00	0.50		0.6	0	-45	5022063	654726	309.0
	254.00	255.00	1.00		0.5					
	274.25	275.25	1.00		0.5					
<b>GWMCL18-14</b>	51.00	52.00	1.00		0.5	0	-45	5022124	654716	252.0
<b>GWMCL18-15</b>	31.00	79.75	<b>48.75</b>	16.28	0.7	180	-45	5022579	654432	408.0
including	33.40	34.20	0.80	0.27	4.2					
including	37.70	38.45	0.75	0.25	2.0					
including	50.00	51.00	1.00	0.33	5.6					
including	61.50	62.40	0.90	0.30	1.6					
including	63.50	65.00	1.50	0.50	2.5					
including	74.00	75.00	1.00	0.33	2.1					
including	78.45	79.75	1.30	0.43	3.2					
	263.00	266.20	3.20	1.07	0.5					
	376.80	383.00	6.20	2.07	0.5					
	407.00	408.00	1.00	0.33	<b>2.2 VG</b>					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWMCL18-16	47.15	49.35	2.20	0.81	1.0	180	-45	5022630	654480	318.0	
	95.75	97.00	1.25	0.46	1.5						
	185.30	186.75	1.45	0.54	2.9						
	253.50	256.00	2.50	0.92	1.3						
	including	254.50	255.20	0.70	0.26						3.6
GWMCL18-17	63.30	63.80	0.50	0.34	7.5	350	-60	5022199	654240	314.0	
	72.00	73.00	1.00	0.68	2.5						
	125.20	135.50	<b>10.30</b>	5.49	<b>1.3</b>						
	including	125.20	125.70	0.50	0.27						<b>5.1</b>
	including	134.50	135.50	<b>1.00</b>	0.53						<b>9.3 VG</b>
	213.25	215.35	2.10	1.12	1.1						
	253.80	261.00	<b>7.20</b>		<b>0.9</b>						
260.00	261.00	1.00		<b>2.7</b>							
GWMCL18-18	54.50	60.00	<b>5.50</b>	4.50	<b>0.8</b>	310	-45	5022190	654233	419.4	
	including	54.50	55.00	0.50	0.41						2.2
	59.00	60.00	1.00	0.82	2.8						
GWMCL18-19	61.00	65.55	<b>4.55</b>	3.56	<b>2.6</b>	310	-45	5022230	654285	254.5	
	including	63.70	64.75	<b>1.05</b>	0.82						<b>8.5 VG</b>
	150.00	151.00	1.00	0.67	1.0						
	154.65	158.10	3.45	2.32	1.1						
	including	154.65	156.00	1.35	0.91						2.4
	166.50	175.00	<b>8.50</b>	5.71	<b>0.9</b>						
	including	167.00	167.75	0.75	0.50						3.8
including	173.25	174.00	0.75	0.50	2.2						
GWMCL18-20	214.25	215.25	1.00		1.3	0	-45	5022205	654314	384.0	
GWMCL18-21	70.00	71.60	<b>1.60</b>	1.06	<b>8.1</b>	350	-61	5022228	654284	249.0	
	including	70.00	71.00	<b>1.00</b>	0.66						<b>12.5 VG</b>
GWMCL18-21 EXT	261.80	285.00	<b>23.30</b>	<b>15.40</b>	<b>2.0</b>	350	-61	5022228	654284	126	
	including	265.30	266.60	1.40	1.00						<b>5.7</b>
	including	270.30	271.30	1.00	0.70						<b>8.8</b>
	282.00	285.00	3.00	2.00	3.3						
	including	283.80	285.00	<b>1.30</b>	0.90						<b>8.5</b>
92.90	145.65	52.75		Assays Pending							
GWMCL18-22	156.00	157.00	1.00	0.46	1.2	180	-45	5022582	654391	189.0	
	163.50	167.40	<b>3.90</b>	1.80	<b>5.3</b>						
	including	166.00	167.40	<b>1.40</b>	0.65						<b>13.8 VG</b>
GWMCL18-23	29.60	30.40	0.80	0.40	3.4	180	-45	5022538	654388	221.5	
	41.00	53.60	<b>12.60</b>	<b>5.70</b>	<b>0.8</b>						
	41.00	46.00	5.00	2.30	0.5						
	including	50.00	53.60	3.60	1.60						2.0
	including	50.00	51.00	1.00	0.50						5.8
	82.60	93.00	<b>10.40</b>	<b>4.70</b>	<b>1.4</b>						
	including	83.50	84.50	1.00	0.50						3.6
	including	84.50	85.60	1.10	0.50						4.1
	including	91.70	92.20	0.50	0.20						5.0
	139.90	142.00	<b>2.20</b>	<b>1.00</b>	<b>3.2</b>						
	175.00	175.70	<b>0.70</b>	<b>0.30</b>	<b>21.0</b>						
GWMCL18-24	119.60	139.50	<b>19.90</b>	<b>10.70</b>	<b>0.6</b>	150	-45	5022519	654317	165	
	including	138.00	139.50	1.50	0.80						1.6

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWMCL18-25	8.70	28.90	<b>20.30</b>	<b>10.90</b>	<b>0.9</b>	150	-45	5022454	654322	216	
	8.70	10.00	1.40	0.70	2.1						
	22.00	23.00	<b>1.00</b>	<b>0.50</b>	<b>5.8</b>						
	24.00	24.70	0.60	0.40	0.3 VG						
	27.90	28.90	1.10	0.60	3.0						
	90.50	93.90	3.30	1.80	0.8						
GWMCL18-26	36.00	36.90	0.90	0.50	3.1	150	-45	5022461	654281	235.5	
	48.30	51.30	3.00	1.60	1.0						
	including	48.30	49.30	1.00	0.50						2.1
	88.45	91.00	2.55	1.33	0.6						
	102.80	107.00	<b>4.20</b>	<b>2.20</b>	<b>241.5</b>						
	102.80	104.05	<b>1.25</b>	<b>0.65</b>	<b>807.0 VG</b>						
GWMCL18-27	141.00	158.00	<b>17.00</b>	<b>8.90</b>	<b>3.4</b>	150	-45	5022449	654240	300	
	including	141.00	142.00	<b>1.00</b>	<b>0.50</b>						<b>24.3 VG</b>
	including	156.80	157.30	<b>0.50</b>	<b>0.30</b>						<b>40.0 VG</b>
	186.00	191.20	<b>5.20</b>	<b>2.70</b>	<b>1.5</b>						
	including	186.00	187.00	1.00	0.50						3.6
GWMCL18-28	25.00	26.00	<b>1.00</b>	<b>0.90</b>	<b>12</b>	330	-45	5022286	654289	230	
	83.30	88.40	<b>5.10</b>	<b>4.10</b>	<b>2.9</b>						
	including	87.00	88.40	<b>1.30</b>	<b>1.10</b>						<b>7.1</b>
GWMCL18-29	83.00	105.00	<b>22.00</b>	<b>16.20</b>	<b>1.9</b>	270	-45	5022190	654232	325.5	
	including	100.20	101.40	1.30	0.90						<b>16.9</b>
	including	101.40	102.70	1.30	0.90						4.0
	221.40	325.70	104.30		Assays Pending						
GWM18CL-30	95.40	112.70	<b>17.30</b>	<b>14.10</b>	<b>3.2</b>	352	-45	5022210	654259	384	
	including	95.40	96.10	0.70	<b>0.60</b>						<b>5.5</b>
	including	106.50	107.00	0.50	<b>0.40</b>						<b>9.0</b>
	including	112.00	112.70	0.70	<b>0.60</b>						<b>33.8</b>
	202.00	202.50	0.50	<b>0.40</b>	<b>13.4</b>						
	301.50	302.50	1.00	0.80	2.9						
GWM18CL-31	186.00	190.00	4.00	3.60	1.3	330	-45	5022274	654380	375	
	including	188.00	189.00	1.00	0.90						2.8
	240.00	266.90	<b>26.90</b>	<b>24.50</b>	<b>0.7</b>						
	including	243.00	244.00	1.00	0.90						2.1
	including	250.00	251.00	1.00	0.90						2.3
	285.40	286.30	0.90	0.80	1.7						
	294.00	295.00	<b>1.00</b>	<b>0.90</b>	<b>45.5 VG</b>						
GWM18CL-32	177.60	178.10	0.50	0.50	2.2	330	-45	5022295	654444	354	
GWM18CL-33	123.60	126.35	<b>2.75</b>	<b>1.40</b>	<b>7.2</b>	260	-60	5022185	654232	363	
	including	123.60	124.15	<b>0.55</b>	<b>0.30</b>						<b>35</b>
	140.20	141.50	1.30		0.7						
	156.00	156.90	0.90		0.5						
	166.70	167.20	0.50		0.5						
	202.80	204.00	1.20		0.5						
GWM18CL-34	69.20	84.85	<b>15.70</b>	<b>8.30</b>	<b>2.1</b>	290	-65	5022186	654232	213	
	including	79.50	80.10	<b>0.60</b>	<b>0.30</b>						<b>12.6</b>
	126.85	131.50	<b>4.65</b>		<b>2.7</b>						
	including	129.45	130.60	<b>1.15</b>							<b>7.6</b>
	135.00	136.00	1.00		0.6						
	142.00	143.00	1.00		0.4						
	145.00	146.00	1.00		1.0						
	163.30	166.45	3.15		0.7						
	167.70	168.80	1.10		0.6						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM18CL-35	131.00	131.50	0.50		0.9	293	-62	5022185	654311	267	
	184.10	185.80	1.70		2.4						
	196.30	197.00	0.70		0.6						
	207.00	221.00	<b>14.00</b>	<b>8.60</b>	<b>1.6</b>						
	including	212.50	213.15	<b>0.70</b>	<b>0.04</b>						<b>9.5</b>
	including	214.50	215.75	1.30	0.08						3.1
		229.20	231.50	2.30							1.5
		238.00	240.00	2.00							1.0
		274.15	275.15	1.00							0.5
	282.00	283.00	1.00		0.5						
	332.00	333.50	1.50		0.5						
GWM18CL-36	35.75	36.85	1.10		0.4	320	-45	5022348	654316	241	
	47.00	48.10	1.10		1.2						
	54.30	63.00	<b>8.70</b>	<b>7.10</b>	<b>13.0</b>						
	including	58.70	59.20	<b>0.50</b>	<b>0.40</b>						<b>201.0 VG</b>
	including	60.00	60.75	0.75	0.60						10.5
		229.00	230.00	<b>1.00</b>							<b>5.7</b>
GWM19CL-37	0.00	103.45			Assays Pending	100	-60	5022449	654240	249	
	104.45	134.45	<b>30.00</b>	16.00	<b>6.3 V.G.</b>						
	including	105.45	111.45	<b>6.00</b>	3.20						<b>20.3 V.G.</b>
	including	122.45	123.45	<b>1.00</b>	0.50						<b>43.3 V.G.</b>
		153.65	171.00								Assays Pending
	201.00	249.00			Assays Pending						
GWM19CL-38	0.00	174.00			Assays Pending	139	-74	5022449	654240	393	
	193.00	194.00	1.00	0.30	0.8						
	198.95	201.35	2.40	0.70	2.3						
	211.50	219.00		0.00	Assays Pending						
	was	225.00	230.00	5.00	1.50						0.8
	now	223.50	243.40	<b>19.90</b>	5.80						<b>1.6</b>
	including	237.20	237.70	<b>0.50</b>	0.10						<b>24.2</b>
		251.00	251.80	0.80	0.20						1.6
	259.95	411.00			Assays Pending						
GWM19CL-39	113.95	116.00	2.05	1.00	1.4	357	-69	5022286	654289	225	
	130.90	135.40	4.50	2.10	2.1						
	including	134.10	134.60	<b>0.50</b>	0.20						<b>10.5 V.G.</b>
		143.00	144.00	1.00	0.50						2
GWM20CL-40	0.00	49.95			Assays Pending	122	-48	5022582	654391	183	
	73.25	83.05	<b>9.80</b>	5.10	<b>1.1</b>						
	including	75.70	76.55	0.85	0.40						4.1
		85.60	86.60	1.00	0.50						0.6
		92.85	96.50	<b>3.65</b>	1.90						<b>1.2</b>
		117.00	169.15								Assays Pending
		180.40	188.90	<b>5.90</b>	3.10						<b>0.7</b>
	including	185.25	186.00	0.75	0.40						2.5
	197.00	197.95	0.95	0.50	0.6						
GWM19CL-41	20.70	24.25	3.55	1.90	2.4	140	-45	5022440	654313	99	
	including	22.65	23.15	0.50	0.30						8.2
		26.50	60.00								Assays Pending
		65.00	66.00	1.00	0.50						7.2
		72.00	76.50								Assays Pending
		77.50	81.00	3.50	1.80						1.9
	including	77.50	78.50	1.00	0.50						Assays Pending

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM20CL-42	0.00	69.90			Assays Pending	162	-54	5022588	654274	399	
	78.10	209.70			Assays Pending						
	210.70	234.00	<b>23.30</b>	10.80	<b>3.5 V.G.</b>						
	including	217.30	219.50	<b>2.20</b>	1.00						<b>23.2 V.G.</b>
	including	218.00	218.50	<b>0.50</b>	<b>0.20</b>						<b>64.9 V.G.</b>
	including	231.10	231.85	<b>0.75</b>	<b>0.30</b>						<b>16.7</b>
	241.40	399.00			Assays Pending						
GWM20CL-43	44.00	55.20			Assays Pending	142	-50	5022588	654274	392	
	55.20	59.00	<b>3.80</b>		<b>4.3</b>						
	including	55.20	56.20	<b>1.00</b>							<b>8.4</b>
		84.35	85.35	1.00	0.50						1.2
		186.45	187.20	0.75	0.40						0.6
		188.80	190.90	2.10	1.00						1.1
	including	190.25	190.00	0.65	0.30						2.4
		223.35	224.35	1.00	0.50						0.4
		247.20	248.00	0.80	0.40						0.9
	280.65	281.30	0.65	0.30	1.2						
GWM19CL-44A	18.00	33.00	15.00	8.80	1	140	-45	5022397	654247	147	
	18.90	19.60	0.70	0.40	7.1						
	49.00	56.35	<b>7.35</b>	4.30	<b>6.5 V.G.</b>						
	including	51.40	51.90	<b>0.50</b>	0.30						<b>39.8 V.G.</b>
	including	52.65	53.70	<b>1.05</b>	0.60						<b>31.9 V.G.</b>
		56.35	92.00								Assays Pending
		94.00	99.15	<b>5.15</b>	3.00						<b>1.3</b>
	including	94.00	94.75	0.75	0.40						4.2
		110.85	111.85	1.00	0.60						0.7
	127.60	133.25			Assays Pending						
GWM20CL-57	8.15	29.40	<b>21.25</b>	14.90	<b>0.8</b>	345	-44	5022436	654342	351	
	including	10.00	11.00	1.00	0.70						2.1
	including	28.55	29.40	0.85	0.60						2.2
		33.25	34.00	0.75	0.50						1.7
		39.80	41.65	1.85	1.30						1.6
		61.75	62.50	0.75							0.6
		170.65	171.45	0.80							0.4
		177.35	178.15	0.80							1.3
		191.25	196.30	<b>5.05</b>							<b>0.7</b>
		216.00	217.50	1.50							3.0
		226.05	226.85	0.80							1.1
		232.40	233.20	0.80							0.5
		234.90	235.65	0.75							0.6
		239.60	252.75	<b>13.15</b>							<b>1.9</b>
	including	240.50	241.50	<b>1.00</b>							<b>7.8</b>
	including	249.75	250.50	0.75							4.4
	281.90	286.45	<b>4.55</b>		<b>0.7</b>						
	292.80	296.05	<b>3.25</b>		<b>0.8</b>						
GWM20CL-58	9.00	27.75	<b>18.75</b>		<b>1.3</b>	315	-47	5022436	654342	333	
	including	17.00	18.00	1.00							8.2 VG
		36.75	44.00	<b>7.25</b>							<b>1.6</b>
	including	43.00	43.50	0.50							7.5
	including	43.50	44.00	0.50							6.7 VG
		191.00	193.00	<b>2.00</b>							<b>11.4</b>
	including	192.00	192.50	<b>0.50</b>							<b>43.5 VG</b>
	287.60	291.40	<b>3.80</b>		<b>1.1</b>						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM20CL-59	123.15	124.05	0.90	0.50	0.7	128.5	-45	5022561	654318	309	
		134.40	135.40	1.00	0.60						0.6
		141.30	149.75	<b>8.45</b>	5.10						<b>4.5</b>
	including	141.30	142.00	<b>0.70</b>	0.40						<b>35.3</b>
		152.05	152.80	0.75	0.50						0.4
		153.55	155.80	2.25	1.40						0.5
		192.70	197.40	<b>4.70</b>	2.80						<b>0.7</b>
	including	192.70	193.30	0.60	0.40						2.0
		204.75	205.55	<b>0.80</b>	0.50						<b>6.7</b>
		228.65	237.05	<b>8.40</b>	5.10						<b>2.8</b>
	237.05	249.00			Assays Pending						
	258.00	264.00	<b>6.00</b>	3.60	<b>1.3</b>						
GWM20CL-60	32.60	33.65	1.05		2.1	267.3	-60	5022561	654318	297	
		65.80	71.20	<b>5.40</b>							<b>1</b>
	including	66.85	67.85	1.00							2.8
		137.45	145.60								Assays Pending
		148.00	150.00	2.00							0.6
		243.10	255.30								Assays Pending
		255.30	260.00	<b>4.70</b>							<b>1.7</b>
GWM20CL-62	77.75	79.90	2.15		0.5	245	-68	5022187	654242.7	311	
		138.00	140.00	<b>2.00</b>							<b>16.8</b>
	including	138.70	139.40	<b>0.70</b>							<b>40.3VG</b>
	including	139.40	140.00	<b>0.60</b>							<b>9.0</b>
		164.00	165.00	1.00							1.5
		223.00	224.50	1.50							0.7
		230.10	230.60	0.50							0.7
		264.50	265.00	0.50							0.5
GWM20CL-66	43.50	134.00			PENDING	251	-64	5022197	654316	243	
		140.00	140.80	0.80							0.7
		142.25	142.75	0.50							1.6
		142.75	185.70								PENDING
		203.20	215.00	<b>11.80</b>							<b>1.9</b>
	including	203.20	204.10	<b>0.90</b>							<b>10.2</b>
	including	212.90	213.70	<b>0.80</b>							<b>5.5</b>
	including	214.35	215.00	<b>0.65</b>							<b>6.8</b>
		234.00	235.00	1.00							2.8
		236.50	237.20	0.70							0.5
	237.20	325.00			PENDING						
GWM20CL-66A	11.00	143.70			PENDING	252.1	-64	5022212	654315	371	
		143.70	144.20	<b>0.50</b>							<b>26.5</b>
		144.90	200.40								PENDING
		200.40	201.00	0.60							1.5VG
		201.00	314.80								PENDING
		322.70	323.65	0.95							2.3
		327.95	328.50	0.55							1
		332.00	332.60	0.60							0.5
		333.60	341.60	<b>8.00</b>							<b>3.6</b>
	including	340.60	341.10	<b>0.50</b>							<b>30.1VG</b>
	including	341.10	341.60	<b>0.50</b>							<b>12.8</b>
		343.30	371.00								PENDING
GWM20CL-75	0.00	280.50			PENDING	135	-45	5022913	654685	453	
		283.00	283.50	<b>0.50</b>							<b>9.4 VG</b>
		286.50	398.10								PENDING

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWM20BL-88</b>	70.35	70.85	0.50		1.1	70	-45	5022033	653841	510
	201.50	203.50	<b>2.00</b>		<b>9.7</b>					
including	201.50	202.00	<b>0.50</b>		<b>14.0 VG</b>					
including	203.00	203.50	<b>0.50</b>		<b>24.0 VG</b>					
	210.90	211.50	0.60		0.4					
	214.15	214.85	0.70		0.4					
	225.50	226.00	0.50		0.6					
	268.20	269.00	0.80		0.4					
	302.10	303.10	1.00		1.8					
	307.60	308.40	0.80		0.9					
	324.00	324.85	0.85		0.4					
	335.00	346.00	<b>11.00</b>		<b>1.2</b>					
including	335.00	335.50	0.50		4.1					
including	341.40	341.90	0.50		2.7 VG					
including	341.90	342.40	0.50		5.6 VG					
including	342.40	342.90	0.50		2.6 VG					
	365.05	365.55	0.50		0.9					
	366.50	367.00	0.50		0.4					
	368.75	372.70	3.95		1.3					
including	371.50	372.00	0.50		4.8					
	378.65	379.50	0.85		3.4					
	416.65	417.35	0.70		2.4					
	432.40	433.15	0.75		1.3					
	462.00	476.05	<b>14.05</b>		<b>6.5</b>					
including	471.20	471.70	<b>0.50</b>		<b>18.8 VG</b>					
including	472.70	473.60	<b>0.90</b>		<b>66.7 VG</b>					
	490.65	493.00	<b>2.35</b>		<b>4.9</b>					
including	492.35	493.00	<b>0.65</b>		<b>15.8</b>					
<b>GWM20BL-92</b>	73.45	74.60	1.15		2.1	90	-45	5022027	653830.1	565.4
	173.70	174.20	0.50		2.4					
	230.15	230.75	0.60		0.4					
	232.50	234.50	2.00		0.9					
including	233.50	234.00	0.50		2					
	241.00	242.50	1.50		0.9					
	440.85	444.15	3.30		0.8					
including	440.85	441.40	0.55		1.4VG					
including	443.55	444.15	0.60		0.7VG					
<b>GWM20BL-95</b>	144.20	147.00	2.80		0.8	340	-45	5022029	653811	300
including	144.20	144.70	0.50		2.3					
including	146.40	147.00	0.60		1.7					
	228.85	229.70	0.85		1.6					
<b>GWM20BL-96</b>	43.75	44.60	0.85		0.4	95	-45	5022081	653896	492
	53.00	54.10	1.10		0.8					
	62.15	63.65	1.50		0.5					
	146.00	147.00	<b>1.00</b>		<b>9.9</b>					
	190.15	209.00	<b>18.85</b>		<b>0.7</b>					
including	199.65	200.20	<b>0.55</b>		<b>8.5</b>					
	217.35	220.75	<b>3.40</b>		<b>1.1</b>					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWM20BL-99</b>	35.50	36.55	1.05		0.5	95	-45	5022122	653899	486
	148.35	149.00	0.65		0.7					
	165.00	203.75	<b>38.75</b>		<b>2.1</b>					
including	167.25	167.80	<b>0.55</b>		<b>15.6</b>					
including	175.30	175.85	<b>0.55</b>		<b>64.3 VG</b>					
including	176.45	177.10	0.65		3.9					
including	188.65	189.25	0.60		3.8					
including	189.25	190.10	<b>0.85</b>		<b>13.7VG</b>					
including	190.10	190.85	0.75		3.6					
	204.80	205.60	0.80		0.7					
	210.00	210.50	0.50		2.0					
	268.00	269.00	1.00		0.5					
	273.15	273.80	0.65		0.9					
	302.00	303.95	1.95		0.6					
	386.00	386.50	0.50		1.0					
	399.35	400.95	1.60		1.1					
<b>GWM20BL-104</b>	61.30	63.50	<b>2.20</b>		<b>12.2</b>	162	-46	5022126	653899	564
including	61.30	62.20	<b>0.90</b>		<b>27.4</b>					
	70.50	73.00	2.50		1.3					
	230.00	232.30	2.30		0.9					
including	231.65	232.30	0.65		2.1					
	276.80	553.60			PENDING					
<b>GWM20BL-105</b>	24.00	136.30			PENDING	116	-65	5022126	653899	420
	149.00	155.65	<b>6.65</b>		<b>2.8</b>					
including	149.00	149.50	<b>0.50</b>		<b>9.3</b>					
including	150.40	150.90	<b>0.50</b>		<b>10.1</b>					
including	154.85	155.65	<b>0.80</b>		<b>9.7</b>					
	165.90	170.10	<b>4.20</b>		<b>0.6</b>					
	216.00	217.00	<b>1.00</b>		<b>21.7</b>					
	218.50	219.00	0.50		0.5					
	244.00	420.00			PENDING					

VG = visible gold. No upper cutoff grade was applied; 0.42 g/t Au was used for the bottom cut-off;  
True widths are unknown where not specified.