

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM18BL-12	49.85	86.50	36.65	10.29	7.3			120	-45	653461	5021594	270
including	51.75	58.25	6.50	1.83	38.1							
including	51.75	52.50	0.75	0.21	58.2							
including	52.50	53.50	1.00	0.28	41.6							
including	53.50	54.50	1.00	0.28	28.1							
including	54.50	55.50	1.00	0.28	23.6							
including	55.50	56.50	1.00	0.28	41.3							
including	56.50	57.50	1.00	0.28	33.2							
including	57.50	58.25	0.75	0.21	48.4							
	4.50	9.70	5.20	1.46	1.3							
	26.00	27.00	1.00	0.28	0.7							
	138.50	139.50	1.00		1.0							
	143.00	144.00	1.00		0.6							
	186.55	187.70	1.15		3.0							
	214.10	215.10	1.00		0.8							
GWM19BL-13	49.10	50.50	1.40	1.29	13.4			300	-45	653458	5021474	311
	52.00	53.00	1.00	0.92	0.6							
	55.55	56.50	0.95	0.87	0.5							
	65.00	66.00	1.00	0.92	0.8							
	78.90	80.00	1.10	1.01		2.1						
	99.90	106.75	6.85	6.30	2.5							
including	99.90	102.10	2.20	2.02	7.1							
	101.30	105.05	3.75	3.45			0.9					
including	102.10	105.05	2.95	2.71			1.1					
	190.00	191.00	1.00	0.7								
GWM19BL-14	139.70	140.20	0.50		1.1			300	-45	653598	5021622	293
	148.05	148.70	0.65		0.7							
	205.75	206.90	1.15		0.4							
GWM19BL-15	18.85	19.35	0.50	0.37	0.4			12	-45	653442	5021477	348
	35.75	36.50	0.75	0.55	0.8							
	59.90	61.15	1.25	0.92	0.4							
	101.00	110.00	9.00	6.60	1.4							
including	103.00	106.00	3.00	2.20			1.6					
	124.50	132.00	7.50	5.50	1.5							
including	126.00	127.00	1.00	0.73	7.6							
including	188.00	199.00	11.00		5.4							
including	189.95	192.50	2.55		20.9							
	308.40	309.00	0.60		3.6							
	315.00	316.00	1.00		0.9							
	335.00	336.00	1.00		2.7							
GWM-19BL-28	41.25	42.10	0.85	0.51	5.7			22.5	-67	653474	5021489	338
	75.00	75.80	0.80	0.48	1.2							
	86.90	94.10	7.20	4.34	2.3							
including	89.50	90.80	1.30	0.78	6.8							
	103.00	105.65	2.65	1.60	0.7							
	125.40	130.70	5.30	3.19	3.5							
including	127.70	128.60	0.90	0.54	12.5							
	145.30	146.00	0.70	0.42	1.0							
	173.80	175.20	1.40	0.84	1.6							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-19BL-30	36.65	37.35	0.70	0.53	4.0			353	-67	653473	5021490	422
including	71.20	84.00	12.80	9.62	2.1							
	81.90	83.00	1.10	0.83	14.4							
	87.25	88.75	1.50	1.13	0.5							
	107.50	108.40	0.90	0.68	0.5							
	113.10	129.10	16.00	12.02	1.5							
	133.80	134.90	1.15	0.86	0.5							
	135.95	136.60	0.65	0.49	0.5							
	138.25	139.00	0.75	0.56	0.5							
	202.85	203.85	1.00	0.75	0.5							
GWM-19BL-33	41.50	42.10	0.60		1.2			52	-45	653495	5021509	224
	46.00	47.00	1.00		1.2							
	77.30	79.50	2.20		1.3							
	121.65	122.60	0.95		0.9							
GWM-19BL-35	84.00	105.25	21.25		1.1			50	-67	653474	5021489	311
including	88.85	90.30	1.45		5.4							
	119.15	119.80	0.65		2.3							
	133.40	134.55	1.15		0.4							
	147.00	147.80	0.80		0.7							
	160.90	161.55	0.65	0.31	0.5							
	162.45	172.75	10.30	4.97	1.1							
including	172.25	172.75	0.50	0.24	6.2							
	206.00	206.50	0.50	0.24	4.6							
	240.75	243.00	2.25	1.08	0.6							
GWM-19BL-37	190.50	191.30	0.80		0.4			75	-45	653477	5021487	299
GWM-19BL-39	20.00	21.50	1.50	1.31	1.4			355	-45	653467	5021547	320
including	20.50	21.00	0.50	0.44	3.25 V.G.							
	24.00	25.00	1.00	0.87	1.0							
	26.75	27.35	0.60	0.52	0.6							
	36.43	37.10	0.70	0.61	0.6							
	37.81	52.17	14.40	12.58	0.7							
including	42.35	43.00	0.65	0.57	2.6							
	62.80	63.83	1.00		4.0							
including	63.30	63.83	0.50		7.2							
	72.40	73.58	1.18		1.0							
	78.75	79.25	0.50		0.8							
	89.17	89.93	0.76		0.5							
	102.80	103.30	0.50		3.2							
	113.25	114.25	1.00		0.6							
GWM-19BL-58	0.00	94.65			PENDING			300	-65	653468	5021479	257
including	95.35	108.50	13.15		0.7							
	105.45	106.50	1.05		1.8							
	116.00	116.90	0.90		0.6							
	121.00	122.00	1.00		1.1							
	123.80	125.00	1.20		0.5							
	137.95	139.05	1.10		0.8							
	145.05	257.00			PENDING							
GWM-19BL-59	0.00	59.20			PENDING			310	-65	653503	5021513	80
including	67.70	79.70	12.00		5.9							
	76.75	77.25	0.50		119.0 V.G.							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM Easting	UTM Northing	Total Depth (m)	
GWM-19BL-60	0.00	65.50			PENDING			325	-78	653518	5021535	257	
	65.50	84.05	18.55		1.7								
	including	76.05	77.00	0.95	14.2								
	including	81.95	83.00	1.05	3.9								
		84.05	121.55		PENDING								
		130.20	220.20		PENDING								
	227.00	257.00		PENDING									
GWM-19BL-62	107.00	108.00	1.00	0.90	3.0			330	-45	653544	5021550	330	
GWM-19BL-64 (using 0.25 g/t)	119.40	120.85	1.45		1.3			360	-45	653565	5021682	341	
	117.50	122.30	4.80		1.0								
	164.00	164.50	0.50		0.6								
GWM-19BL-65	88.90	89.90	2.00		1.6			320	-80	652801	5021114	111	
GWM-19BL-66	82.75	83.50	0.75		2.9			320	-45	652889	5021031	171	
	148.00	149.00	1.00		0.7								
	163.20	164.20	1.00		0.7								
GWM-19BL-67	20.90	21.75	0.85		0.5			332	-75	653472	5021544	221	
	25.75	27.70	1.95		0.9								
	32.75	57.40			PENDING								
	57.40	74.00	16.60		2.2								
	including	58.50	59.50	1.00	14.0								
	including	62.75	63.80	1.05	11.6								
		85.50	99.95		PENDING								
		106.75	170.05		PENDING								
	172.65	173.80	1.15		1.1								
	187.30	221.00		PENDING									
GWM-19BL-68	54.00	76.00			PENDING			320	-45	653078	5021112	263	
	153.00	165.00	12.00		3.0								
	including	158.00	159.00	1.00	8.3								
	including	163.00	164.10	1.10	13.3								
		226.00	226.95	0.95	3.9								
GWM-19BL-69	0.00	133.00			PENDING			310	-80	653467	5021486	310	
	137.60	138.10	0.50	0.30	1.2								
	141.30	158.00	16.70	10.40	5.5								
	including	142.60	143.10	0.50	0.30	50.7							
	including	143.60	144.10	0.50	0.30	9.5							
	including	151.40	152.00	0.60	0.40	8.4							
	including	152.50	153.00	0.50	0.30	32.4							
	including	153.00	153.60	0.60	0.40	43.2							
	including	155.75	156.35	0.60	0.40	11.7							
	164.00	263.00		PENDING									
GWM-19BL-71	56.95	58.70	1.75		0.9			330	-63	653467	5021486	185	
	103.95	131.00	27.05		1.1								
	including	105.85	106.85	1.00	7.1								
	including	106.85	107.80	0.95	4.6								
	including	118.20	118.70	0.50	5.0								
	132.95	185.00		PENDING									

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)	
										Easting	Northing		
GWM-19BL-72	0.00	89.95						278	-85	653462	5021486	278	
													PENDING
		107.00	128.35										PENDING
		128.35	158.00	29.65	16.81	4.6							
	including	142.00	143.00	1.00	0.57	20.2							
	including	151.20	154.85	3.65	2.07	40.5							
	including	151.20	152.00	0.80	0.45	63.6							
	including	152.00	152.50	0.50	0.28	49.1							
	including	154.10	154.85	0.75	0.43	17.5							
		158.00	183.70	25.70	14.57	0.32							
	including	162.35	171.70	9.35	5.30	0.43							
	including	177.20	178.25	1.05	0.60	0.5							
		183.70	193.15	9.45	5.36	20.7							
	including	184.40	185.15	0.75	0.43	92.0							
	including	187.05	188.15	1.10	0.62	23.5							
	including	188.15	189.05	0.90	0.51	51.9							
	197.35	280.00					PENDING						
GWM-19BL-74	98.00	108.50	10.50		1.2			255	-73	653462	5021486	3164077.5	
	including	98.00	99.90	1.90		4.3							
		116.00	116.65	0.65		2.1							
		127.15	136.45	9.30	5.00	1.5							
		127.15	137.40	10.25		1.4							
	including	127.15	128.00	0.85	0.50	3.7							
	including	132.10	132.65	0.55	0.30	11.2							
		151.00	152.00	1.00		1.1							
		175.65	186.40	10.75		0.8							
	including	179.40	180.15	0.75		3.4							
	including	181.60	182.10	0.50		3.2							
		188.00	189.00	1.00		0.4							
	192.75	193.75	1.00		0.5								
GWM-19BL-77	0.00	116.05						320	-87	653374	5021412	3163920	
													PENDING
		128.50	159.60	31.10	16.00	1.2							
	including	147.30	148.25	0.95	0.50	7.3							
	including	154.70	155.90	1.20	0.60	4.9							
		180.20	200.80	20.60		1.2							
		189.10	200.80	11.70		1.7							
	including	198.80	199.70	0.90		6.0							
	212.00	213.25	1.25		0.6								
	213.90	278.00					PENDING						
GWM-19BL-78	91.10	91.80	0.70		0.4			320	-75	653374	5021412	3163920	
		92.40	93.10	0.70		0.5							
		93.80	109.80	16.00	11.00	2.4							
	including	95.70	96.85	1.15	0.80	15.7							
	including	108.55	109.20	0.65	0.40	12.6							
		116.00	117.00	1.00	0.70	0.9							
		121.00	143.55	12.50	8.65	8.4							
		128.75	133.50	4.75	3.20	20.9							
	including	130.85	131.45	0.60	0.40	64.6							
	including	131.45	132.35	0.90	0.60	54.5							
	143.55	203.00					PENDING						

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM Easting	UTM Northing	Total Depth (m)
GWM-19BL-81	0.00	73.00			PENDING			280	-68	653094	5021140	309
	101.90	157.45			PENDING							
	170.15	217.30			PENDING							
	218.35	219.35	1.00		0.5							
	226.00	249.00	23.00		0.8							
	including	237.95	239.00	1.05		2.1						
	including	242.95	243.50	0.55		10.0						
	including	248.40	249.00	0.60		3.1						
284.45	309.00			PENDING								
GWM-19BL-82	0.00	46.30			PENDING			287	-58	653518	5021534	251
	54.10	80.00	25.90		1.8							
	including	55.15	56.25	1.10		9.7						
	including	56.25	57.25	1.00		4.1						
	including	63.50	64.50	1.00		4.2						
	including	72.80	73.75	0.95		7.6						
		87.00	88.00	1.00		1.1						
		92.00	93.00	1.00		1.0						
		95.00	96.00	1.00		0.8						
		102.00	103.00	1.00		0.5						
	including	104.00	111.00	7.00		1.7						
including	108.00	109.00	1.00		4.4							
112.00	251.00			PENDING								
GWM-20BL-84	0.00	77.10			PENDING			35	-72	653464	5021474	284
	90.00	103.00	13.00		4.6							
	including	90.65	91.60	0.95		10.9						
	including	95.50	96.40	0.90		33.7						
		111.00	112.00	1.00		0.5						
		117.00	118.00	1.00		3.7						
189.90	284.00			PENDING								
GWM-20BL-85	49.00	91.40			PENDING			320	-45	653640	5021791	242
	122.25	124.15	1.90		1.2							
	158.90	183.00			PENDING							
	186.55	192.00			PENDING							
215.40	216.00	0.60		0.5								
GWM-20BL-86	42.55	43.10	0.55		5.8			140	-45	653619	5021817	222
	66.25	72.55	6.30		1.0							
	including	69.25	69.95	0.70		5.4						
		75.20	76.10	0.90		0.6						
		89.00	90.00	1.00		0.9						
		92.60	93.80	1.20		0.8						
		104.00	105.30	1.30		0.5						
		119.60	130.90			PENDING						
		156.55	161.80			PENDING						
		165.80	171.00			PENDING						
		181.00	181.95	0.95		1.0						
		201.00	203.20	2.20		1.2						
		256.20	256.80	0.60		0.5						
		440.85	444.15	3.30		0.5						
including	440.85	441.40	0.55		1.4 V.G.							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM Easting	UTM Northing	Total Depth (m)
GWM-20BL-87	0.00	69.30						256.5	-82	653464	5021474	281
	73.00	74.00	1.00	0.50	0.4							
	105.00	137.00	32.00	17.40	1.2							
including	106.85	107.55	0.70	0.40	9.9 V.G.							
including	112.00	113.00	1.00	0.50	10.9							
including	120.00	121.00	1.00	0.50	3.8							
	147.00	148.00	1.00	0.50	0.5							
	153.00	200.00	47.00	25.60	10.6							
including	153.00	153.50	0.50	0.30	20.6 V.G.							
including	176.90	177.75	0.85	0.50	35.7							
including	187.20	196.70	9.50	5.20	44.1							
including	187.20	188.00	0.80	0.40	21.3							
including	189.00	189.50	0.50	0.30	495.0 V.G.							
including	191.00	191.75	0.75	0.40	42.4							
including	191.75	192.25	0.50	0.30	57.9							
including	193.20	193.75	0.55	0.30	67.8							
including	196.05	196.70	0.65	0.40	51.6							
	207.25	281.00										
GWM-20BL-91	113.00	114.50	1.50		8.5			320	-45	653314	5021362	248
	155.00	156.00	1.00		0.6							
	160.00	161.00	1.00		2.5							
	178.00	179.00	1.00		0.6							
	195.55	197.00	1.45		1.5							
GWM-20BL-93	90.10	164.00						300	-90	653314	5021362	293
	170.00	200.00	30.00	24.9	2.4							
including	178.20	179.25	1.05	0.90	33.2							
including	180.65	181.30	0.65	0.50	9.0							
	209.00	210.00	1.00	0.80	0.6							
	217.00	222.00	5.00		2.3							
	228.20	229.15	0.95		0.6							
	265.50	267.25	1.75		7.7							
GWM-20BL-94	99.00	100.00	1.00		1.1			210	-87	653464	5021474	359
	137.00	138.00	1.00		0.6							
	338.00	339.35	1.35		0.7							
GWM-20BL-97	78.00	100.00						98	-84	653372	5021426	338
	136.00	182.00	46.00		1.4							
including	156.00	157.00	1.00		3.5							
including	164.00	165.00	1.00		16.8							
including	180.00	181.00	1.00		4.7							
including	181.00	182.00	1.00		14.8							
	246.00	247.00	1.00		2.0							
	254.00	257.00	3.00		0.6							
	280.80	283.00	2.20		0.7							
	285.00	286.00	1.00		0.6							
	307.80	316.20	8.40		4.7							
including	314.70	316.20	1.50		24.1							
	319.25	320.40	1.15		0.6							
	322.50	323.00	0.50		2.4							
	330.10	331.20	1.10		1.2							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM-20BL-100	57.00	97.80						320	-80	653320	5021366	308
	122.00	207.00	85.00	76.90	1.4							
including	154.00	155.00	1.00	0.90	3.3							
including	158.00	159.00	1.00	0.90	4.1							
including	187.00	188.00	1.00	0.90	12.7							
including	188.00	189.00	1.00	0.90	3.4							
including	195.00	196.00	1.00	0.90	6.1							
including	198.00	199.00	1.00	0.90	4.1							
including	199.00	200.00	1.00	0.90	24.2							
including	205.00	206.00	1.00	0.90	5.2							
including	206.00	207.00	1.00	0.90	4.9							
	211.15	228.60										
	262.00	264.00	2.00	1.80	0.6							
GWM-20BL-101	12.00	72.90						320	-65	653320	5021366	239
	74.00	75.00	1.00	1.00	7.0							(to continue)
	136.00	174.50	38.50	37.90	6.2							
including	136.00	136.95	0.95	0.90	12.6							
including	172.00	172.85	0.85	0.80	9.3							
including	172.85	173.35	0.50	0.50	373.0							
	175.75	199.00										
	208.00	209.00	1.00	1.00	1.6							
	228.00	EOH										
GWM-20BL-103	172.00	173.50	1.50		1.8			140	-80	653320	5021366	561
	181.00	184.00	3.00		1.8							
	211.00	212.00	1.00		0.5							
	214.70	215.25	0.55		0.8							
	218.50	220.00	1.50		1.6							
	386.00	387.80	1.80		1.0							
	404.40	405.00	0.50		0.8							
	430.00	431.00	1.00		0.7							
	448.40	449.65	1.25		0.7							
	449.65	455.10	5.45		3.0							
including	450.35	450.95	0.60		5.5							
	459.40	460.85	1.45		1.5							
	476.00	478.00	2.00		2.6							
GWM-20BL-106	80.00	81.00	1.00	0.70	0.6			90	-80	653369	5021424	428
	87.30	89.80	2.50	1.80	54.7							
including	87.80	88.30	0.50	0.40	46.1							
including	88.30	88.80	0.50	0.40	191.0 VG							
including	88.80	89.80	1.00	0.70	13.5							
	146.30	200.50	54.20	38.50	0.9							
including	151.85	153.35	1.50	1.10	6.9							
including	158.00	159.00	1.00	0.70	2.2							
including	175.00	177.00	2.00	1.40	2.5							
including	180.00	181.00	1.00	0.70	3.0							
including	200.00	200.50	0.50	0.40	14.6							
	213.00	214.00	1.00		1.0							
	226.00	227.00	1.00		0.5							
	243.00	244.00	1.00		1.3							
	246.00	247.00	1.00		0.5							
	262.00	263.00	1.00		1.5							
	269.00	272.00	3.00		0.7							
	274.00	275.00	1.00		0.9							
	287.75	288.30	0.55		0.6							
	304.50	306.00	1.50		1.9							
	336.00	340.45	4.45		10.0							
including	336.00	337.00	1.00		42.0							
	347.00	348.00	1.00		2.5							
	367.00	370.00	3.00		0.6							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)	
										Easting	Northing		
GWM-20BL-107	20.00	275.00						320	-85	653273	5021299	407	
													pending
	301.20	314.50	13.30	8.60	1.0								
	incl.	301.20	302.10	0.90	0.60	3.5							
	incl.	309.80	310.30	0.50	0.30	5.4							
	377.00	404.30						pending					
GWM-20BL-109	0.00	128.00						320	-70	653259	5021299	350	
													PENDING
	166.00	171.00	5.00		1.3								
	including	170.00	171.00	1.00		3.4							
		174.00	175.00	1.00		0.6							
		181.00	182.00	1.00		0.7							
		193.00	209.00	16.00		4.1							
	including	196.00	197.00	1.00		22.7							
	including	206.00	206.50	0.50		65.7							
		237.00	251.00	14.00		1.0							
including	240.00	241.00	1.00		7.6								
	271.00	350.00						PENDING					
GWM-20BL-111	165.00	166.00		1.00		0.5		140	-85	653273	5021299	443	
		175.00	197.50	22.50		1.7							
	including	189.00	189.90	0.90		28.8							
		275.00	276.00	1.00	0.50	0.5							
		381.00	382.00	1.00	0.50	0.8							
		383.00	384.00	1.00	0.50	0.6							
		400.00	410.00	10.00	4.80	1.5							
	including	407.00	408.00	1.00	0.50	6.6							
		434.00	440.00	6.00	2.90	0.8							
GWM-20BL-113	136.00	138.00	2.00	1.90	0.9			320	-55	653273	5021299	248	
		143.00	161.00	18.00	16.90	1.3							
	including	146.00	147.75	1.75	1.60	4.1							
	including	159.00	161.00	2.00	1.90	4.8							
		214.00	217.00	3.00	2.80	0.9							
GWM-20BL-117	66.00	67.00	1.00		2.4			315	-45	653716	5021771	303	
		90.90	92.00	1.10		0.5							
		121.00	124.10	3.10		1							
	including	122.00	122.50	0.50		2.4							
		142.00	143.50	1.50		1.7							
		189.00	190.00	1.00		0.8							
GWM-20BL-118	67.00	187.70						320	-70	653195	5021234	368	
		189.00	204.00	15.00	9.40	9.7							
	including	199.65	200.15	0.50	0.30	267.0 VG							
		208.00	335.80			pending							
GWM-20BL-119	43.00	44.00	1.00		0.4			315	-60	653716	5021771	366	
		46.00	47.00	1.00		0.6							
		67.50	70.00	2.50		0.6							
		76.00	79.00	3.00		0.8							
		82.00	83.50	1.50		0.5							
		108.95	110.00	1.05		7.5							
		155.00	240.00			pending							
		301.00	314.00			pending							
GWM-20BL-120	137.00	138.00	1.00	0.80	1.1			320	-55	653195	5021234	296	
		149.60	159.50	9.90	8.00	1.9							
	including	152.00	153.00	1.00	0.80	6.4							
including	154.00	155.00	1.00	0.80	5.0								
GWM-20BL-121	35.00	36.60	1.60		1.3								
		65.00	67.00	2.00		0.6							
		70.00	71.00	1.00		0.8							
		130.50	133.50	3.00		0.7							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM Easting	UTM Northing	Total Depth (m)	
GWM-20BL-122	164.80	165.65	0.85	0.80	0.9			140	-85	653195	5021234	560	
	226.00	235.00	9.00	8.20	5.1								
	including	228.80	229.45	0.65	0.60	10.9							
	including	229.45	230.00	0.55	0.50	9.9							
	including	230.55	231.10	0.55	0.50	24.7							
		347.00	350.00	3.00	2.70	1.8							
		442.00	452.00			pending							
		464.00	467.00	3.00	2.70	0.6							
	472.20	490.30			pending								
GWM-20BL-123	233.00	238.00	5.00		0.7			315	-45	653797	5021875	324	
	302.00	303.00	1.00		0.4								
	304.00	304.50	0.50		0.7								
GWM-20BL-125	60.00	61.00	1.00		0.7			140	-57	653619	5021817	370.5	
		64.00	67.15	3.15		0.44							
		135.00	135.50	0.50		0.6							
		137.00	141.00	4.00		0.5							
		145.00	146.00	1.00		1.0							
		150.00	155.50	5.50		17							
	including	154.00	154.50	0.50		10.8							
	including	154.50	155.00	0.50		163.0 VG							
		160.00	162.00	2.00		0.6							
		296.00	298.00	1.50		1.8							
	340.00	350.00	10.00		0.5								
GWM-20BL-126	59.00	69.00	10.00		0.6			348	-62	653699	5021718	402	
		133.00	134.00	1.00		1.2							
		267.50	269.00	1.50		1.5							
GWM-20BL-127	62.10	96.50			pending			300	-85	653106	5021144	419	
		233.00	243.20	10.20	5.90	5.1							
		234.50	235.00	0.50	0.30	91.4 VG							
		246.00	415.15			pending							
GWM-20BL-128	64.00	77.00	13.00		0.5			286	-78	653699	5021718	495	
	including	64.00	65.00	1.00		1.9							
		89.50	91.00	1.50		0.6							
		128.00	129.00	1.00		1.6							
		193.50	233.50	40.00		3.5 VG							
	including	208.00	233.50	25.50		5.3 VG							
	including	214.40	214.90	0.50		54.6							
	including	220.90	221.50	0.60		8.3							
	including	224.10	226.50	2.40		13.7							
	including	231.00	233.50	2.50		20.9							
		288.00	296.40	8.40		1.1							
	including	295.00	296.40	1.40		2.4							
		299.00	299.60	0.60		1.0							
		357.00	359.00	2.00		17.9							
	including	358.00	358.50	0.50		33.4							
	494.00	494.60	0.60		0.5 *								

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM Easting	UTM Northing	Total Depth (m)
GWM-20BL-130	72.00	102.00	30.00		0.6			256	-79	653699	5021718	525
including	73.00	74.00	1.00		5.3							
	95.50	97.00	1.50		1.3							
	113.50	114.50	1.00		0.7							
	117.00	118.00	1.00		0.4							
	132.00	149.00	17.00		0.5							
including	132.00	133.00	1.00		1.4							
including	141.00	142.00	1.00		1.6							
	149.00	225.00			pending							
	237.90	378.60			pending							
	383.00	384.50	1.50		1.0 *							
	388.00	388.50	0.50		1.1 *							
	430.00	431.00	1.10		75.9							
	433.00	435.00	2.00		1.7 *							
	476.00	501.00	25.00		1.3 *							
including	479.00	479.65	0.65		18.5							
including	497.80	498.30	0.50		4.4							
GWM-20BL-133	56.00	136.00			pending			312	-76	653699	5021718	399
	137.00	138.00	1.00		1.3							
	139.00	140.00	1.00		0.6							
	150.50	157.00	6.50		9.5							
including	153.00	154.00	1.00		27.2							
	157.00	174.00			pending							
	175.50	191.00	15.50		2.2							
including	175.50	176.20	0.70		30.2							
	203.00	204.50	1.50		0.5							
	260.00	284.00			pending							
	328.00	331.00	3.00		10							
including	330.00	331.00	1.00		18.7							
	337.00	353.00			pending							
GWM-20BL-136	61.00	291.00			pending			263	-72	653699	5021718	453
	291.00	295.00	4.00		19.5							
including	294.00	295.00	1.00		51.5							
	303.00	321.00			pending							
	324.00	446.00			pending							

No cut has been determined for this new area

True Widths are unknown if not noted

* intersection used 0.42 g/t Au for the bottom cut-off as per pit constrained resources but is at likely too much depth