

Clarence Stream - George Murphy Zone Drill Hole Results										
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWMCL17-01</b>	No significant Assays					180	-45	5022235	654218	210.0
<b>GWMCL17-02</b>	41.00	43.10	2.10	1.63	0.9	350	-45	5022212	654238	180.0
	49.20	51.30	2.10	1.63	1.7					
	57.50	59.45	1.00	0.77	1.5					
	123.15	126.00	2.85	1.89	0.6					
	78.90	86.50	<b>7.60</b>	5.05	<b>2.1</b>					
including	80.00	81.00	<b>1.00</b>	0.66	<b>6.3</b>					
<b>GWMCL17-03</b>	No significant Assays					0	-45	50223012	654190	192.0
<b>GWMCL17-04</b>	170.50	182.30	<b>11.90</b>	6.90	<b>2.2</b>	0	-45	5022395	654420	246.0
including	170.50	171.60	<b>1.20</b>	0.70	<b>12.4</b>					
	224.60	225.50	0.90	0.52	1.3					
	146.00	146.75	0.75	0.43	1.1					
	151.00	152.50	1.50	0.87	2.9					
	161.60	164.00	2.40	1.39	0.8					
<b>GWMCL17-05</b>	238.50	250.80	<b>12.30</b>	7.78	<b>0.6</b>	0	-45	5022250	654438	255.0
including	238.50	239.60	1.10	0.70	1.6					
including	248.30	248.80	<b>0.50</b>	0.32	<b>5.3</b>					
<b>GWM18CL-05 EXT</b>	307.40	308.10	0.70	0.40	<b>3.3 VG</b>	0	-45	5022250	654438	283
	347.00	353.20	<b>7.20</b>	<b>4.60</b>	<b>1.6</b>					
	389.00	397.40	8.40	5.30	0.9					
	406.00	410.00	4.00	2.50	1.0					
	538.00	539.00	1.00		<b>1,650 g/t Ag</b>					
<b>GWMCL17-06</b>	No significant Assays					180	-45	5022265	654445	198.0
<b>GWMCL17-07</b>	295.25	296.75	1.50		0.7	0	-45	5022406	654579	318.0
<b>GWMCL17-08</b>	No significant Assays					180	-45	5022112	654939	201.0
<b>GWMCL17-09</b>	212.85	213.50	0.65		0.4	180	-45	5021895	655186	315.0
	224.00	225.00	1.00		0.4					
	258.65	259.65	1.00		0.4					
<b>GWMCL17-10</b>	266.50	268.00	1.50		1.5	180	-45	5021920	655188	296.0
<b>GWMCL17-11</b>	No significant Assays					180	-45	5021880	655273	384.0
<b>GWMCL17-12</b>	No significant Assays					0	-45	5022024	655068	231.0
<b>GWMCL18-13</b>	216.50	217.00	0.50		0.6	0	-45	5022063	654726	309.0
	254.00	255.00	1.00		0.5					
	274.25	275.25	1.00		0.5					
<b>GWMCL18-14</b>	51.00	52.00	1.00		0.5	0	-45	5022124	654716	252.0
<b>GWMCL18-15</b>	31.00	79.75	<b>48.75</b>	16.28	0.7	180	-45	5022579	654432	408.0
including	33.40	34.20	0.80	0.27	4.2					
including	37.70	38.45	0.75	0.25	2.0					
including	50.00	51.00	1.00	0.33	5.6					
including	61.50	62.40	0.90	0.30	1.6					
including	63.50	65.00	1.50	0.50	2.5					
including	74.00	75.00	1.00	0.33	2.1					
including	78.45	79.75	1.30	0.43	3.2					
	263.00	266.20	3.20	1.07	0.5					
	376.80	383.00	6.20	2.07	0.5					
	407.00	408.00	1.00	0.33	<b>2.2 VG</b>					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWMCL18-16	47.15	49.35	2.20	0.81	1.0	180	-45	5022630	654480	318.0	
	95.75	97.00	1.25	0.46	1.5						
	185.30	186.75	1.45	0.54	2.9						
	253.50	256.00	2.50	0.92	1.3						
	including	254.50	255.20	0.70	0.26						3.6
GWMCL18-17	63.30	63.80	0.50	0.34	7.5	350	-60	5022199	654240	314.0	
	72.00	73.00	1.00	0.68	2.5						
	125.20	135.50	10.30	5.49	1.3						
	including	125.20	125.70	0.50	0.27						5.1
	including	134.50	135.50	1.00	0.53						9.3 VG
	213.25	215.35	2.10	1.12	1.1						
	253.80	261.00	7.20		0.9						
260.00	261.00	1.00		2.7							
GWMCL18-18	54.50	60.00	5.50	4.50	0.8	310	-45	5022190	654233	419.4	
	including	54.50	55.00	0.50	0.41						2.2
	59.00	60.00	1.00	0.82	2.8						
GWMCL18-19	61.00	65.55	4.55	3.56	2.6	310	-45	5022230	654285	254.5	
	including	63.70	64.75	1.05	0.82						8.5 VG
	150.00	151.00	1.00	0.67	1.0						
	154.65	158.10	3.45	2.32	1.1						
	including	154.65	156.00	1.35	0.91						2.4
	166.50	175.00	8.50	5.71	0.9						
	including	167.00	167.75	0.75	0.50						3.8
	including	173.25	174.00	0.75	0.50						2.2
	GWMCL18-20	214.25	215.25	1.00							1.3
GWMCL18-21	70.00	71.60	1.60	1.06	8.1	350	-61	5022228	654284	249.0	
	including	70.00	71.00	1.00	0.66						12.5 VG
GWMCL18-21 EXT	261.80	285.00	23.30	15.40	2.0	350	-61	5022228	654284	126	
	including	265.30	266.60	1.40	1.00						5.7
	including	270.30	271.30	1.00	0.70						8.8
	282.00	285.00	3.00	2.00	3.3						
	including	283.80	285.00	1.30	0.90						8.5
	92.90	145.65	52.75		Assays Pending						
GWMCL18-22	156.00	157.00	1.00	0.46	1.2	180	-45	5022582	654391	189.0	
	163.50	167.40	3.90	1.80	5.3						
	including	166.00	167.40	1.40	0.65						13.8 VG
GWMCL18-23	29.60	30.40	0.80	0.40	3.4	180	-45	5022538	654388	221.5	
	41.00	53.60	12.60	5.70	0.8						
	41.00	46.00	5.00	2.30	0.5						
	including	50.00	53.60	3.60	1.60						2.0
	including	50.00	51.00	1.00	0.50						5.8
	82.60	93.00	10.40	4.70	1.4						
	including	83.50	84.50	1.00	0.50						3.6
	including	84.50	85.60	1.10	0.50						4.1
	including	91.70	92.20	0.50	0.20						5.0
	139.90	142.00	2.20	1.00	3.2						
175.00	175.70	0.70	0.30	21.0							
GWMCL18-24	119.60	139.50	19.90	10.70	0.6	150	-45	5022519	654317	165	
	including	138.00	139.50	1.50	0.80						1.6

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)					
								Northing	Easting						
GWMCL18-25	8.70	28.90	<b>20.30</b>	<b>10.90</b>	<b>0.9</b>	150	-45	5022454	654322	216					
	8.70	10.00	1.40	0.70	2.1										
	22.00	23.00	<b>1.00</b>	<b>0.50</b>	<b>5.8</b>										
	24.00	24.70	0.60	0.40	0.3 VG										
	27.90	28.90	1.10	0.60	3.0										
	90.50	93.90	3.30	1.80	0.8										
GWMCL18-26	36.00	36.90	0.90	0.50	3.1	150	-45	5022461	654281	235.5					
	48.30	51.30	3.00	1.60	1.0										
	including	48.30	49.30	1.00	0.50						2.1				
	88.45	91.00	2.55	1.33	0.6						150	-45	5022461	654281	235.5
	102.80	107.00	<b>4.20</b>	<b>2.20</b>	<b>241.5</b>										
	102.80	104.05	<b>1.25</b>	<b>0.65</b>	<b>807.0 VG</b>										
GWMCL18-27	141.00	158.00	<b>17.00</b>	<b>8.90</b>	<b>3.4</b>	150	-45	5022449	654240	300					
	including	141.00	142.00	<b>1.00</b>	<b>0.50</b>						<b>24.3 VG</b>				
	including	156.80	157.30	<b>0.50</b>	<b>0.30</b>						<b>40.0 VG</b>				
	186.00	191.20	<b>5.20</b>	<b>2.70</b>	<b>1.5</b>										
	including	186.00	187.00	1.00	0.50						3.6				
GWMCL18-28	25.00	26.00	<b>1.00</b>	<b>0.90</b>	<b>12</b>	330	-45	5022286	654289	230					
	83.30	88.40	<b>5.10</b>	<b>4.10</b>	<b>2.9</b>										
	including	87.00	88.40	<b>1.30</b>	<b>1.10</b>						<b>7.1</b>				
GWMCL18-29	83.00	105.00	<b>22.00</b>	<b>16.20</b>	<b>1.9</b>	270	-45	5022190	654232	325.5					
	including	100.20	101.40	1.30	0.90						<b>16.9</b>				
	including	101.40	102.70	1.30	0.90						4.0				
	221.40	325.70	104.30		Assays Pending										
GWM18CL-30	95.40	112.70	<b>17.30</b>	<b>14.10</b>	<b>3.2</b>	352	-45	5022210	654259	384					
	including	95.40	96.10	0.70	<b>0.60</b>						<b>5.5</b>				
	including	106.50	107.00	0.50	<b>0.40</b>						<b>9.0</b>				
	including	112.00	112.70	0.70	<b>0.60</b>						<b>33.8</b>				
	202.00	202.50	0.50	<b>0.40</b>	<b>13.4</b>										
	301.50	302.50	1.00	0.80	2.9										
GWM18CL-31	186.00	190.00	4.00	3.60	1.3	330	-45	5022274	654380	375					
	including	188.00	189.00	1.00	0.90						2.8				
	240.00	266.90	<b>26.90</b>	<b>24.50</b>	<b>0.7</b>										
	including	243.00	244.00	1.00	0.90						2.1				
	including	250.00	251.00	1.00	0.90						2.3				
	285.40	286.30	0.90	0.80	1.7										
	294.00	295.00	<b>1.00</b>	<b>0.90</b>	<b>45.5 VG</b>										
GWM18CL-32	177.60	178.10	0.50	0.50	2.2	330	-45	5022295	654444	354					
GWM18CL-33	123.60	126.35	<b>2.75</b>	<b>1.40</b>	<b>7.2</b>	260	-60	5022185	654232	363					
	including	123.60	124.15	<b>0.55</b>	<b>0.30</b>						<b>35</b>				
	140.20	141.50	1.30		0.7										
	156.00	156.90	0.90		0.5										
	166.70	167.20	0.50		0.5										
	202.80	204.00	1.20		0.5										
GWM18CL-34	69.20	84.85	<b>15.70</b>	<b>8.30</b>	<b>2.1</b>	290	-65	5022186	654232	213					
	including	79.50	80.10	<b>0.60</b>	<b>0.30</b>						<b>12.6</b>				
	126.85	131.50	<b>4.65</b>		<b>2.7</b>										
	including	129.45	130.60	<b>1.15</b>							<b>7.6</b>				
	135.00	136.00	1.00		0.6										
	142.00	143.00	1.00		0.4										
	145.00	146.00	1.00		1.0										
	163.30	166.45	3.15		0.7										
	167.70	168.80	1.10		0.6										

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM18CL-35	131.00	131.50	0.50		0.9	293	-62	5022185	654311	267	
		184.10	185.80	1.70	2.4						
		196.30	197.00	0.70	0.6						
		207.00	221.00	<b>14.00</b>	<b>8.60</b>						<b>1.6</b>
	including	212.50	213.15	<b>0.70</b>	<b>0.04</b>						<b>9.5</b>
	including	214.50	215.75	1.30	0.08						3.1
		229.20	231.50	2.30							1.5
		238.00	240.00	2.00							1.0
		274.15	275.15	1.00							0.5
		282.00	283.00	1.00							0.5
	332.00	333.50	1.50		0.5						
GWM18CL-36	35.75	36.85	1.10		0.4	320	-45	5022348	654316	241	
		47.00	48.10	1.10	1.2						
		54.30	63.00	<b>8.70</b>	<b>7.10</b>						<b>13.0</b>
	including	58.70	59.20	<b>0.50</b>	<b>0.40</b>						<b>201.0 VG</b>
	including	60.00	60.75	0.75	0.60						10.5
		229.00	230.00	<b>1.00</b>							<b>5.7</b>
GWM19CL-37	0.00	103.45			Assays Pending	100	-60	5022449	654240	249	
		104.45	134.45	<b>30.00</b>	16.00						<b>6.3 V.G.</b>
	including	105.45	111.45	<b>6.00</b>	3.20						<b>20.3 V.G.</b>
	including	122.45	123.45	<b>1.00</b>	0.50						<b>43.3 V.G.</b>
		153.65	171.00								Assays Pending
	201.00	249.00			Assays Pending						
GWM19CL-38	0.00	174.00			Assays Pending	139	-74	5022449	654240	393	
		193.00	194.00	1.00	0.30						0.8
		198.95	201.35	2.40	0.70						2.3
		211.50	219.00		0.00						Assays Pending
	was	225.00	230.00	5.00	1.50						0.8
	now	223.50	243.40	<b>19.90</b>	5.80						<b>1.6</b>
	including	237.20	237.70	<b>0.50</b>	0.10						<b>24.2</b>
		251.00	251.80	0.80	0.20						1.6
		259.95	411.00								Assays Pending
GWM19CL-39	113.95	116.00	2.05	1.00	1.4	357	-69	5022286	654289	225	
		130.90	135.40	4.50	2.10						2.1
	including	134.10	134.60	<b>0.50</b>	0.20						<b>10.5 V.G.</b>
		143.00	144.00	1.00	0.50						2
GWM20CL-40	0.00	49.95			Assays Pending	122	-48	5022582	654391	183	
		73.25	83.05	<b>9.80</b>	5.10						<b>1.1</b>
	including	75.70	76.55	0.85	0.40						4.1
		85.60	86.60	1.00	0.50						0.6
		92.85	96.50	<b>3.65</b>	1.90						<b>1.2</b>
		117.00	169.15								Assays Pending
		180.40	188.90	<b>5.90</b>	3.10						<b>0.7</b>
	including	185.25	186.00	0.75	0.40						2.5
	197.00	197.95	0.95	0.50	0.6						
GWM19CL-41	20.70	24.25	3.55	1.90	2.4	140	-45	5022440	654313	99	
	including	22.65	23.15	0.50	0.30						8.2
		26.50	60.00								Assays Pending
		65.00	66.00	1.00	0.50						7.2
		72.00	76.50								Assays Pending
		77.50	81.00	3.50	1.80						1.9
	including	77.50	78.50	1.00	0.50						Assays Pending

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM20CL-42	0.00	69.90			Assays Pending	162	-54	5022588	654274	399	
	78.10	209.70			Assays Pending						
	210.70	234.00	<b>23.30</b>	10.80	<b>3.5 V.G.</b>						
	including	217.30	219.50	<b>2.20</b>	1.00						<b>23.2 V.G.</b>
	including	218.00	218.50	<b>0.50</b>	<b>0.20</b>						<b>64.9 V.G.</b>
	including	231.10	231.85	<b>0.75</b>	<b>0.30</b>						<b>16.7</b>
	241.40	399.00			Assays Pending						
GWM20CL-43	44.00	55.20			Assays Pending	142	-50	5022588	654274	392	
	55.20	59.00	<b>3.80</b>		<b>4.3</b>						
	including	55.20	56.20	<b>1.00</b>							<b>8.4</b>
		84.35	85.35	1.00	0.50						1.2
		186.45	187.20	0.75	0.40						0.6
		188.80	190.90	2.10	1.00						1.1
	including	190.25	190.00	0.65	0.30						2.4
		223.35	224.35	1.00	0.50						0.4
		247.20	248.00	0.80	0.40						0.9
	280.65	281.30	0.65	0.30	1.2						
GWM19CL-44A	18.00	33.00	15.00	8.80	1	140	-45	5022397	654247	147	
	18.90	19.60	0.70	0.40	7.1						
	49.00	56.35	<b>7.35</b>	4.30	<b>6.5 V.G.</b>						
	including	51.40	51.90	<b>0.50</b>	0.30						<b>39.8 V.G.</b>
	including	52.65	53.70	<b>1.05</b>	0.60						<b>31.9 V.G.</b>
		56.35	92.00								Assays Pending
		94.00	99.15	<b>5.15</b>	3.00						<b>1.3</b>
	including	94.00	94.75	0.75	0.40						4.2
		110.85	111.85	1.00	0.60						0.7
	127.60	133.25			Assays Pending						
GWM20CL-45	221.55	222.05	0.50		1.9	251	-60	5022203	654316	389	
	230.00	232.30	2.30		0.5						
	240.35	241.35	1.00		0.5						
	244.80	251.65	<b>6.85</b>		<b>1.3</b>						
	including	247.70	248.20	0.50							3
		311.00	314.00	3.00							0.6
	373.30	387.95			PENDING						
GWM20CL-46	159.00	159.65	0.65		0.8	240	-63	5022190	654243	365	
	192.00	193.40	1.40		1.7						
	262.25	263.50	1.25		1.3						
	321.15	358.00			PENDING						
GWM20CL-47	115.00	258.60			PENDING	251	-45	5022265	654385	410	
	258.60	266.00	<b>7.40</b>		<b>23</b>						
	including	258.60	259.10	<b>0.50</b>							<b>88.1</b>
	including	260.10	260.60	<b>0.50</b>							<b>42.9</b>
		260.60	261.10	0.50							PENDING (used 0)
	including	261.10	262.60	<b>1.50</b>							<b>58.5</b>
		266.00	308.80								PENDING
	348.00	383.50			PENDING						
	403.50	407.00			PENDING						
GWM20CL-49	30.00	195.00			PENDING	345	-67	5022520	654282	432	
	207.00	214.50	<b>7.50</b>		<b>2.1</b>						
	226.50	228.00	1.50		0.5						
	228.00	244.50			PENDING						
	249.00	250.50	1.50		0.7						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM20CL-50	102.00	103.50	1.50		0.5	352	-51	5022518	654321	399	
		125.00	134.50	9.50							1.3
		159.00	161.00	2.00							1.6
		179.00	180.00	1.00							0.6
		191.00	193.00	2.00							0.7
		205.00	206.00	1.00							0.9
		216.00	250.00	34.00							4.8
	including	235.00	242.00	7.00							20.2
	including	235.00	237.00	2.00							8.9
	including	237.80	238.30	0.50							198
including	241.00	242.00	1.00		21.6						
GWM20CL-51	25.50	42.00	16.50		0.5	345	-60	5022520	654282	462	
	including	27.00	28.50	1.50							1.6
	including	40.50	42.00	1.50							1.4
		48.00	49.50	1.50							1.2
		61.75	63.00	1.25							1.1
		105.00	181.00								PENDING
		190.60	198.00	7.40							9
	including	192.00	193.50	1.50							19.9
	including	195.00	196.50	1.50							20.3
		351.00	352.00	1.00							0.6
		360.00	376.50								PENDING
		428.50	430.00	1.50							70.3
	including	429.00	430.00	1.00							104.2
	444.00	445.50	1.50		7.2						
GWM20CL-52	100.50	102.00	1.50		1.6	345	-75	5022562	654368	393	
		144.00	188.00								PENDING
		189.50	231.00	41.50							1.3
	including	191.00	197.00	6.00							4.7
	including	195.50	197.00	1.50							10.9
	including	226.00	226.50	0.50							5.7
		251.00	371.50								PENDING
GWM20CL-53	70.50	101.00	30.50		3	352	-45	5022597	654310	314	
	including	98.00	101.00	3.00							26.5
		138.50	144.50	7.50							0.6
		154.50	156.00	1.50							0.9
		162.00	179.00	17.00							0.8
	including	177.50	179.00	1.50							3.4
GWM20CL-55	20.10	21.50	1.40		0.7	318	-70	5022590	654319	263	
		41.00	55.00	9.00							2.2
	including	42.85	44.00	1.15							5.3
		95.00	96.50	1.50							0.4
		123.50	125.00	1.50							1.2
		189.50	191.90	1.50							0.5
GWM20CL-57	8.15	29.40	21.25	14.90	0.8	345	-44	5022436	654342	351	
	including	10.00	11.00	1.00	0.70						2.1
	including	28.55	29.40	0.85	0.60						2.2
		33.25	34.00	0.75	0.50						1.7
		39.80	41.65	1.85	1.30						1.6
		61.75	62.50	0.75							0.6
		170.65	171.45	0.80							0.4
		177.35	178.15	0.80							1.3
		191.25	196.30	5.05							0.7
		216.00	217.50	1.50							3.0
		226.05	226.85	0.80							1.1
		232.40	233.20	0.80							0.5
		234.90	235.65	0.75							0.6
		239.60	252.75	13.15							1.9
	including	240.50	241.50	1.00							7.8
	including	249.75	250.50	0.75							4.4
		281.90	286.45	4.55							0.7
	292.80	296.05	3.25		0.8						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWM20CL-58</b>	9.00	27.75	<b>18.75</b>		<b>1.3</b>	315	-47	5022436	654342	333
including	17.00	18.00	1.00		8.2 VG					
	36.75	44.00	<b>7.25</b>		<b>1.6</b>					
including	43.00	43.50	0.50		7.5					
including	43.50	44.00	0.50		6.7 VG					
	191.00	193.00	<b>2.00</b>		<b>11.4</b>					
including	192.00	192.50	<b>0.50</b>		<b>43.5 VG</b>					
	287.60	291.40	<b>3.80</b>		<b>1.1</b>					
<b>GWM20CL-59</b>	123.15	124.05	0.90	0.50	0.7	128.5	-45	5022561	654318	309
	134.40	135.40	1.00	0.60	0.6					
	141.30	149.75	<b>8.45</b>	5.10	<b>4.5</b>					
including	141.30	142.00	<b>0.70</b>	0.40	<b>35.3</b>					
	152.05	152.80	0.75	0.50	0.4					
	153.55	155.80	2.25	1.40	0.5					
	192.70	197.40	<b>4.70</b>	2.80	<b>0.7</b>					
including	192.70	193.30	0.60	0.40	2.0					
	204.75	205.55	<b>0.80</b>	0.50	<b>6.7</b>					
	228.65	237.05	<b>8.40</b>	5.10	<b>2.8</b>					
	237.05	249.00			Assays Pending					
	258.00	264.00	<b>6.00</b>	3.60	<b>1.3</b>					
<b>GWM20CL-60</b>	32.60	33.65	1.05		2.1					
	65.80	71.20	<b>5.40</b>		<b>1</b>					
including	66.85	67.85	1.00		2.8					
	148.00	150.00	2.00		0.6					
	253.60	260.00	<b>6.40</b>		<b>1.5</b>					
	255.30	260.00	4.70		1.7 **					
<b>GWM20CL-61</b>	54.85	60.00	<b>5.15</b>		<b>1.2</b>	285	-70	5022561	654318	543
	165.55	166.05	1.05		0.5					
	169.85	171.00	1.15		0.8					
	256.00	259.00	3.00		0.9					
including	256.75	257.30	0.55		2.3					
	423.25	423.90	0.65		1.4					
	428.00	429.95	1.95		1.4					
	470.00	474.00	4.00		0.4					
including	138.70	139.40	<b>0.70</b>		<b>40.3VG</b>					
including	139.40	140.00	<b>0.60</b>		<b>9.0</b>					
	164.00	165.00	1.00		1.5					
	223.00	224.50	1.50		0.7					
	230.10	230.60	0.50		0.7					
	264.50	265.00	0.50		0.5					
<b>GWM20CL-63</b>	60.50	72.50	<b>12.00</b>		<b>1.6</b>	288	-45	5022632	654413	298
including	66.50	68.00	1.50		7.2					
	99.50	101.00	1.50		0.4					
	102.50	104.00	1.50		0.6					
	107.25	108.00	0.75		0.5					
	108.85	109.45	0.60		0.6					
	125.70	126.60	0.90		0.4					
	177.80	185.55	<b>7.75</b>		<b>2.9</b>					
including	179.00	180.00	1.00		7.9					
including	183.00	184.00	1.00		8					
	186.95	188.00	1.05		0.5					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Northing	Easting		
GWM20CL-64	143.45	144.00	0.55		1.3	295	-45	5022627	654483	384	
		154.00	154.60	0.60							2.1
		162.00	163.20	1.20							1.2
		165.00	166.00	1.00							0.5
		169.70	170.20	0.50							0.8
		172.00	172.75	0.75							0.4
		213.70	227.50	<b>13.80</b>							<b>1.7</b>
	including	220.65	221.50	<b>0.85</b>							<b>14.6</b>
		246.80	247.65	<b>0.85</b>							<b>29.9</b>
		257.60	268.30	<b>10.70</b>							<b>1.1</b>
	including	259.90	260.50	0.60							4.3
	including	261.00	261.50	0.50							5.6
		304.65	305.15	0.50							0.7
GWM20CL-66	43.50	134.00			PENDING	251	-64	5022197	654316	243	
		140.00	140.80	0.80							0.7
		142.25	142.75	0.50							1.6
		142.75	185.70								PENDING
		203.20	215.00	<b>11.80</b>							<b>1.9</b>
	including	203.20	204.10	<b>0.90</b>							<b>10.2</b>
	including	212.90	213.70	<b>0.80</b>							<b>5.5</b>
	including	214.35	215.00	<b>0.65</b>							<b>6.8</b>
		234.00	235.00	1.00							2.8
		236.50	237.20	0.70							0.5
		237.20	325.00								PENDING
GWM20CL-66A	137.00	146.70	<b>9.70</b>		<b>2.7</b>	252.1	-64	5022212	654315	371	
	including	143.70	144.20	<b>0.50</b>							<b>26.5**</b>
		188.00	235.00	<b>47.00</b>							<b>0.64</b>
	including	188.00	189.00	1.00							1.6
	including	198.15	198.90	0.75							2.1
	including	200.40	201.00	0.60							1.5VG**
	including	234.00	235.00	<b>1.00</b>							<b>8.8</b>
		237.90	253.35								PENDING
		255.65	279.70	<b>24.05</b>							<b>1.3</b>
	including	260.10	261.00	0.90							3.2
	including	264.00	264.80	0.80							14.2
		322.70	333.60	10.90							0.42
	including	322.70	323.65	0.95							2.3**
		333.60	341.60	<b>8.00</b>							<b>3.6**</b>
	including	340.60	341.10	<b>0.50</b>							<b>30.1VG**</b>
including	341.10	341.60	<b>0.50</b>		<b>12.8**</b>						
GWM20CL-68C	230.50	232.00	1.50		1.2	262	-65	5022201	654317	341	
		235.00	235.50	0.50							2.8
		279.00	282.50	3.50							0.8
GWM20CL-69	226.50	227.10	0.60		1	315	-45	5022816	654785	519	
		443.00	444.00	1.00							0.4
GWM20CL-71	254.45	256.10	1.65		4	276	-64	5022201	654317	302	
		271.00	272.50	1.50							0.7
		297.70	298.50	0.80							2.4
GWM20CL-75	283.00	283.50	<b>0.50</b>		<b>9.4 VG **</b>	135	-45	5022912	654686	453	
		313.50	316.50	3.00							1.5
		322.90	324.00	1.10							0.5
GWM20CL-76A	203.00	204.00	1.00		0.5	266	-71	5022195	654316	68	
		210.80	218.40	<b>7.60</b>							<b>1.8</b>
	including	210.80	211.55	0.75							12.5
	including	217.60	218.40	0.80							4.1
		220.80	222.00	1.20							0.5
		272.90	274.00	1.10							1.3
		285.50	304.50								PENDING



Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWM20CL-78</b>	320.00	321.00	1.00		2.9	334	-68	5022723	654861	414.2
<b>GWM20CL-79</b>	108.00	109.00	1.00		0.7					
	215.00	228.40	<b>13.40</b>		<b>1.1</b>					
	225.00	228.40	3.40		1.2 **					
including	221.00	222.00	1.00		6.8					
	230.00	230.80	0.80		0.6 **					
	247.90	250.10	2.20		0.6					
	251.25	252.00	0.75		0.5					
<b>GWM20CL-80</b>	189.00	190.50	1.50		3.4	291	-79	5022723	654861	498
	214.50	215.00	0.50		0.6					
	228.00	229.00	1.00		0.9					
	249.00	250.00	1.00		1.2					
<b>GWM20CL-81</b>	178.00	184.55	<b>6.55</b>		<b>24.3</b>	85	-70	5022822	654366	408
	179.85	184.55	4.70		33.7 VG **					
including	180.35	182.50	2.15		60.7 VG **					
	188.10	200.25			PENDING					
	200.25	201.00	0.75		0.6					
	213.00	268.50			PENDING					
	268.50	270.00	1.50		1.5					
	312.00	315.00	3.00		1.2					
<b>GWM20CL-82</b>	22.40	23.10	0.70		1.8	85	-70	5022871	654363	381
	31.80	32.50	0.70		2.2					
	68.00	69.00	1.00		1					
	72.65	87.25	<b>14.60</b>		<b>1.5</b>					
	72.65	86.55	13.90		1.5 **					
including	73.65	74.25	0.60		4.2 **					
including	78.70	79.75	1.05		8.7 **					
	100.25	103.85	3.60		0.5					
	112.85	115.70	2.85		0.9					
	169.30	171.25	1.95		0.5					
	180.00	181.05	1.05		0.7					
	203.80	204.45	0.65		1.7					
	210.00	262.00			PENDING					
	311.05	316.10	<b>5.05</b>		<b>1.5</b>					
including	313.30	313.80	0.50		3.3					
	332.65	333.20	0.55		0.7					
	337.00	339.00	2.00		0.6					
<b>GWM21CL-84</b>	93.00	232.00			PENDING	340	-54	5022562	654368	327
	232.00	247.50	<b>15.50</b>		<b>3</b>					
including	235.50	236.00	<b>0.50</b>		<b>64.6</b>					
	252.00	321.10			PENDING					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
GWM20BL-88	70.35	70.85	0.50		1.1	70	-45	5022033	653841	510
	201.50	203.50	<b>2.00</b>		<b>9.7</b>					
	including	201.50	202.00	<b>0.50</b>	<b>14.0 VG</b>					
	including	203.00	203.50	<b>0.50</b>	<b>24.0 VG</b>					
		210.90	211.50	0.60	0.4					
		214.15	214.85	0.70	0.4					
		225.50	226.00	0.50	0.6					
		268.20	269.00	0.80	0.4					
		302.10	303.10	1.00	1.8					
		307.60	308.40	0.80	0.9					
		324.00	324.85	0.85	0.4					
		335.00	346.00	<b>11.00</b>	<b>1.2</b>					
	including	335.00	335.50	0.50	4.1					
	including	341.40	341.90	0.50	2.7 VG					
	including	341.90	342.40	0.50	5.6 VG					
	including	342.40	342.90	0.50	2.6 VG					
		365.05	365.55	0.50	0.9					
		366.50	367.00	0.50	0.4					
		368.75	372.70	3.95	1.3					
	including	371.50	372.00	0.50	4.8					
		378.65	379.50	0.85	3.4					
		416.65	417.35	0.70	2.4					
		432.40	433.15	0.75	1.3					
	462.00	476.05	<b>14.05</b>	<b>6.5</b>						
including	471.20	471.70	<b>0.50</b>	<b>18.8 VG</b>						
including	472.70	473.60	<b>0.90</b>	<b>66.7 VG</b>						
	490.65	493.00	<b>2.35</b>	<b>4.9</b>						
including	492.35	493.00	<b>0.65</b>	<b>15.8</b>						
GWM20BL-92	73.45	74.60	1.15		2.1	90	-45	5022027	653830	565.4
	173.70	174.20	0.50		2.4					
	230.15	230.75	0.60		0.4					
	232.50	234.50	2.00		0.9					
	including	233.50	234.00	0.50	2					
		241.00	242.50	1.50	0.9					
		440.85	444.15	3.30	0.8					
	including	440.85	441.40	0.55	1.4VG					
	including	443.55	444.15	0.60	0.7VG					
GWM20BL-95	144.20	147.00	2.80		0.8	340	-45	5022029	653811	300
	including	144.20	144.70	0.50	2.3					
	including	146.40	147.00	0.60	1.7					
		228.85	229.70	0.85	1.6					
GWM20BL-96	43.75	44.60	0.85		0.4	95	-45	5022081	653896	492
	53.00	54.10	1.10		0.8					
	62.15	63.65	1.50		0.5					
	146.00	147.00	<b>1.00</b>		<b>9.9</b>					
	190.15	209.00	<b>18.85</b>		<b>0.7</b>					
	including	199.65	200.20	<b>0.55</b>	<b>8.5</b>					
	217.35	220.75	<b>3.40</b>	<b>1.1</b>						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
GWM20BL-99	35.50	36.55	1.05		0.5	95	-45	5022122	653899	486
	148.35	149.00	0.65		0.7					
	165.00	203.75	<b>38.75</b>		<b>2.1</b>					
	including	167.25	167.80	<b>0.55</b>	<b>15.6</b>					
	including	175.30	175.85	<b>0.55</b>	<b>64.3 VG</b>					
	including	176.45	177.10	0.65	3.9					
	including	188.65	189.25	0.60	3.8					
	including	189.25	190.10	<b>0.85</b>	<b>13.7VG</b>					
	including	190.10	190.85	0.75	3.6					
		204.80	205.60	0.80	0.7					
		210.00	210.50	0.50	2.0					
		268.00	269.00	1.00	0.5					
		273.15	273.80	0.65	0.9					
		302.00	303.95	1.95	0.6					
		386.00	386.50	0.50	1.0					
	399.35	400.95	1.60	1.1						
GWM20BL-102A	31.00	32.00	1.00		0.5	104.8	-44	5022117	653906	210
	38.00	40.00	<b>2.00</b>		<b>8.7</b>					
	including	38.00	39.00	<b>1.00</b>	<b>16.9</b>					
		171.00	191.35	<b>20.35</b>	<b>4.9</b>					
	including	171.00	175.15	<b>4.15</b>	<b>19.7</b>					
	including	171.00	171.50	0.50	22.5					
	including	173.30	173.90	0.60	25.8					
	including	174.40	175.15	0.75	72.4					
		199.55	201.20	1.65	0.6					
	GWM20BL-104	61.30	63.50	<b>2.20</b>						
including		61.30	62.20	<b>0.90</b>	<b>27.4**</b>					
		70.50	73.00	2.50	1.3**					
		230.00	232.30	2.30	0.9**					
including		231.65	232.30	0.65	2.1**					
		391.25	392.65	1.40	5.3					
		395.05	396.50	1.45	0.6					
		413.00	414.55	1.55	1.8					
including		414.00	414.55	0.55	3.9					
GWM20BL-105	25.00	26.00	1.00		1.6	116	-65	5022114	653903	420
	149.00	155.65	<b>6.65</b>		<b>2.8**</b>					
	including	149.00	149.50	<b>0.50</b>	<b>9.3**</b>					
	including	150.40	150.90	<b>0.50</b>	<b>10.1**</b>					
	including	154.85	155.65	<b>0.80</b>	<b>9.7**</b>					
		165.90	170.10	<b>4.20</b>	<b>0.6**</b>					
		216.00	217.00	<b>1.00</b>	<b>21.7**</b>					
		218.50	219.00	0.50	0.5**					
		249.00	250.50	1.50	1.3					
	350.00	351.50	1.50	4.1						
GWM20BL-108	46.50	48.00	1.50		0.5	110	-61	5022116	653904	398
	134.00	135.00	1.00		0.6					
	147.00	148.70	1.70		2.9					
	160.10	162.50	2.40		1.1					
	173.00	299.50			PENDING					
	304.00	305.00	1.00		0.8					
	316.00	317.50	1.50		1.9					
	317.50	346.00			PENDING					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Northing	Easting	
<b>GWM20BL-110</b>	29.00	33.50	<b>4.50</b>		<b>2.2</b>	100	-64	5022115	653901	402
	158.00	161.00	3.00		0.6					
	178.00	179.00	1.00		1.2					
	228.50	231.00	2.50		0.7					
	277.00	278.00	1.00		0.5					
	282.50	283.00	0.50		0.6					
	288.00	289.00	1.00		0.6					
	354.00	355.90	1.90		0.6					
<b>GWM20BL-112</b>	153.00	163.00	<b>10.00</b>		<b>1.6</b>	98	-45	5022115	653902	354
including	153.00	154.00	1.00		5.3					
including	158.00	159.00	1.00		5.5					
	168.50	295.00			PENDING					
	298.00	308.00	<b>10.00</b>		<b>0.8</b>					
including	306.50	307.30	0.80		3.4					
	312.00	354.00			PENDING					
<b>GWM20BL-115</b>	26.00	82.50			PENDING					
	187.00	188.00	1.00		1.1					
	231.00	232.50	1.50		0.8					
	237.00	282.00			PENDING					
	285.70	286.40	0.70		2.4					
	294.00	310.00			PENDING					
	324.00	364.00			PENDING					
	383.00	386.00	3.00		3					
	390.00	416.00			PENDING					

VG = visible gold. No upper cutoff grade was applied; 0.42 g/t Au was used for the bottom cut-off;  
True widths are unknown where not specified.