

Estrades Drill Hole Results

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimut h	Dip	UTM		Total Depth (m)				
															Northing	Eastings					
GWM-17E-01	106.8	108.3	1.6	1.0	73.5		72.5	40.1	0.7			DSS	340°	-63°	5494990	655869	150				
	112.9	114.0	1.1	0.1														1.1	DSS		
GWM-17E-02	263.3	264.3	1.0	0.6					0.9			DSS	340°	-65°	5494924	655858	348				
	274.4	275.4	1.0	0.6														0.8	DSS		
	329.6	334.5	4.9															0.6	DSS		
	339.9	341.2	1.3															0.9	DSS		
GWM-17E-03	372.9	373.6	0.8						0.5			DSS	314°	-67°	5494924	655858	454				
	374.5	375.5	1.0															1.4	DSS		
	384.1	385.0	0.9																0.4	DSS	
	386.1	387.0	1.0																0.7	DSS	
	389.7	391.2	1.5																0.7	DSS	
	395.7	396.7	1.0																0.6	DSS	
GWM-17E-04	303.4	305.0	1.7	1.2			0.6	62.0	0.5	5.1	MSS	3°	-55°	5494801	655626	368					
	including 303.7	304.3	0.6	0.0			1.3	159.0	12.9	MSS											
GWM-17E-05	355.0	356.9	1.9	1.2			1.4	89.9	0.3	7.4	0.7	MSS	354°	-67°	5494801	655626	456				
GWM-17E-06	341.8	344.4	2.7	1.7			2.8	111.3	4.0	4.7	0.2	MSS	343°	-64°	5494801	655626	432				
	including 343.3	343.8	0.5	0.3			29.2	7.8	162.6	1.0	11.2	MSS									
GWM-17E-07	611.2	611.9	0.8	0.5					*0.9			DSS	343°	-69°	5494701	655646	705				
	615.5	618.0	2.5	1.7														0.5	DSS		
GWM-17E-08	804.6	822.3	17.7		10.8	1.1	95.2	4.2	0.6	0.3	MSS	204°	-49°	5495170	654348	945					
	including 804.6	806.7	2.0		15.2	1.0	147.6	8.3	0.2	0.6	MSS										
	including 811.3	815.8	4.5		22.3	1.7	190.9	9.7	1.3	0.5	MSS										
GWM-17E-09	121.1	123.8	2.7	1.8	9.6	0.4	121.0	2.7	0.9	0.2	MSS	26°	-55°	5494885	655354	192					
	including 121.6	122.1	0.5	0.3	18.2	0.9	166.7	7.8	1.4	MSS											
GWM-17E-10	69.5	70.4	0.9	0.7					1.2			SMS	77°	-50°	5494900	655300	150				
	77.1	77.9	0.8	0.6														14.1	0.6	1.0	SMS
GWM-17E-11	No significant values												308°	-56°	5494885	655354	222				
GWM-17E-12	215.2	218.1	2.7	1.7		4.7	0.4	68.2	2.1			SMS	13°	-58°	5494833	655365	270				
	232.0	233.1	1.1	0.7														0.8	DSS		
	238.2	238.8	0.6	0.4														17.9	2.5	0.5	DSS
	247.7	248.7	1.0	0.6														27.1	0.6	0.6	DSS
GWM-17E-13	124.3	126.6	2.4	1.0	9.2	0.8	54.7	4.9	0.3	0.5	MSS	357°	-73°	5494834	655151	160					
	including 125.8	126.6	0.9	0.4	18.4	1.9	92.4	10.9	0.5	1.6	MSS										
GWM-17E-14	259.3	262.0	2.7	1.4	16.4	1.5	121.0	6.0	1.3	0.8	MSS	351°	-69°	5494746	655180	321					
	including 259.3	260.7	1.4	0.7	21.7	2.5	137.4	10.4	0.7	1.4	MSS										
GWM-17E-15	200.8	204.4	3.6	2.5	5.5	10.2	2.0	45.9	3.6	0.4	0.5	SMS	11°	-52°	5494746	655180	252				
	including 203.4	204.4	1.1	0.7	15.9	29.2	6.5	123.6	9.6	1.0	1.5	SMS									

Estrades Drill Hole Results

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimut h	Dip	UTM		Total Depth (m)
															Northing	Easting	
GWM-17E-16	279.0	280.6	1.6	0.8	31.9		22.4	199.3	10.4		2.0	MSS	17°	-69	5494746	655180	420
	275.0	276.0	1.0	0.5	5.2	9.6	2.1	85.9	2.9		0.6	DSS					
	298.1	300.1	2.0	1.0					1.2			DSS					
	301.6	302.4	0.8	0.4				17.0	2.6	0.4		DSS					
	304.2	305.3	1.1	0.6		2.2	0.3		1.6			DSS					
	315.3	316.2	0.9	0.4			0.3	36.0	1.4	2.2		SMS					
	316.6	317.2	0.6	0.3			0.2	12.6		0.7		SMS					
	355.0	355.5	0.6	0.3					0.9			DSS					
GWM-17E-19	Stopped due to deviation. Will be continued later.												341°	-69	5494557	655421	219
GWM-17E-19A	No significant values												335°	-72	5494557	655421	852
GWM-17E-19AW1 including	707.2	709.0	1.9	1.4	6.6	12.2	1.8	70.9	6.1	0.3		MSS	337°	-62	5494557	655421	505
	707.2	707.7	0.5	0.4	13.0	23.9	5.0	88.1	10.5	0.4	0.7	MSS					
	711.0	713.0	2.0	1.6				15.0		0.6		SMS					
	719.5	720.5	1.0	0.8						0.5		DSS					
	824.4	724.9	0.5	0.4						0.5		DSS					
GWM-17E-24	71.7	73.7	2.1	1.2		21.3	2.3	65.7	12.6	0.8	0.3	MSS	149°	-59	5494966	654430	306
	411.4	412.9	1.5	0.8	17.9	32.9	5.2	198.7	15.7	0.4	1.3	MSS					
GWM-17E-25 including	57.0	64.4	7.4	5.0						1.4		DSS	169°	-51	5494966	654430	467
	63.4	64.4	1.0	0.7	6.8		2.6		2.8	1.6		MSS					
	79.6	80.1	0.5	0.3	1.5	2.8	1.0		1.0			MSS					
GWM-17E-26 including	73.0	74.5	1.5	0.9	3.7		1.4	44.4		1.0			169°	-61	5494966	654430	600
	74.0	74.5	0.5	0.3			3.2	27.7									
	91.8	94.8	3.0	2.0		9.9	0.8	38.3	2.5	1.6							
GWM-17E-27 including including including	82.6	84.4	1.8	1.1	12.3		4.7	67.5	4.9	2.1	1.0	MSS	146°	-63	5494966	654430	522
	59.0	60.0	1.0	0.7						2.0		DSS					
	79.8	80.8	1.0	0.7				24.6		1.3		DSS					
	103.0	105.0	2.0	1.3			0.3	15.7		0.6		DSS					
	285.6	286.4	0.9	0.6	1.7		1.2	36.8				MSS					
	295.6	298.3	2.6	1.7	6.3		5.7	43.2				MSS					
	499.8	503.1	3.3	2.1		39.1	2.2	181.0	28.5	0.3	0.9	MSS					
	502.0	503.1	1.1	0.7		50.5	4.8	145.5	36.6	0.2	0.7	MSS					
	521.3	523.9	2.6	1.7		26.2	0.3	190.7	18.6	0.5	0.5	MSS					
	521.3	523.0	1.8	1.1		34.0	0.4	222.8	25.0	0.6	0.6	MSS					
	GWM-18E-31 including which includes including which includes	496.7	503.1	6.4	4.4	9.0		6.9	78.5	1.7							
496.7		498.3	1.6	1.1	26.6		21.9	113.1	5.6			MSS					
496.7		497.6	0.9	0.6	39.8		33.1	152.5	8.3			MSS					
501.0		503.1	2.1	1.4	7.0		4.3	154.8	0.9			MSS					
501.6		502.3	0.8	0.5	8.3		8.3					MSS					

Estrades Drill Hole Results

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
GWM-18E-29	391.0	393.0	2.0	1.0		4.6	0.6	37.3	1.3	0.4		SMS	1	-79	5494732	655146	486
including	391.0	392.0	1.0	0.5			1.2	58.5	1.4	0.7		SMS					
and	404.0	404.5	0.5	0.2			0.4	23.6		1.6		SMS					
and	440.4	441.2	0.8	0.4				7.7		2.3		SMS					
and	445.7	446.3	0.6	0.3						1.3		SMS					
and	447.3	448.1	0.9	0.4						1.2		SMS					
and	459.0	460.0	1.0	0.5		5.5		10.2	3.4	0.6		SMS					
and	475.0	478.0	3.0	1.5				4.9	0.1	0.5		SMS					
including	475.0	475.8	0.8	0.4				19.6		1.1		SMS					
including	477.5	478.0	0.5	0.2		2.5			0.7	0.6		SMS					
GWM-18E-18	424.5	426.3	1.8	0.9			1.0	11.9		2.2		DSS	316	-78	5494732	655146	453
including	425.7	426.3	0.6	0.3			2.2	18.5		4.7		DSS					
and	381.8	382.5	0.6	0.3		4.1	0.3	27.5	1.9	0.2		DSS					
and	388.9	390.4	1.5	0.7			0.4	25.5		1.0		SMS					
and	420.4	421.2	0.8	0.4			0.5	64.8		3.6		DSS					
GWM-19E-49	104.4	106.25	1.85	0.9			1.6	130.8	4.6	5.7		MSS	351.5	-63	5494924	655582	120
including	105.5	106.25	0.75	0.4			1.7	169.3	4.7	7.8		MSS					
GWM-19E-50	132.75	137.45	4.7	1.9		22.2	1.8	81.8	10.3	2	0.4	DSS	351.5	-70	5494924	655582	174
including	132.75	133.5	0.75	0.3			0.6	93.4	0.7	3.2		DSS					
including	136.9	137.45	0.55	0.2			5	167.1	1.3	5.3		DSS					
GWM-19E-56	154.75	160.4	5.65	1.3	19.8	36.4	5.2	176.2	19.6	0.3	1.9	MSS	186	-62	5494904	654882.5	67
	162.8	168	5.2	1.2	11.6		8.5	57	4.2			MSS					
GWM-21E-57	274.1	276.8	2.7	2.1	35.1	64.5	10.7	423	22.8	2.8	2.6	MSS	184.5	-54.9	5494933	654553	297
GWM-21E-38A	490.4	492.75	2.35	1.7		22	1.2	153	14.8	0.2	1.1	MSS	169	-69	5494933	654553	495

Newiska Drill Hole Results

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimut h	Dip	UTM		Total Depth (m)
															Northing	Easting	
GWM18-NK-01	149.4	150.1	0.7						0.5			DSS	9.3°	-70	5493148	662993	501
	347.6	348.1	0.5						0.8			DSS					
	348.1	348.9	0.8						0.5			DSS					
	364.9	366.0	1.1						0.8			DSS					
	370.6	371.2	0.6					22.3	1.6	0.7		DSS					
	390.4	392.2	1.8					12.9		0.5		DSS					
	403.9	404.4	0.5							0.5		DSS					
	405.6	406.3	0.8			0.3	33.7	0.2	0.7			DSS					
	423.0	445.0	22.0					12.8		0.5		DSS					
	including	423.9	424.6	0.7				122.1		4.2		DSS					
	including	432.8	433.4	0.6				53.5		2.4		DSS					
	including	437.4	437.7	0.5				39.5		1.8		DSS					
	including	439.3	440.0	0.7			0.9	20.7		0.9		DSS					
	472.0	472.7	0.7					0.6		0.3	DSS						
GWM18-NK-02	417.0	418.0	1.0			1.9	49.7		1.6			DSS	343	-75	5493148	662985	576.8
	432.8	433.3	0.5			0.3	46.1		1.2			DSS					
	441.8	442.3	0.6				50.7		1.0			DSS					
	545.3	545.9	0.6			0.2	145.0	6.7	2.1			DSS					
GWM18-NK-03	396.0	397.0	1.0			0.3	37.3		1.0			DSS	16	-73	5493148	662985	552
	420.2	427.3	7.1			0.1	25.1		1.2			DSS					
	including	421.8	422.4	0.6			0.4	47.2		3.6		DSS					
	including	423.6	424.2	0.6				80.8	1.2	4.1		DSS					
	including	426.7	427.3	0.6			0.8	68.2		2.5		DSS					
GWM18-NK-05	No significant values											332	-51	5493516	661342	231	
GWM18-NK-06	No significant values											32	-61	5493516	661342	231	
GWM18-NK-10	Stopped before the targets due to lack of water											323	-45	5493071	664467	700	
GWM18-NK-12	272.0	273.0	1.0			2.5	128.7					DSS	323	-45	5493148	663663	600
	301.6	302.6	1.0			0.7						DSS					
	316.5	317.5	1.0				33.3	0.9	0.3								
	323.0	324.0	1.0			0.9	13.0	0.8		0.3		DSS					
	549.0	550.0	1.0			1.7						DSS					

Newiska Drill Hole Results

Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type***	Azimut h	Dip	UTM		Total Depth (m)
															Northing	Easting	
GWM19-NK-14B	4.95	6	1.05					35.0				DSS	360	-65	5493069	663926	336
	109.8	110.8	1							0.3		DSS					
	112.05	112.6	0.55							0.2		DSS					
	113.9	114.5	0.6							0.3		DSS					
	167.5	168	0.5					12.3		0.4		DSS					
	169.15	169.65	0.5					8.5		0.3		DSS					
	173.5	174	0.5					5.3		0.3		DSS					
	181.5	182	0.5						0.3			DSS					
	183.1	183.6	0.5						0.3			DSS					
	199.7	200.15	0.45					9.2		0.2		DSS					
	200.15	200.7	0.55						0.5	0.2		DSS					
	200.7	201.4	0.7						0.2			DSS					
	204.9	205.4	0.5						3.3			DSS					
	239.9	240.4	0.5					5.5	0.3	0.6		DSS					
	324.9	326.3	1.4						0.4			DSS					
329.5	330	0.5						0.3			DSS						
334.1	334.95	0.85						1.0			DSS						
GWM19-NK-11	97.1	97.65	0.55						0.6			DSS	160	-45	5492788	656029	369
	111.4	112	0.6					10.8		0.5		DSS					
	139.3	140.05	0.75							0.4		DSS					
	140.05	140.75	0.7							0.5		DSS					
	150.2	150.7	0.5							0.6		DSS					
	172.35	172.85	0.5						0.7			DSS					
	249.85	250.55	0.7					33.4				DSS					
	268.9	269.4	0.5					10.9		0.4		DSS					
GWM19-NK-09	211.2	211.7	0.5							2.6		DSS	327	-45	5492950	655017	399
	334.7	335.5	0.8			0.4	33					DSS					
GWM19-NK-04	329.3	329.9	0.6							0.3		DSS	350	-55	5492549	654906	633
	330.85	331.55	0.7							0.4		DSS					
	192.8	194.15	1.35						0.3			DSS					
	216.8	217.2	0.4						1.2			DSS					
	217.2	217.8	0.6						0.4			DSS					
	315.45	315.85	0.4					4.8		0.4		DSS					
	320.05	320.7	0.65					10.4		1.5		DSS					
	357.25	358.05	0.8					10.8		0.9		DSS					
	414.2	414.95	0.75					12.1				DSS					

*Changed due so screen assay result

**Au (Eq g/t) and Zn (Eq %) represent the in-situ metal content expressed as Au and Zn equivalents.

Equivalents are not provided when the underlying Au and/or Zn metal content is below 25% of the intersect value.

Preliminary analysis indicates that no metal is dominant; however, Au and Zn are the largest contributors to the Estrades resource.

Equivalencies are calculated using the following metal prices (US\$) and exchange rate (US\$/C\$) provided by RPA:

Au \$1,450/oz, Ag \$21.00/oz, Zn \$1.15/lb, Cu \$3.50/lb, Pb \$1.00/lb, US\$0.80/C\$1.00.

***MSS = massive sulphide, SMS = semi-massive sulphide DSS = disseminated and stringer sulphides.

Holes were not drilled in sequential numerical order. If true width (TW) is not specified, the orientation of the zone is unknown at this time.