

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Eastings	Northing	
GWM18BL-12	49.85	86.50	36.65	10.29	7.3			120	-45	653461	5021594	270
including	51.75	58.25	6.50	1.83	38.1 V.G.							
including	51.75	52.50	0.75	0.21	58.2							
including	52.50	53.50	1.00	0.28	41.6							
including	53.50	54.50	1.00	0.28	28.1							
including	54.50	55.50	1.00	0.28	23.6							
including	55.50	56.50	1.00	0.28	41.3							
including	56.50	57.50	1.00	0.28	33.2							
including	57.50	58.25	0.75	0.21	48.4							
	4.50	9.70	5.20	1.46	1.3							
	26.00	27.00	1.00	0.28	0.7							
	138.50	139.50	1.00		1.0							
	143.00	144.00	1.00		0.6							
	186.55	187.70	1.15		3.0							
	214.10	215.10	1.00		0.8							
GWM19BL-13	49.10	50.50	1.40	1.29	13.4			300	-45	653458	5021474	311
	52.00	53.00	1.00	0.92	0.6							
	55.55	56.50	0.95	0.87	0.5							
	65.00	66.00	1.00	0.92	0.8							
	78.90	80.00	1.10	1.01		2.1						
	99.90	106.75	6.85	6.30	2.5							
including	99.90	102.10	2.20	2.02	7.1							
	101.30	105.05	3.75	3.45			0.9					
including	102.10	105.05	2.95	2.71			1.1					
	190.00	191.00	1.00		0.7							
GWM19BL-14	139.70	140.20	0.50		1.1			300	-45	653598	5021622	293
	148.05	148.70	0.65		0.7							
	205.75	206.90	1.15		0.4							
GWM19BL-15	18.85	19.35	0.50	0.37	0.4			12	-45	653442	5021477	348
	35.75	36.50	0.75	0.55	0.8							
	59.90	61.15	1.25	0.92	0.4							
	101.00	110.00	9.00	6.60	1.4							
including	103.00	106.00	3.00	2.20		1.6						
	124.50	132.00	7.50	5.50	1.5							
including	126.00	127.00	1.00	0.73	7.6							
including	188.00	199.00	11.00		5.4							
including	189.95	192.50	2.55		20.9 V.G.							
	308.40	309.00	0.60		3.6							
	315.00	316.00	1.00		0.9							
	335.00	336.00	1.00		2.7							
GWM19BL-28	41.25	42.10	0.85	0.51	5.7			22.5	-67	653474	5021489	338
	75.00	75.80	0.80	0.48	1.2							
	86.90	94.10	7.20	4.34	2.3							
including	89.50	90.80	1.30	0.78	6.8							
	103.00	105.65	2.65	1.60	0.7							
	125.40	130.70	5.30	3.19	3.5							
including	127.70	128.60	0.90	0.54	12.5							
	145.30	146.00	0.70	0.42	1.0							
	173.80	175.20	1.40	0.84	1.6 V.G.							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)	
										Eastings	Northing		
GWM19BL-30	36.65	37.35	0.70	0.53	4.0			353	-67	653473	5021490	422	
including	71.20	84.00	12.80	9.62	2.1								
	81.90	83.00	1.10	0.83	14.4								
	87.25	88.75	1.50	1.13	0.5								
	107.50	108.40	0.90	0.68	0.5								
	113.10	129.10	16.00	12.02	1.5								
	133.80	134.90	1.15	0.86	0.5								
	135.95	136.60	0.65	0.49	0.5								
	138.25	139.00	0.75	0.56	0.5								
	202.85	203.85	1.00	0.75	0.5								
GWM19BL-33	41.50	42.10	0.60		1.2			52	-45	653495	5021509	224	
	46.00	47.00	1.00		1.2								
	77.30	79.50	2.20		1.3								
	121.65	122.60	0.95		0.9								
GWM19BL-35	84.00	105.25	21.25		1.1			50	-67	653474	5021489	311	
including	88.85	90.30	1.45		5.4								
	119.15	119.80	0.65		2.3								
	133.40	134.55	1.15		0.4								
	147.00	147.80	0.80		0.7								
	160.90	161.55	0.65	0.31	0.5								
	162.45	172.75	10.30	4.97	1.1								
including	172.25	172.75	0.50	0.24	6.2								
	206.00	206.50	0.50	0.24	4.6								
	240.75	243.00	2.25	1.08	0.6								
GWM19BL-37	190.50	191.30	0.80		0.4			75	-45	653477	5021487	299	
GWM19BL-39	20.00	21.50	1.50	1.31	1.4			355	-45	653467	5021547	320	
including	20.50	21.00	0.50	0.44	3.25 V.G.								
	24.00	25.00	1.00	0.87	1.0								
	26.75	27.35	0.60	0.52	0.6								
	36.43	37.10	0.70	0.61	0.6								
	37.81	52.17	14.40	12.58	0.7								
including	42.35	43.00	0.65	0.57	2.6								
	62.80	63.83	1.00		4.0								
including	63.30	63.83	0.50		7.2								
	72.40	73.58	1.18		1.0								
	78.75	79.25	0.50		0.8								
	89.17	89.93	0.76		0.5								
	102.80	103.30	0.50		3.2								
	113.25	114.25	1.00		0.6								
GWM19BL-40	no significant assays												536
GWM19BL-58	0.00	94.65			PENDING			300	-65	653468	5021479	257	
including	95.35	108.50	13.15		0.7								
	105.45	106.50	1.05		1.8								
	116.00	116.90	0.90		0.6								
	121.00	122.00	1.00		1.1								
	123.80	125.00	1.20		0.5								
	137.95	139.05	1.10		0.8								
	145.05	257.00			PENDING								
GWM19BL-59	0.00	59.20			PENDING			310	-65	653503	5021513	80	
including	67.70	79.70	12.00		5.9								
	76.75	77.25	0.50		119.0 V.G.								

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Zn (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Eastings	Northing	
GWM19BL-60	0.00	65.50						325	-78	653518	5021535	257
					PENDING							
		65.50	84.05	18.55		1.7						
	including	76.05	77.00	0.95		14.2						
	including	81.95	83.00	1.05		3.9						
		84.05	121.55			PENDING						
	130.20	220.20			PENDING							
	227.00	257.00			PENDING							
GWM19BL-62	107.00	108.00	1.00	0.90	3.0			330	-45	653544	5021550	330
GWM19BL-64 (using 0.25 g/t)	119.40	120.85	1.45		1.3			360	-45	653565	5021682	341
		117.50	122.30	4.80		1.0						
		164.00	164.50	0.50		0.6						
GWM19BL-65	88.90	89.90	2.00		1.6			320	-80	652801	5021114	111
GWM19BL-66	82.75	83.50	0.75		2.9			320	-45	652889	5021031	171
		148.00	149.00	1.00		0.7						
		163.20	164.20	1.00		0.7						
GWM19BL-67	20.90	21.75	0.85		0.5			332	-75	653472	5021544	221
		25.75	27.70	1.95		0.9						
		32.75	57.40			PENDING						
		57.40	74.00	16.60		2.2						
	including	58.50	59.50	1.00		14.0						
	including	62.75	63.80	1.05		11.6						
		85.50	99.95			PENDING						
		106.75	170.05			PENDING						
	172.65	173.80	1.15		1.1							
	187.30	221.00			PENDING							
GWM19BL-68	54.00	76.00						320	-45	653078	5021112	263
		153.00	165.00	12.00		3.0						
	including	158.00	159.00	1.00		8.3						
	including	163.00	164.10	1.10		13.3						
		226.00	226.95	0.95		3.9						
GWM19BL-69	0.00	133.00						310	-80	653467	5021486	310
		137.60	138.10	0.50	0.30	1.2						
		141.30	158.00	16.70	10.40	5.5						
	including	142.60	143.10	0.50	0.30	50.7						
	including	143.60	144.10	0.50	0.30	9.5						
	including	151.40	152.00	0.60	0.40	8.4						
	including	152.50	153.00	0.50	0.30	32.4						
	including	153.00	153.60	0.60	0.40	43.2						
	including	155.75	156.35	0.60	0.40	11.7						
		164.00	263.00			PENDING						
GWM19BL-71	56.95	58.70	1.75		0.9			330	-63	653467	5021486	185
		103.95	131.00	27.05		1.1						
	including	105.85	106.85	1.00		7.1						
	including	106.85	107.80	0.95		4.6						
	including	118.20	118.70	0.50		5.0						
	132.95	185.00			PENDING							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM19BL-72	0.00	89.95						278	-85	653462	5021486	278
					PENDING							
		107.00	128.35			PENDING						
		128.35	158.00	29.65	16.81	4.6						
	including	142.00	143.00	1.00	0.57	20.2						
	including	151.20	154.85	3.65	2.07	40.5						
	including	151.20	152.00	0.80	0.45	63.6						
	including	152.00	152.50	0.50	0.28	49.1						
	including	154.10	154.85	0.75	0.43	17.5						
		158.00	183.70	25.70	14.57	0.32						
	including	162.35	171.70	9.35	5.30	0.43						
	including	177.20	178.25	1.05	0.60	0.5						
		183.70	193.15	9.45	5.36	20.7						
	including	184.40	185.15	0.75	0.43	92.0						
	including	187.05	188.15	1.10	0.62	23.5						
including	188.15	189.05	0.90	0.51	51.9							
	197.35	280.00			PENDING							
GWM19BL-74	98.00	108.50	10.50		1.2		255	-73	653462	5021486	3164077.5	
	including	98.00	99.90	1.90	4.3							
		116.00	116.65	0.65	2.1							
		127.15	136.45	9.30	5.00	1.5						
		127.15	137.40	10.25		1.4						
	including	127.15	128.00	0.85	0.50	3.7						
	including	132.10	132.65	0.55	0.30	11.2						
		151.00	152.00	1.00		1.1						
		175.65	186.40	10.75		0.8						
	including	179.40	180.15	0.75	3.4							
	including	181.60	182.10	0.50	3.2							
		188.00	189.00	1.00	0.4							
		192.75	193.75	1.00	0.5							
GWM19BL-77	0.00	116.05					320	-87	653374	5021412	3163920	
					PENDING							
		128.50	159.60	31.10	16.00	1.2						
	including	147.30	148.25	0.95	0.50	7.3						
	including	154.70	155.90	1.20	0.60	4.9						
		180.20	200.80	20.60		1.2						
		189.10	200.80	11.70		1.7						
	including	198.80	199.70	0.90	6.0							
		212.00	213.25	1.25	0.6							
	213.90	278.00			PENDING							
GWM19BL-78	91.10	91.80	0.70		0.4		320	-75	653374	5021412	3163920	
		92.40	93.10	0.70	0.5							
		93.80	109.80	16.00	11.00	2.4						
	including	95.70	96.85	1.15	0.80	15.7						
	including	108.55	109.20	0.65	0.40	12.6						
		116.00	117.00	1.00	0.70	0.9						
		121.00	143.55	12.50	8.65	8.4						
		128.75	133.50	4.75	3.20	20.9						
	including	130.85	131.45	0.60	0.40	64.6						
	including	131.45	132.35	0.90	0.60	54.5						
		143.55	203.00			PENDING						

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Eastings	Northing	
GWM19BL-81	0.00	73.00			PENDING			280	-68	653094	5021140	309
	101.90	157.45			PENDING							
	170.15	217.30			PENDING							
	218.35	219.35	1.00		0.5							
	226.00	249.00	23.00		0.8							
	including	237.95	239.00	1.05		2.1						
	including	242.95	243.50	0.55		10.0						
	including	248.40	249.00	0.60		3.1						
	284.45	309.00			PENDING							
GWM19BL-82	0.00	46.30			PENDING			287	-58	653518	5021534	251
	54.10	80.00	25.90		1.8							
	including	55.15	56.25	1.10		9.7						
	including	56.25	57.25	1.00		4.1						
	including	63.50	64.50	1.00		4.2						
	including	72.80	73.75	0.95		7.6						
		87.00	88.00	1.00		1.1						
		92.00	93.00	1.00		1.0						
		95.00	96.00	1.00		0.8						
		102.00	103.00	1.00		0.5						
		104.00	111.00	7.00		1.7						
	including	108.00	109.00	1.00		4.4						
	112.00	251.00			PENDING							
GWM20BL-84	0.00	77.10			PENDING			35	-72	653464	5021474	284
	90.00	103.00	13.00		4.6							
	including	90.65	91.60	0.95		10.9						
	including	95.50	96.40	0.90		33.7						
		111.00	112.00	1.00		0.5						
		117.00	118.00	1.00		3.7						
		189.90	284.00			PENDING						
GWM20BL-85	49.00	91.40			PENDING			320	-45	653640	5021791	242
	122.25	124.15	1.90		1.2							
	158.90	183.00			PENDING							
	186.55	192.00			PENDING							
	215.40	216.00	0.60		0.5							
GWM20BL-86	42.55	43.10	0.55	0.49	5.8			140	-45	653619	5021817	222
	66.25	72.55	6.30	5.67	1.0							
	including	69.25	69.95	0.70	0.63	5.4						
		75.20	76.10	0.90	0.81	0.6						
		89.00	90.00	1.00	0.90	0.9						
		92.60	93.80	1.20	1.08	0.8						
		104.00	105.30	1.30	1.17	0.5						
		119.60	120.20	0.60	0.54	0.6						
		129.00	129.60	0.60	0.54	0.7						
		181.00	181.95	0.95	0.85	1.0						
		201.00	203.20	2.20	1.98	1.2						
		256.20	256.80	0.60	0.54	0.5						
		440.85	444.15	3.30	2.97	0.5						
	including	440.85	441.40	0.55	0.49	1.4 V.G.						

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Zn (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM20BL-87	0.00	69.30			PENDING			256.5	-82	653464	5021474	281
	73.00	74.00		0.50	0.4							
	105.00	137.00	32.00	17.40	1.2							
including	106.85	107.55	0.70	0.40	9.9 V.G.							
including	112.00	113.00	1.00	0.50	10.9							
including	120.00	121.00	1.00	0.50	3.8							
	147.00	148.00	1.00	0.50	0.5							
	153.00	200.00	47.00	25.60	10.6							
including	153.00	153.50	0.50	0.30	20.6 V.G.							
including	176.90	177.75	0.85	0.50	35.7							
including	187.20	196.70	9.50	5.20	44.1							
including	187.20	188.00	0.80	0.40	21.3							
including	189.00	189.50	0.50	0.30	495.0 V.G.							
including	191.00	191.75	0.75	0.40	42.4							
including	191.75	192.25	0.50	0.30	57.9							
including	193.20	193.75	0.55	0.30	67.8							
including	196.05	196.70	0.65	0.40	51.6							
	207.25	281.00			PENDING							
GWM20BL-89	56.00	62.00	6.00		3.2			7	-78	653472	5021543	254
including	59.00	60.00	1.00		12.4							
	67.00	69.00	2.00		1.0							
	72.00	73.00	1.00		1.1							
	90.00	93.00	3.00		0.6							
	108.00	109.00	1.00		0.6							
	111.00	111.80	0.80		0.6							
	114.00	116.00	2.00		0.6							
	127.00	128.00	1.00		0.6							
	129.00	131.00	2.00		1.0							
	160.00	162.00	2.00		0.7							
	178.00	182.00	4.00		1.2							
GWM20BL-91	113.00	114.50	1.50		8.5			320	-45	653314	5021362	248
	155.00	156.00	1.00		0.6							
	160.00	161.00	1.00		2.5							
	178.00	179.00	1.00		0.6							
	195.55	197.00	1.45		1.5							
GWM20BL-93	90.10	164.00			PENDING			300	-90	653314	5021362	293
	170.00	200.00	30.00	24.90	2.4							
including	178.20	179.25	1.05	0.90	33.2							
including	180.65	181.30	0.65	0.50	9.0							
	209.00	210.00	1.00	0.80	0.6							
	217.00	222.00	5.00		2.3							
	228.20	229.15	0.95		0.6							
	265.50	267.25	1.75		7.7							
GWM20BL-94	99.00	100.00	1.00		1.1			210	-87	653464	5021474	359
	137.00	138.00	1.00		0.6							
	338.00	339.35	1.35		0.7							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Zn (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM20BL-97	78.00	100.00										
					PENDING			98	-84	653372	5021426	338
	136.00	182.00	46.00		1.4							
including	156.00	157.00	1.00		3.5							
including	164.00	165.00	1.00		16.8							
including	180.00	181.00	1.00		4.7							
including	181.00	182.00	1.00		14.8							
	246.00	247.00	1.00		2.0							
	254.00	257.00	3.00		0.6							
	280.80	283.00	2.20		0.7							
	285.00	286.00	1.00		0.6							
	307.80	316.20	8.40		4.7							
including	314.70	316.20	1.50		24.1							
	319.25	320.40	1.15		0.6							
	322.50	323.00	0.50		2.4							
	330.10	331.20	1.10		1.2							
GWM20BL-100	57.00	97.80										
					PENDING			320	-80	653320	5021366	308
	122.00	207.00	85.00	76.90	1.4							
including	154.00	155.00	1.00	0.90	3.3							
including	158.00	159.00	1.00	0.90	4.1							
including	187.00	188.00	1.00	0.90	12.7							
including	188.00	189.00	1.00	0.90	3.4							
including	195.00	196.00	1.00	0.90	6.1							
including	198.00	199.00	1.00	0.90	4.1							
including	199.00	200.00	1.00	0.90	24.2							
including	205.00	206.00	1.00	0.90	5.2							
including	206.00	207.00	1.00	0.90	4.9							
	211.15	228.60			PENDING							
	262.00	264.00	2.00	1.80	0.6							
GWM20BL-101	12.00	72.90										
					PENDING			320	-65	653320	5021366	239
	74.00	75.00	1.00	1.00	7.0							(to continue)
	136.00	174.50	38.50	37.90	6.2							
including	136.00	136.95	0.95	0.90	12.6							
including	172.00	172.85	0.85	0.80	9.3							
including	172.85	173.35	0.50	0.50	373.0							
	175.75	199.00			PENDING							
	208.00	209.00	1.00	1.00	1.6							
	228.00	EOH			PENDING							
GWM20BL-103	172.00	173.50	1.50		1.8							
								140	-80	653320	5021366	561
	181.00	184.00	3.00		1.8							
	211.00	212.00	1.00		0.5							
	214.70	215.25	0.55		0.8							
	218.50	220.00	1.50		1.6							
	386.00	387.80	1.80		1.0							
	404.40	405.00	0.50		0.8							
	430.00	431.00	1.00		0.7							
	448.40	449.65	1.25		0.7							
	449.65	455.10	5.45		3.0							
including	450.35	450.95	0.60		5.5							
	459.40	460.85	1.45		1.5							
	476.00	478.00	2.00		2.6							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Eastings	Northing	
GWM20BL-104	61.30	63.50	2.20		12.2			170	-45	653906	5022114	564
including	61.30	62.20	0.90		27.4							
	70.50	73.00	2.50		1.3							
	230.00	232.30	2.30		0.9							
including	231.65	232.30	0.65		2.1							
	391.25	392.15	0.90		8.0							
	414.00	414.55	0.55		3.9							
GWM20BL-106	80.00	81.00	1.00	0.70	0.6			90	-80	653369	5021424	428
	87.30	89.80	2.50	1.80	54.7							
including	87.80	88.30	0.50	0.40	46.1							
including	88.30	88.80	0.50	0.40	191.0 VG							
including	88.80	89.80	1.00	0.70	13.5							
	146.30	200.50	54.20	38.50	0.9							
including	151.85	153.35	1.50	1.10	6.9							
including	158.00	159.00	1.00	0.70	2.2							
including	175.00	177.00	2.00	1.40	2.5							
including	180.00	181.00	1.00	0.70	3.0							
including	200.00	200.50	0.50	0.40	14.6							
	213.00	214.00	1.00		1.0							
	226.00	227.00	1.00		0.5							
	243.00	244.00	1.00		1.3							
	246.00	247.00	1.00		0.5							
	262.00	263.00	1.00		1.5							
	269.00	272.00	3.00		0.7							
	274.00	275.00	1.00		0.9							
	287.75	288.30	0.55		0.6							
	304.50	306.00	1.50		1.9							
	336.00	340.45	4.45		10.0							
including	336.00	337.00	1.00		42.0							
	347.00	348.00	1.00		2.5							
	367.00	370.00	3.00		0.6							
GWM20BL-107	20.00	275.00			pending			320	-85	653273	5021299	407
	301.20	314.50	13.30	8.60	1.0							
incl.	301.20	302.10	0.90	0.60	3.5							
incl.	309.80	310.30	0.50	0.30	5.4							
	377.00	404.30			pending							
GWM-20BL-109	0.00	128.00			PENDING			320	-70	653259	5021299	350
	166.00	171.00	5.00		1.3							
including	170.00	171.00	1.00		3.4							
	174.00	175.00	1.00		0.6							
	181.00	182.00	1.00		0.7							
	193.00	209.00	16.00		4.1							
including	196.00	197.00	1.00		22.7							
including	206.00	206.50	0.50		65.7							
	237.00	251.00	14.00		1.0							
including	240.00	241.00	1.00		7.6							
	271.00	350.00			PENDING							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Zn (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM20BL-111	165.00	166.00	1.00		0.5			140	-85	653273	5021299	443
	175.00	197.50	22.50		1.7							
including	189.00	189.90	0.90		28.8							
	275.00	276.00	1.00	0.50	0.5							
	381.00	382.00	1.00	0.50	0.8							
	383.00	384.00	1.00	0.50	0.6							
	400.00	410.00	10.00	4.80	1.5							
including	407.00	408.00	1.00	0.50	6.6							
	434.00	440.00	6.00	2.90	0.8							
GWM20BL-113	136.00	138.00	2.00	1.90	0.9			320	-55	653273	5021299	248
	143.00	161.00	18.00	16.90	1.3							
including	146.00	147.75	1.75	1.60	4.1							
including	159.00	161.00	2.00	1.90	4.8							
	214.00	217.00	3.00	2.80	0.9							
GWM20BL-117	66.00	67.00	1.00		2.4			315	-45	653717	5021775	303
	90.90	92.00	1.10		0.5							
	121.00	124.10	3.10		1.0							
including	122.00	122.50	0.50		2.4							
	142.00	143.50	1.50		1.7							
	185.00	186.00	1.00		0.8							
	189.00	190.00	1.00		0.8							
GWM20BL-118	67.00	187.70			pending			320	-70	653195	5021234	368
	189.00	204.00	15.00	9.40	9.7							
including	199.65	200.15	0.50	0.30	267.0 VG							
	208.00	335.80			pending							
GWM20BL-119	43.00	44.00	1.00		0.4			315	-60	653716	5021771	366
	46.00	47.00	1.00		0.6							
	67.50	70.00	2.50		0.6							
	76.00	79.00	3.00		0.8							
	82.00	83.50	1.50		0.5							
	108.95	110.00	1.05		7.5							
	238.00	239.00	1.00		0.9							
	302.00	312.00			pending							
	332.00	333.00	1.00		0.6							
GWM20BL-120	137.00	138.00	1.00	0.80	1.1			320	-55	653195	5021234	296
	149.60	159.50	9.90	8.00	1.9							
including	152.00	153.00	1.00	0.80	6.4							
including	154.00	155.00	1.00	0.80	5.0							
GWM20BL-121	35.00	36.60	1.60		1.3							
	65.00	67.00	2.00		0.6							
	70.00	71.00	1.00		0.8							
	130.50	133.50	3.00		0.7							
GWM20BL-122	164.80	165.65	0.85	0.80	0.9			140	-85	653195	5021234	560
	226.00	235.00	9.00	8.20	5.1							
including	228.80	229.45	0.65	0.60	10.9							
including	229.45	230.00	0.55	0.50	9.9							
including	230.55	231.10	0.55	0.50	24.7							
	347.00	350.00	3.00	2.70	1.8							
	442.00	452.00			pending							
	464.00	467.00	3.00	2.70	0.6							
	472.20	490.30			pending							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)	
										Easting	Northing		
GWM20BL-123	233.00	238.00	5.00		0.7			315	-45	653797	5021875	324	
	302.00	303.00	1.00		0.4								
	304.00	304.50	0.50		0.7								
GWM20BL-125	60.00	61.00	1.00		0.7			140	-57	653619	5021817	370.5	
	64.00	67.15	3.15		0.44								
	135.00	135.50	0.50		0.6								
	137.00	141.00	4.00		0.5								
	145.00	146.00	1.00		1.0								
	150.00	155.50	5.50		17								
	including	154.00	154.50	0.50		10.8							
	including	154.50	155.00	0.50		163.0 VG							
		160.00	162.00	2.00		0.6							
		296.00	298.00	1.50		1.8							
	340.00	350.00	10.00		0.5								
GWM-20BL-126	59.00	69.00	10.00		0.6			348	-62	653699	5021718	402	
	133.00	134.00	1.00		1.2								
	267.50	269.00	1.50		1.5								
GWM20BL-127	62.10	96.50			pending			300	-85	653106	5021144	419	
	233.00	243.20	10.20	5.90	5.1								
	234.50	235.00	0.50	0.30	91.4 VG								
	246.00	415.15			pending								
GWM20BL-128	64.00	77.00	13.00		0.5			286	-78	653699	5021718	495	
	including	64.00	65.00	1.00		1.9							
		89.50	91.00	1.50		0.6							
		128.00	129.00	1.00		1.6							
		193.50	233.50	40.00		3.5 VG							
	including	208.00	233.50	25.50		5.3 VG							
	including	214.40	214.90	0.50		54.6							
	including	220.90	221.50	0.60		8.3							
	including	224.10	226.50	2.40		13.7							
	including	231.00	233.50	2.50		20.9							
		288.00	296.40	8.40		1.1							
	including	295.00	296.40	1.40		2.4							
		299.00	299.60	0.60		1.0							
		357.00	359.00	2.00		17.9							
	including	358.00	358.50	0.50		33.4							
	494.00	494.60	0.60		0.5 *								
GWM20BL-130	72.00	102.00	30.00	13.22	0.6			256	-79	653699	5021718	525	
	including	73.00	74.00	1.00	0.44	5.3							
		95.50	97.00	1.50	0.66	1.3							
		113.50	114.50	1.00	0.44	0.7							
		117.00	118.00	1.00	0.44	0.4							
		132.00	149.00	17.00	7.49	0.5							
	including	132.00	133.00	1.00	0.44	1.4							
	including	141.00	142.00	1.00	0.44	1.6							
		149.00	164.00	15.00	6.61	0.2							
		239.00	240.00	1.00	0.44	0.4							
		241.00	242.00	1.00	0.44	1.2							
		383.00	384.50	1.50	0.66	1.0 *							
		388.00	388.50	0.50	0.22	1.1 *							
		430.00	431.00	1.10	0.48	75.9							
		433.00	435.00	2.00	0.88	1.7 *							
		476.00	501.00	25.00	11.01	1.3 *							
	including	479.00	479.65	0.65	0.29	18.5							
	including	497.80	498.30	0.50	0.22	4.4							

Clarence Stream Richard Zone Drill Hole Results

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Eastings	Northing	
GWM20BL-133	59.00	67.65	8.65	7.48	3.0			312	-76	653699	5021718	399
including	59.00	60.00	1.00	0.87	21.7							
	118.00	121.50	3.50	3.03	1.4							
	137.00	138.00	1.00	0.87	1.3							
	139.00	140.00	1.00	0.87	0.6							
	150.50	157.00	6.50	5.62	9.5							
including	153.00	154.00	1.00	0.87	27.2							
	157.00	174.00			pending							
	175.50	191.00	15.50	13.41	2.2							
including	175.50	176.20	0.70	0.61	30.2							
	203.00	204.50	1.50	1.30	0.5							
	260.00	284.00			pending							
	328.00	331.00	3.00	2.60	10.0							
including	330.00	331.00	1.00	0.87	18.7							
	337.00	353.00			pending							
GWM20BL-136	67.00	68.00	1.00	0.57	3.5			263	-72	653699	5021718	453
	208.00	209.00	1.00	0.57	2.3							
	231.00	231.50	0.50	0.28	0.7							
	245.00	291.00			pending							
	291.00	295.00	4.00	2.28	19.5							
including	294.00	295.00	1.00	0.57	51.5							
	303.00	321.00			pending							
	324.00	344.50			pending							
	386.50	389.50	3.00	1.71	0.7							
GWM20BL-137	139.00	140.00	1.00	0.45	4.3			270	-82	653684	5021671	480
	188.00	189.00	1.00	0.45	2.1							
	449.50	451.00	1.50	0.67	0.5							
	452.00	453.00	1.00	0.45	1.7							
GWM20BL-140	352.00	356.50	4.50	2.89	0.8			285	-70	653683	5021671	453
	394.25	396.00	1.75	1.12	1.9							
	405.00	406.50	1.50	0.96	0.8							
GWM21BL-142	73.00	75.00	2.00	1.29	3.0			300	-70	653672	5021685	414
	172.00	173.00	1.00	0.64	70.6							
	233.00	235.00	2.00	1.29	0.7							
GWM21BL-145A	120.20	121.00	0.80	0.40	0.6			286	-79	653676	5021683	504
	130.50	132.00	1.50	0.75	1.4							
	148.50	151.00	2.50	1.24	1.1							
	190.00	191.00	1.00	0.50	0.7							
	208.00	209.00	1.00	0.50	0.6							
	218.00	219.00	1.00	0.50	0.4							
	232.00	234.00	2.00	1.00	1.2							
	380.00	382.30	2.30	1.14	8.0							
including	381.00	381.80	0.80	0.40	18.4							
	387.60	390.50	2.90	1.44	3.8							
including	387.60	388.25	0.65	0.32	7.8							

Clarence Stream Richard Zone Drill Hole Results												
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)
										Easting	Northing	
GWM21BL-149	102.28	109.95	7.67	7.03	1.5			286	-45	653675	5021684	348
including	102.28	102.78	0.50	0.46	9.5							
	121.00	122.00	1.00	0.92	0.5							
	123.90	124.50	0.60	0.55	4.7							
	157.00	159.00	2.00	1.83	0.6							
	161.05	162.00	0.95	0.87	0.5							
	219.00	220.50	1.50	1.37	0.9							
	257.50	258.00	0.50	0.46	0.8							
	272.65	273.50	0.85	0.78	0.5							
	275.00	276.00	1.00	0.92	0.8							
	276.50	277.00	0.50	0.46	0.5							
	294.00	295.50	1.50	1.37	0.4							
	311.50	312.00	0.50	0.46	0.9							
	327.00	327.50	0.50	0.46	2.8							
GWM21BL-151	198.75	199.75	1.00		0.8			286	-79	653621	5021652	456
	244.00	244.50	0.50		0.1							
	247.50	248.00	0.50		0.5							
	249.00	249.50	0.50		0.5							
	416.00	418.00	2.00		0.9							
GWM21BL-158	100.00	101.00	1.00		0.6			286	-70	653590.598	5021617.798	429
GWM21BL-160	91.00	92.00	1.00		1.7			318	-63	653590	5021617	400
	142.00	161.00	19.00		0.9							
including	160.00	161.00	1.00		2.6							
	185.00	186.00	1.00		2.0							
	231.00	235.00	4.00		0.7							
	295.00	296.00	1.00		0.5							
GWM21BL-166	75.50	76.00	0.50	0.40	2.6			300	-60	653670	5021682	357
	109.50	111.00	1.50	1.19	4.8							
	121.50	124.50	3.00	2.38	3.0							
	135.70	136.30	0.60	0.48	0.6							
	139.50	141.00	1.50	1.19	0.6							
	143.50	144.00	0.50	0.40	0.7							
	298.50	299.75	1.25	0.99	0.8							
GWM21BL-168	70.00	78.00	8.00	6.25	0.7			271	-80	653703	5021719	513
including	70.00	71.00	1.00	0.45	3.2							
	126.00	127.00	1.00	0.45	0.5							
	145.00	148.00	3.00	1.36	1.3							
	150.00	151.00	1.00	0.45	0.5							
	242.00	249.00	7.00	3.17	2.6							
including	242.00	243.00	1.00	0.45	14.3							
	258.00	259.00	1.00	0.45	0.7							
	379.75	384.00	4.25	1.92	2.8							
including	381.00	382.00	1.00	0.45	9.9							
	431.90	434.00	2.10	0.95	14.8							
including	431.90	432.50	0.60	0.27	50.4							
	446.00	447.00	1.00	0.45	7.7							
	499.00	500.00	1.00	0.45	2.8							
	501.00	501.70	0.70	0.32	2.3							
GWM21BL-171	44.00	54.00	10.00	9.15	1.7			285	-67	653721	5021769	375
including	45.00	45.50	0.50	0.34	21.7							
	75.00	76.00	1.00	0.68	1.2							
	80.00	81.50	1.50	1.02	1.7							
	90.00	91.50	1.50	1.02	0.6							
	92.40	110.00	17.60	11.95	2.0							
including	93.00	94.00	1.00	0.68	10.3							
including	104.00	105.00	1.00	0.68	5.4							
including	109.00	110.00	1.00	0.68	8.9							
	186.00	187.00	1.00	0.68	0.7							
	198.00	199.00	1.00	0.68	0.8							

Clarence Stream Richard Zone Drill Hole Results													
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	ZN (%)	W (%)	Azimuth	Dip	UTM		Total Depth (m)	
										Eastings	Northing		
GWM21BL-175	43.00	45.00	2.00		0.6			286	-67	653763	5021804	372	
	93.00	253.00			pending								
	259.70	260.20		0.50		0.6							
GWM21BL-178	39.00	40.00	1.00		1.9			310	-60	653763	5021804	340.5	
	82.80	83.60	0.80		0.9								
	106.00	107.00	1.00		3.9								
	201.00	202.00	1.00		0.5								
	224.50	226.00	1.50		0.6								
	333.50	334.30	0.80		0.5								
GWM21BL-181	14.50	15.00	0.50		0.4			286	-67	653789	5021875	356	
	40.00	130.75			pending								
	171.00	172.00	1.00		0.7								
	188.00	237.50			pending								
GWM21BL-183	14.00	22.00	8.00		1.0			168	-75	653787	5021877	291	
	including	15.00	15.50	0.50		2.6							
		87.00	88.00	1.00		12.9							
	including	87.50	88.00	0.50		24.7							
		172.50	287.00			pending							
GWM21BL-185	30.00	35.00	5.00		1.3			310	-75	653813	5021846	387	
	including	31.00	32.00	1.00		3.1							
	including	34.50	35.00	0.50		4.4							
		70.00	73.00	3.00		0.7							
		85.00	86.50	1.50		0.8							
		89.00	98.00	9.00		1.2							
	including	91.00	92.00	1.00		7.0							
		129.50	132.00	2.50		1.2							
		166.00	166.50	0.50		3.8							
		178.00	183.00	5.00		1.0							
		201.00	214.00	13.00		0.8							
	including	202.50	204.00	1.50		2.4							
	including	213.00	214.00	1.00		4.8							
		238.50	252.00	13.50		1.4							
	including	242.00	243.00	1.00		6.4							
	including	251.00	252.00	1.00		8.5							
	327.00	337.50			pending								
	355.00	386.00			pending								
GWM21BL-186	32.00	33.00	1.00		0.4			150	-45	653683	5021851	365	
		72.00	78.00	6.00		18.8							
	including	73.00	74.00	1.00		85.3							
		99.50	101.00	1.50		0.5							
		107.00	115.50	8.50		1.5							
	including	110.00	111.50	1.50		3.3							
		121.50	332.00			pending							
GWM21BL-189	12.00	151.00			pending			310	-75	653900	5021914	375	
		197.50	200.50	3.00		0.8							
		208.00	208.85			pending							
		208.85	250.00	41.15		1.3							
	including	213.50	214.50	1.00		3.9							
		221.00	222.00			pending							
	including	225.00	226.00	1.00		3.9							
	including	247.50	248.35	0.85		4.0							
	including	249.00	250.00	1.00		9.3							
		262.50	264.00	1.50		0.5							
		268.50	270.00	1.50		0.8							
		270.00	372.00			pending							

No cut has been determined for this new area

True Widths are unknown if not noted

* intersection used 0.42 g/t Au for the bottom cut-off as per pit constrained resources but is at likely too much depth