

Clarence Stream Adrian Zone Drill Hole Results

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Easting	Northing		
GWM20CL-52	100.50	102.00	1.50		1.6	345	-75	5022562	654368	393	
	148.00	149.50	1.50		1.2						
	173.00	174.50	1.50		5.9						
	177.50	179.00	1.50		2.3						
	189.50	231.00	41.50		1.3						
	152.50	231.00	78.50	76.10	1.1						
	including	191.00	197.00	6.00	5.80						4.7
	including	204.00	204.50	0.50	0.50						2.3
	including	226.00	226.50	0.50	0.50						5.7
	including	227.50	228.00	0.50	0.50						2.4
	including	230.50	231.00	0.50	0.50						2.3
		251.00	371.50								PENDING
	352.00	354.50	2.50		0.5						
GWM20CL-65	125.30	151.30			PENDING	320	-45	5022656	654540	594	
	151.30	174.80	23.50		1.2						
	including	154.75	155.40	0.65							8.3
	including	158.50	159.00	0.50							3.3
	including	170.00	171.45	0.75							5.0
	including	174.25	174.80	0.55							2.9
		186.00	189.00	3.00							1.0
	including	188.10	189.00	0.90							2.0
		191.25	192.00	0.75							0.9
		214.00	215.00	1.00							0.6
		222.30	223.05	0.75							1.0
		224.00	225.00	1.00							0.4
		228.00	229.00	1.00							0.5
		243.50	256.45	12.95							13.4
	including	246.00	246.50	0.50							29.8
	including	246.50	247.00	0.50							50.5 VG
	including	250.85	251.40	0.55							26.0
	including	252.40	253.20	0.80							78.9 VG
	including	255.50	256.45	0.95							32.9
		259.10	260.75	1.65							0.5
		269.50	270.90	1.40							4.1
	including	270.00	270.90	0.90							5.5 VG
		274.00	275.00	1.00							0.7
	298.65	299.20	0.55		0.8						
	301.35	302.35	1.00		2.8						
	311.45	312.30	0.85		0.6						
	350.35	351.00	0.65		1.1						
	352.85	354.20	1.35		0.5						
	367.00	368.00	1.00		0.8						
	374.30	375.20	0.90		0.5						
	538.70	541.10	2.40		1.5						
GWM20CL-67	159.80	161.00	1.20		0.9	315	-55	5022656	654540	543	
	173.00	177.95	4.95		1.1						
	186.00	186.95	0.95		1.6						
	201.75	202.50	0.75		1.0						
	205.05	206.10	1.05		0.9						
	219.00	229.00	10.00		1.2						
	including	223.00	224.05	1.05							2.5
	including	228.00	229.00	1.00							4.8

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Easting	Northing	
GWM20CL-70	126.05	126.70	0.65		0.5	325	-45	5022684	659754	549
	134.65	135.65	1.00		2.4					
	142.20	142.95	0.75		0.5					
	155.00	156.55	1.55		1.5					
	159.00	160.00	1.00		0.6					
	171.00	205.30	34.30		1.5 VG					
including	171.00	171.65	0.65		11.1					
including	176.10	177.00	0.90		3.9					
including	198.70	199.30	0.60		13.1					
including	204.55	205.30	0.75		25.9 VG					
	211.90	213.80	1.90		0.7					
	218.50	220.00	1.50		1.5					
	238.85	240.00	1.15		1.2					
	243.85	244.40	0.55		9.2					
	250.85	251.45	0.60		1.1					
	260.80	261.80	1.00		1.0					
	502.00	503.00	2.00		0.5					
GWM20CL-73	146.85	147.50	0.65		1.8	137	-45	5022861	654340	567
	177.65	178.45	0.80		1.1					
	229.00	245.00	16.00		2.7					
including	234.40	235.20	0.80		26.3					
including	238.80	239.45	0.65		23.6					
	248.85	249.35	0.50		1.0					
	274.70	275.25	0.55		0.7					
	276.75	277.30	0.55		0.6					
	294.85	295.40	0.55		4.4					
	298.95	299.50	0.55		1.4					
	302.00	303.00	1.00		1.0					
	310.00	310.75	0.75		0.8					
	324.20	325.00	0.80		4.1					
	356.75	357.35	0.60		0.7					
	358.35	364.00	5.65		1.3					
including	358.90	359.60	0.70		4.2					
	383.00	390.00	7.00		0.6					
	418.00	419.25	1.25		0.8					
	432.00	433.65	1.65		1.4					
GWM20CL-77	72.70	108.00	35.30		1.3 VG	137	-65	5022912	654686	486
including	100.40	108.00	7.60		3.6					
including	100.95	101.55	0.60		14.1 VG					
including	107.00	107.50	0.50		22.0					
	118.80	119.30	0.50		0.5					
	126.00	126.65	0.65		0.5					
	147.70	162.50	14.80		0.9					
including	156.80	157.45	0.65		2.2					
	215.05	216.00	0.95		0.9					
	220.00	221.25	1.25		0.7					
	226.00	226.95	0.95		0.6					
	235.30	236.00	0.70		0.6					
	284.60	285.55	0.95		0.8					
	288.20	289.20	1.00		0.6					
	291.40	300.45	9.05		1.0					
including	291.40	292.35	0.95		3.1					
	426.90	427.50	0.60		0.5					
	446.35	447.00	0.65		0.6					
	448.55	449.10	0.55		0.5					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Easing	Northing	
GWM20CL-79 including	108.00	109.00	1.00		0.7					
	215.00	228.40	13.40		1.1					
	225.00	228.40	3.40		1.2					
	221.00	222.00	1.00		6.8					
	230.00	230.80	0.80		0.6					
	247.90	250.10	2.20		0.6					
	251.25	252.00	0.75		0.5					
GWM20CL-81 including	178.00	179.00	1.00		0.6	85	-70	5022822	654366	408
	179.85	184.55	4.70		33.7 VG					
	180.35	182.50	2.15		60.7 VG					
	188.60	189.10	0.50		0.6					
	190.65	192.65	2.00		0.5					
	198.60	201.00	2.40		0.7					
	226.50	229.50	3.00		0.6					
	268.50	270.00	1.50		1.5					
	309.00	310.50	1.50		0.5					
312.00	315.00	3.00		1.2						
GWM20CL-82 including including	22.40	23.10	0.70		1.8	85	-70	5022871	654363	381
	31.80	32.50	0.70		2.2					
	68.00	69.00	1.00		1.0					
	72.65	86.55	13.90		1.5					
	73.65	74.25	0.60		4.2					
	78.70	79.75	1.05		8.7					
	91.40	92.20	0.80		0.4					
	100.25	103.85	3.60		0.5					
	112.85	115.70	2.85		0.9					
	169.30	171.25	1.95		0.5					
	180.00	181.05	1.05		0.7					
	203.80	204.45	0.65		1.7					
	238.15	239.20	1.05		0.6					
	311.05	316.10	5.05		1.5					
332.65	333.20	0.55		0.7						
337.00	339.00	2.00		0.6						
GWM21CL-89 including including	87.50	88.50	1.00		3.8	120	-67	5022870	654359	241.5
	118.50	120.00	1.50		0.9					
	138.00	139.50	1.50		0.5					
	179.00	182.00	3.00		78.4					
	181.00	181.50	0.50		313.0					
	181.50	182.00	0.50		147.0					
	184.00	185.00	1.00		0.7					
	190.00	202.00	12.00		0.5					
	207.50	209.00	1.50		0.5					
	227.00	228.50	1.50		0.4					
	240.50	241.50	1.00		6.4					
	251.50	252.50	1.00		0.4					
	256.00	257.50	1.50		0.7					
	266.00	267.00	1.00		0.4					
285.00	327.00	42.00		pending						
GWM21CL-90	143.00	145.50	2.50		1.2	326	-47	654482	5022649	369.0
	156.00	157.50	1.50		0.7					
	171.00	172.50	1.50		0.4					
	211.00	213.00	2.00		0.5					
	219.00	220.50	1.50		0.5					
	222.00	224.00	2.00		0.9					
	226.00	227.00	1.00		0.5					
	229.00	230.00	1.00		0.4					
	236.00	237.00	1.00		0.6					
	240.00	242.00	2.00		1.0					
	317.45	318.40	0.95		8.8					
	365.60	367.00	1.40		1.4					

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Easting	Northing	
GWM21CL-91	60.00	61.50	1.50		0.5	100	-70	5022870	654359	240.0
	84.00	85.00	1.00		0.5					
	90.50	111.50	21.00		0.7					
	110.00	111.50	1.50		2.1					
	138.50	140.00	1.50		0.6					
	166.50	167.00	0.50		0.8					
	178.50	179.00	0.50		2.2					
	191.10	191.60	0.50		0.6					
197.50	198.00	0.50		0.5						
GWM21CL-92 including	80.50	83.50	3.00		24.6	16	-85	5022856	654459	324
	80.50	81.50	1.00		67.0					
	180.00	180.50	0.50		11.3					
	301.00	304.50	3.50		22.7					
	301.00	301.50	0.50		98.7					
GWM21CL-93	144.00	148.50	4.50		0.6	317	-55	5022649	654482	396.0
	202.50	204.00	1.50		0.4					
	207.00	226.00	19.00		0.5					
	239.00	254.20	15.20		0.8					
	246.00	247.00	1.00		2.9					
GWM21CL-94 including	155.00	156.00	1.00		0.6	315	-65	654482	5022649	369
	158.00	159.00	1.00		0.5					
	167.00	168.00	1.00		0.4					
	170.00	204.00	34.00	30.50	1.2					
	178.00	179.00	1.00	0.90	16.0					
GWM20BL-96 including including	43.75	44.60	0.85		0.4	95	-45	5022081	653896	492
	53.00	54.10	1.10		0.8					
	62.15	63.65	1.50		0.5					
	135.00	136.50	1.50		0.6					
	146.00	147.00	1.00		9.9					
	160.50	162.00	1.50		0.5					
	175.00	184.00	9.00		0.9					
	175.00	175.50	0.50		7.9					
	190.15	209.00	18.85		0.7					
	199.65	200.20	0.55		8.5					
217.35	220.75	3.40		1.1						
204.00	204.50	0.50		1.1						
GWM21CL-98 including including including	71.00	72.00	1.00		5.2	316	-66	5022834	654553	201.0
	146.50	154.50	8.00		0.5					
	163.50	168.50	5.00		1.3					
	163.50	164.00	0.50		6.6					
	180.00	180.50	0.50		0.5					
	182.00	193.50	11.50		1.1					
	182.00	183.50	1.50		3.8					
	193.00	193.50	0.50		6.4					
201.00	501.00	300.00		pending						
GWM21CL-101 including	183.00	184.00	1.00		0.6	108	-60	5022870	654359	347.0
	205.50	206.00	0.50		6.5					
	215.50	217.00	1.50		0.8					
	301.00	302.00	1.00		0.5					
	304.00	309.50	5.50		1.0					
	304.00	305.00	1.00		3.3					
	347.00	381.50	34.50		pending					
388.00	401.00	13.00		pending						
GWM21CL-102 including including	46.50	55.00	8.50		pending	73	-78	5022829	654362	240.0
	145.00	169.00	24.00		1.0					
	145.00	147.50	2.50		3.6					
	151.00	152.50	1.50		5.3					
227.50	229.00	1.50		0.6						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Easting	Northing	
GWM21CL-103	131.30	132.00	0.70		0.8	310	-45	5022676	654657	465.0
	321.00	327.00	6.00		2.4					
	400.00	425.00	25.00		5.7					
	including 408.05	414.00	5.95		20.5					
GWM21CL-105	169.50	173.00	3.50		6.5	66	-78	5022802	654366	309.0
	including 170.50	171.00	0.50		14.8					
	181.00	185.00	4.00		0.5					
	including 195.50	199.50	4.00		2.8					
	including 196.00	197.00	1.00		12.8					
	210.50	222.00	11.50		0.5					
GWM21CL-107	146.00	164.00	18.00		0.2	78	-84	654422	5022812	330
	214.00	214.50	0.50		1.6					
	295.00	295.50	0.50		0.5					
	300.00	307.00	7.00		3.4					
	including 304.00	305.00	1.00		12.3					
GWM21CL-109	21.00	22.50	1.50		0.4	310	-60	5022676	654657	680.0
	162.00	163.50	1.50		0.7					
	including 179.00	189.00	10.00	8.70	1.7					
	including 187.00	188.00	1.00	0.90	8.0					
	196.00	197.00	1.00		1.5					
	200.00	543.00	343.00		pending					
649.50	660.70	11.20		pending						
GWM21CL-112	12.00	21.50	9.50		pending	80	-81	654435	5022828	288.0
	30.00	99.00	69.00		pending					
	109.00	109.70	0.70		1.2					
	153.00	163.00	10.00		1.6					
	including 153.00	154.00	1.00		5.3					
	including 158.00	159.00	1.00		5.5					
	199.50	201.00	1.50		0.6					
	222.00	223.50	1.50		3.7					
	241.50	259.50	18.00		pending					
	298.00	308.00	10.00		0.8					
	including 306.50	307.30	0.80		3.4					
321.00	366.00	45.00		pending						
382.50	397.00	14.50		pending						
408.00	418.00	10.00		pending						
GWM21CL-116	123.00	126.00	3.00		0.4	80	-80	654396	5022852	321.0
	126.00	130.00	4.00		pending					
	159.00	159.50	0.50		2.0					
	179.50	180.60	1.10		0.9					
	191.00	194.00	3.00		1.3					
	including 191.00	192.00	1.00		3.5					
	217.50	218.00	0.50		0.5					
	237.00	240.00	3.00		1.8					
	including 237.00	237.50	0.50		7.0					
	261.00	262.50	1.50		2.3					
	297.50	299.00	1.50		0.9					
	304.50	306.50	2.00		12.9					
	including 305.00	305.50	0.50		48.2					
309.50	310.10	0.60		0.7						
315.00	316.50	1.50		0.5						
GWM21CL-117	84.00	103.50	19.50	5.40	1.3	310	-75	5022676	654656	318.0
	including 94.50	95.50	1.00	0.30	9.5					
	including 90.50	91.50	1.00	0.30	3.3					
	including 100.50	101.00	0.50	0.10	3.6					
	107.30	108.30	1.00		0.4					
	111.30	117.00	5.70	1.60	0.6					
	145.80	146.50	0.70		1.0					
	200.50	304.50	104.00		pending					
309.00	310.50	1.50		0.5						
312.00	318.00	6.00		pending						

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)	
								Easting	Northing		
GWM21CL-118	11.00	207.00	196.00		pending	60	-81	654371	5022783	381.0	
	270.00	327.10	57.10		pending						
	328.50	330.00	1.50		1.5						
	331.50	333.00	1.50		0.6						
	351.00	352.00	1.00		0.5						
	363.00	364.00	1.00		12.9						
	373.50	375.00	1.50		0.5						
375.00	381.00	6.00		pending							
GWM21CL-120	61.60	102.00	40.40		pending	312	-56	5022510	654564	429.0	
	108.00	142.00	34.00		pending						
	145.00	162.00	17.00	10.50	3.9						
	including	143.50	144.00	0.50	0.30						0.6
	including	145.00	145.50	0.50	0.30						91.2
	145.00	151.00	6.00		10.2						
	172.00	180.00	8.00		pending						
	188.00	189.00	1.00		0.5						
	199.00	251.50	52.50	41.90	0.9						
	including	204.00	207.00	3.00	2.40						4.0
	including	215.00	216.00	1.00	0.80						4.3
	including	251.00	251.50	0.50	0.40						7.6
	280.00	281.00	1.00		0.8						
	309.00	310.00	1.00		0.4						
	314.00	315.00	1.00		3.3						
	366.50	385.00	18.50		pending						
394.50	413.00	18.50		pending							
413.00	419.25	6.25		0.6							
419.25	423.50	4.25		pending							
423.50	429.00	5.50		0.5							
GWM21CL-122	56.00	96.00	40.00		pending	312	-45	5022510	654564	441.0	
	137.00	196.50	59.50		pending						
	219.00	263.00	44.00		pending						
	263.00	318.50	55.50	36.60	5.8						
	including	310.00	310.50	0.50	0.30						151.0
	including	314.00	314.55	0.55	0.40						144.0
	303.75	308.00	4.25		pending						
	340.00	340.50	0.50		34.0						
412.50	441.00	28.50		pending							
GWM21CL-125	57.00	226.00	169.00		pending	310	-50	5022477	654546	373.0	
	226.00	245.00	19.00	14.50	0.6						
	244.00	245.00	1.00	0.80	2.0						
	250.00	373.00	123.00		pending						
GWM21CL-126	56.00	193.00	137.00		pending	313	-51	5022546	654583	330.0	
	197.00	234.30	37.30	28.80	1.1						
	including	208.00	209.00	1.00	0.80						3.4
	including	213.00	214.00	1.00	0.80						3.6
	including	222.00	223.00	1.00	0.80						3.2
239.50	330.00	90.50		pending							
GWM21CL-134	154.00	155.00	1.00		0.5	315	-71	5022546	654583	326.5	
	160.00	162.00	2.00		1.0						
	187.00	188.00	1.00		2.2						
	195.00	199.70	4.70	2.10	5.5						
	including	198.50	199.00	0.50	0.20						23.8
	including	199.00	199.70	0.70	0.30						16.5
	212.15	213.00	0.85		0.6						
	221.00	222.00	1.00		1.1						
	231.50	240.00	8.50		0.7						
	249.00	252.50	3.50		0.6						
257.00	258.00	1.00		1.0							

Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au g/t	Azimuth	Dip	UTM		Total Depth (m)
								Easting	Northing	
GWM21CL-136	109.00	126.50	17.50	11.40	8.1	310	-53	5022613	654648	369.0
including	121.50	122.00	0.50	0.30	89.2					
including	122.00	122.65	0.65	0.40	88.8					
	130.50	131.50	1.00		0.7					
	165.00	166.85	1.85		0.5					
	229.00	242.00	13.00	9.90	1.0					
including	241.00	242.00	1.00	0.80	7.1					
	251.70	253.00	1.30		1.0					
	259.00	260.00	1.00		0.6					
	263.30	274.00	10.70	8.20	2.2					
including	263.30	263.80	0.50	0.40	16.9					
including	264.65	265.15	0.50	0.40	20.4					
	284.00	285.00	1.00		0.9					
	306.00	312.65	6.65		0.7					
	324.00	325.00	1.00		0.7					
GWM21CL-139	42.00	154.50	112.50		pending	296	-62.5	654645	5022627	375.0
	167.00	175.50	8.50	3.90	1.0					
including	170.00	171.50	1.50	0.70	2.7					
	186.50	230.50	44.00		pending					
	252.00	252.50	0.50		0.5					
	254.00	255.00	1.00		97.7					
including	254.00	254.50	0.50		193.0					
	267.50	274.50	7.00		2.0					
including	267.50	268.00	0.50		17.9					
	279.50	375.00	95.50		pending					

VG = visible gold. No upper cutoff grade was applied; 0.42 g/t Au was used for the bottom cut-off;

True widths are unknown where not specified. Highlighted intersects cross GMZ