

Estrades Drill Hole Results																							
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)						
															Northing	Easting							
GWM-17E-01	106.80	108.30	1.60	1.00	73.5		72.5	40.1	0.7			DSS	340°	-63°	5494990	655869	150						
	112.90	114.00	1.10	0.07														1.1	DSS				
GWM-17E-02	263.25	264.25	1.00	0.60								DSS	340°	-65°	5494924	655858	348						
	274.35	275.35	1.00	0.60														0.8	DSS				
	329.60	334.50	4.90															0.6	DSS				
	339.90	341.15	1.30															0.9	DSS				
GWM-17E-03	372.85	373.60	0.75									DSS	314°	-67	5494924	655858	454						
	374.50	375.50	1.00															0.5	DSS				
	384.10	385.00	0.90															1.4	DSS				
	386.05	387.00	0.95															0.4	DSS				
	389.70	391.15	1.45															0.7	DSS				
395.70	396.70	1.00		0.6	DSS																		
GWM-17E-04	303.40	305.00	1.70	1.20			0.6	62.0	0.5	5.1		MSS	3°	-55°	5494801	655626	368						
	including 303.70	304.30	0.60	0.04														1.3	159.0	12.9	MSS		
GWM-17E-05	355.00	356.90	1.90	1.20			1.4	89.9	0.3	7.4	0.7	MSS	354°	-67°	5494801	655626	456						
GWM-17E-06	341.80	344.40	2.70	1.70			2.8	111.3	4.0	4.7	0.2	MSS	343	-64°	5494801	655626	432						
	including 343.30	343.80	0.50	0.30														29.2	7.8	162.6	1.0	11.2	MSS
GWM-17E-07	611.20	611.90	0.80	0.50								DSS	343°	-69°	5494701	655646	705						
	615.50	618.00	2.50	1.70														0.5	DSS				
GWM-17E-08	804.60	822.25	17.70		10.8	1.1	95.2	4.2	0.6	0.3	MSS	204°	-49	5495170	654348	945							
	including 804.60	806.65	2.00														15.2	1.0	147.6	8.3	0.2	0.6	MSS
	including 811.25	815.80	4.50														22.3	1.7	190.9	9.7	1.3	0.5	MSS
GWM-17E-08W5	646.50	647.50	1.00		8.1							SMS	207.7°	-64.3	5495170	654348	354						
	650.00	651.00	1.00															1.1	1.1	SMS			
GWM-17E-09	121.10	123.80	2.70	1.80			9.6	0.4	121.0	2.7	0.9	0.2	MSS	26°	-55°	5494885	655354	192					
	including 121.60	122.10	0.50	0.30															18.2	0.9	166.7	7.8	1.4
GWM-17E-10	69.50	70.35	0.85	0.70								SMS	77	-50	5494900	655300	150						
	77.10	77.85	0.75	0.60														14.1	0.6	1.0	SMS		
GWM-17E-11	No significant values																						
GWM-17E-12	215.20	218.10	2.70	1.70			4.7	0.4	68.2	2.1		SMS	13°	-58	5494833	655365	270						
	232.00	233.10	1.10	0.70														0.8	DSS				
	238.15	238.75	0.60	0.40														17.9	2.5	0.5	DSS		
	247.65	248.65	1.00	0.60														27.1	0.6	0.6	DSS		
GWM-17E-13	124.30	126.60	2.40	1.00	9.2	0.8	54.7	4.9	0.3	0.5	MSS	357°	-73°	5494834	655151	160							
	including 125.80	126.60	0.90	0.40													18.4	1.9	92.4	10.9	0.5	1.6	MSS
GWM-17E-14	259.30	262.00	2.70	1.40			16.4	1.5	121.0	6.0	1.3	0.8	MSS	351°	-69°	5494746	655180	321					
	including 259.30	260.70	1.40	0.70															21.7	2.5	137.4	10.4	0.7
GWM-17E-15	200.80	204.40	3.60	2.50	5.5	10.2	2.0	45.9	3.6	0.4	0.5	SMS	11°	-52	5494746	655180	252						
	including 203.35	204.40	1.10	0.70														15.9	29.2	6.5	123.6	9.6	1.0

Estrades Drill Hole Results																	
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
	275.00	276.00	1.00	0.50	5.2	9.6	2.1	85.9	2.9		0.6	DSS					
	298.10	300.10	2.00	1.00					1.2			DSS					
	301.60	302.40	0.80	0.40				17.0	2.6	0.4		DSS					
	304.20	305.30	1.10	0.55		2.2	0.3		1.6			DSS					
	315.30	316.15	0.85	0.43			0.3	36.0	1.4	2.2		SMS					
	316.60	317.20	0.60	0.30			0.2	12.6		0.7		SMS					
	354.95	355.50	0.55	0.28					0.9			DSS					
GWM-18E-17	299.80	301.00	1.20	0.70	4.5	8.3	1.5	30	2.9	0.6		SMS	336.9°	-72.4	5494746	655180.14	378
	302.00	303.00	1.00	0.60				56.1	0.4	2.2		SMS					
	307.90	309.40	1.60	0.90			0.2	76.1	0.4	3.7		MSS					
including	307.90	308.40	0.50	0.30			0.4	175.8	0.8	9.4		SMS					
GWM-18E-18	424.50	426.30	1.80	0.90			1.0	11.9		2.2		DSS	316	-78	5494732	655146	453
including	425.70	426.30	0.60	0.30				2.2	18.5			DSS					
and	381.80	382.50	0.60	0.30		4.1	0.3	27.5	1.9	0.2		DSS					
and	388.90	390.40	1.50	0.70			0.4	25.5		1.0		SMS					
and	420.40	421.20	0.80	0.40			0.5	64.8		3.6		DSS					
GWM-17E-19	Stopped due to deviation. Will be continued later.												341°	-69	5494557	655421	219
GWM-17E-19A	No significant values												335°	-72	5494557	655421	852
GWM-17E-19AW1	707.15	709.00	1.90	1.40	6.6	12.2	1.8	70.9	6.1	0.3		MSS	337°	-62	5494557	655421	505
including	707.15	707.70	0.50	0.40	13.0	23.9	5.0	88.1	10.5	0.4	0.7	MSS					
	711.00	713.00	2.00	1.60				15.0		0.6		SMS					
	719.50	720.50	1.00	0.80						0.5		DSS					
	824.40	724.90	0.50	0.40						0.5		DSS					
GWM-17E-24	71.65	73.70	2.10	1.20		21.3	2.3	65.7	12.6	0.8	0.3	MSS	149°	-59	5494966	654430	306
	411.40	412.85	1.50	0.80	17.9	32.9	5.2	198.7	15.7	0.4	1.3	MSS					
GWM-17E-25	57.00	64.35	7.40	5.00						1.4		DSS	169°	-51	5494966	654430	467
including	63.35	64.35	1.00	0.70	6.8		2.6		2.8	1.6		MSS					
	79.60	80.10	0.50	0.34	1.5	2.8	1.0		1.0			MSS					
GWM-17E-26	73.00	74.50	1.50	0.85	3.7		1.4	44.4		1.0			169°	-61	5494966	654430	600
including	74.00	74.50	0.50	0.30			3.2	27.7									
	91.80	94.80	3.00	2.03		9.9	0.8	38.3	2.5	1.6							
GWM-17E-27	82.60	84.40	1.80	1.10	12.3		4.7	67.5	4.9	2.1	1.0	MSS	146°	-63	5494966	654430	522
	59.00	60.00	1.00	0.65						2.0		DSS					
	79.75	80.75	1.00	0.65				24.6		1.3		DSS					
	103.00	105.00	2.00	1.30			0.3	15.7		0.6		DSS					
	285.55	286.40	0.85	0.55	1.7		1.2	36.8				MSS					
	295.60	298.30	2.60	1.69	6.3		5.7	43.2				MSS					
	499.75	503.08	3.30	2.15		39.1	2.2	181.0	28.5	0.3	0.9	MSS					
including	502.00	503.08	1.10	0.72		50.5	4.8	145.5	36.6	0.2	0.7	MSS					
	521.25	523.90	2.60	1.69		26.2	0.3	190.7	18.6	0.5	0.5	MSS					
including	521.25	523.00	1.80	1.10		34.0	0.4	222.8	25.0	0.6	0.6	MSS					
GWM-18E-28C	101.00	103.30	2.30	1.20	20.1	36.9	10.6	60.4	10.1	1.3	2.0	MSS	135.6°	-69.5	5494965	654429	823
including	102.70	103.30	0.60	0.30	32.0		23.9	79.4	9.4	0.3	2.9	MSS					
	134.00	135.20	1.20	0.60	9.4		3.6	41.5	0.5	3.0		SMS					

Estrades Drill Hole Results																	
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
including	391.00	392.00	1.00	0.50			1.2	58.5	1.4	0.7		SMS					
and	404.00	404.50	0.50	0.20			0.4	23.6		1.6		SMS					
and	440.40	441.20	0.80	0.40				7.7		2.3		SMS					
and	445.70	446.30	0.60	0.30						1.3		SMS					
and	447.30	448.10	0.90	0.40						1.2		SMS					
and	459.00	460.00	1.00	0.50		5.5		10.2	3.4	0.6		SMS					
and	475.00	478.00	3.00	1.50				4.9	0.1	0.5		SMS					
including	475.00	475.80	0.80	0.40				19.6		1.1		SMS					
including	477.50	478.00	0.50	0.20		2.5			0.7	0.6		SMS					
GWM-18E-30A	453.70	456.90	3.20	2.30	4.1	7.6	2.5	23.5	2.4			MSS	321.6°	-64.5	5494596.3	654847.72	480
GWM-18E-31	496.70	503.10	6.40	4.40	9.0		6.9	78.5	1.7			SMS	334.9°	-71.1	5494596.3	654847.72	522
including	496.70	498.30	1.60	1.10	26.6		21.9	113.1	5.6			MSS					
which includes	496.70	497.60	0.90	0.60	39.8		33.1	152.5	8.3			MSS					
including	501.00	503.10	2.10	1.40	7.0		4.3	154.8	0.9			MSS					
which includes	501.60	502.30	0.80	0.50	8.3		8.3					MSS					
GWM-18E-32	490.30	495.70	5.40	3.40		29.8	3.0	176.0	17.9	0.3	0.9	MSS	175	-66	5494933	654553	150
GWM-21E-33	47.00	47.65	0.65	0.50					0.6				322.5	-45	54949977	655887	102
	47.65	48.40	0.75	0.60			0.1	42.8	0.5	3.8							
	49.40	50.00	0.60	0.50					0.8								
	51.00	52.00	1.00	0.80				24.3	0.9								
GWM-21E-34	106.10	106.60	0.50				0.5	13.2	1.2				2	-48.5	5494990	655869	141
GWM-21E-35	123.50	124.50	1.00	0.70			0.6						351	-63.5	5494990	655869	201
GWM-21E-36	172.65	181.05	8.40	5.30	0.7		0.3	7.4		0.2			358	-68.5	5494990	655869	240
GWM-21E-38A	490.40	492.75	2.35	1.70		22.0	1.2	153	14.8	0.2	1.1	MSS	169	-69	5494933	654553	495
GWM-21E-39	694.00	694.55	0.55		1.2		0.4	9		0.4			170	-73	5494933	654560	702
GWM-18E-41	531.40	532.10	0.70	0.40	5.0	9.2	1.9	13.9	5.3			SMS	326	-77	5494618	654950	552
and	533.10	533.70	0.70	0.40			0.5	21.9		0.9		SMS					
GWM-18E-42	361.80	366.60	4.80	3.30		14.8	1.3	88.1	6.5	0.7	0.3	MSS	334	-67	5494618	654950	450
including	361.80	363.80	2.00	1.40		23.7	1.7	95.0	14.5	0.5	0.8	MSS					
and	352.90	354.00	1.10	0.80	2.6		1.3	33.9	1.1		0.4	MSS					
and	359.20	359.70	0.50	0.30				36.4		1.3		SMS					
and	371.40	372.40	1.00	0.70			0.6	74.5	3.0	4.1		SMS					
GWM-18E-43	331.70	338.50	6.80	5.10	4.2	7.7	1.5	40.0	3.9			MSS	359	-66	5494618	654950	444
including	331.70	336.40	4.70	3.50	4.9	9	1.8	35.3	4.8			MSS					
GWM-18E-45	503.80	506.00	2.20	1.50	2.8	5.1	1.3	20.6	2.2			MSS	327	-70	5494583	654821	522
GWM-18E-46B	473.10	475.00	1.90	0.90				15.8		2.2		DSS	22.9	-80.2	5494732	655146	522
including	474.40	475.00	0.60	0.30						4.4		SMS					
and	388.30	388.80	0.50	0.20						0.7		DSS					
and	436.60	437.20	0.60	0.30	2.5	4.7	0.9	26.4	2.3			DSS					
and	442.40	442.90	0.50	0.20		8.7	0.8	63.2	3.5	0.5	0.6	SMS					
and	451.70	452.40	0.80	0.40			0.3	37.9	0.3	2.9		DSS					
and	464.40	465.00	0.60	0.30			0.3			0.9		DSS					
and	466.40	466.90	0.50	0.20				22.3		1.9		DSS					

Estrades Drill Hole Results																	
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
including	405.90	407.80	1.90	1.20		8.2	0.4	42.7	4.3	0.6	0.2	DSS					
which includes	407.30	407.80	0.50	0.30		14.7	1.0	62.8	6.9	1.2	0.7	DSS					
including	411.00	411.80	0.80	0.50			0.6	31.6	3.5	3.6		SMS					
and	400.50	401.00	0.50	0.30		5.1		88.5	2.7			DSS					
and	416.50	417.50	1.00	0.60				15.9	0.5	1.9		DSS					
and	420.00	421.00	1.00	0.60		4.0		10.5	2.2	0.5		DSS					
including	345.00	347.90	2.90	2.10	19.7	36.3	6.0	212.5	16.2	0.6	1.8	MSS					
GWM-19E-49	104.40	106.25	1.85	0.90			1.6	130.8	4.6	5.7		MSS	351.5	-63	5494923.5	655582	120
including	105.50	106.25	0.75	0.40			1.7	169.3	4.7	7.8		MSS					
GWM-19E-50	132.75	137.45	4.70	1.90		22.2	1.8	81.8	10.3	2	0.4	DSS	351.5	-70	5494923.5	655582	174
including	132.75	133.50	0.75	0.30			0.6	93.4	0.7	3.2		DSS					
including	136.90	137.45	0.55	0.20			5	167.1	1.3	5.3		DSS					
GWM-21E-54	51.00	59.30	8.30	6.10		15.2	1.8	67.9	7.0	0.7	1.1	MSS	150	-54	5494899	654882.5	100.5
	60.70	61.20	0.50	0.40	21.3		11.6	65.7	0.2	5.2	0.1	MSS					
	61.70	62.30	0.50	0.40			1.7	18.0		1.6		MSS					
	71.00	73.00	2.00	1.50				23.0	3.8		0.3	DSS					
GWM-21E-55	387.40	388.35	0.95	0.70			0.5	0.4				MSS	330	-65	5494646	655433	609
	558.55	560.30	1.75	1.30		8.9	0.9	73.5	3.8	0.5		MSS					
	566.40	566.90	0.50	0.40			0.6	68	0.7	2.6		SMS					
	574.00	574.75	0.75	0.60			0.2	25		1		DSS					
	579.80	580.40	0.60	0.50			0.2	4.5		0.8		DSS					
	162.80	168.00	5.20	1.20	11.6		8.5	57	4.2			MSS					
GWM-20E-56	89.00	93.50	4.50	2.80			0.6	12.5	1.9	0.4		DSS	186	-62	5494904	654882.5	219
	154.75	160.40	5.65	1.30	19.8	36.4	5.2	176.2	19.6	0.3	1.9	MSS					
GWM-21E-57	274.10	276.80	2.70	2.10	35.1	64.5	10.7	423	22.8	2.8	2.6	MSS	184.5	-54.9	5494933	654553	297
GWM-21E-59A	750.00	755.00	5.00	2.50			0.3	21.5	0.7	0.7		DSS	280	-80	5494894.9	655762.5	882
	755.00	763.00	8.00	4.00			0.2	13.2		0.4		DSS					
GWM21E-59AW1	706.90	710.65	3.75	2.00			0.6	3.2		1.9		DSS	280	-80	5494894	655761	438
including	710.15	710.65	0.50	0.30			0.5	23.7		5.2		DSS					
	712.70	714.55	1.85	1.00			0.2			1.4		DSS					
	728.85	732.15	3.30	1.70					1.6			DSS					
GWM-21E-59AW3	657.00	675.00	18.00	11.30						0.9		DSS	280	-80	5494894.9	655762.5	384
including	664.50	667.00	2.50	1.60						2.1		DSS					
GWM-21E-59AW4	597.20	597.80	0.60	0.40			1.1	69.0	0.6	4.3		DSS	280	-80	5494894.9	655762.5	381
	599.70	600.70	0.60	0.40			1.4	9.4	2.6	0.3	0.3	DSS					
	603.00	605.00	2.00	1.20			1.4	6.6	1.7			DSS					
including	603.00	604.00	1.00	0.60			1.3	6.6	2.6		0.2	DSS					
	620.00	635.00	15.00	8.80			0.5	8.2	1.1			DSS					
including	634.00	635.00	1.00	0.60					5.2			DSS					
	635.00	636.00	1.00	0.60						0.9		DSS					
	638.00	639.00	1.00	0.60						0.5		DSS					
	640.70	641.40	0.70	0.40						1.2		DSS					
	642.90	643.70	0.80	0.50						1.7		DSS					
	645.20	652.50	7.30	4.60			0.5	6.3		1.2		DSS					
including	645.70	646.20	0.50	0.30			5.3	2.3				DSS					
including	649.20	649.70	0.50	0.30			0.5	20.9		2.7		DSS					
including	652.00	652.50	0.50	0.30			0.2	16.6		4.8		DSS					

Estrades Drill Hole Results																	
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
	559.80	568.85	9.05	4.40	4.1		1.2	11.9	1	1.3		DSS					
including	564.60	568.85	4.25	2.00	5.2		1.6	17.8	0.9	1.7		DSS					
including	559.80	561.35	1.55	0.70	7.2		1.2	20.4	2.9	2.5		DSS					
including	560.85	561.35	0.50	0.20			0.7	35.5	1.7	4		DSS					
	566.30	566.80	0.50	0.20			12	14.6		3.6							
including	568.15	568.85	0.70	0.30			0.9	51.8	1.2	4.9		DSS					
	568.85	572.25	3.40	1.60					1.2			DSS					
	593.55	597.25	3.70	1.80						0.6							
GWM-21E-60W1	541.60	544.80	3.20	1.70			0.7	35.9	0.7	2.4		DSS	286	-75	5494893	655773	339
including	542.70	544.80	2.10	1.10			0.8	46.5	0.8	3.2		DSS					
	548.30	548.80	0.50	0.30			0.1	4.8	1.9	0.5		DSS					
	549.25	549.80	0.55	0.30	15.5		0.4	4.1	14.4	0.1		DSS					
	560.10	564.10	4.00	2.30			0.2	6.6	0.4	0.4		MSS					
	590.65	591.25	0.60	0.30			0.1	4.0		1.9		DSS					
GWM-21E-62	758.90	759.75	0.85				0.1			0.5			302	-73	5494542	655404	825
	763.30	764.30	1.00							0.6							
	767.85	768.45	0.60							0.7							
	769.80	770.35	0.55							0.6							
GWM-21E-64A	1051.50	1075.50	24.00	16.10								MSS	313	-79	5494542	655404	1248
including	1054.75	1056.15	1.40	0.90	8.5		0.7	14.2	6.8			MSS					
including	1054.75	1055.45	0.70	0.50	13.4		0.9	13.5	11.4			MSS					
including	1060.20	1060.75	0.55	0.40			2.9	0.5	7.7	1.8		MSS					
including	1064.50	1065.05	0.55	0.40	4.4				13.9	4		MSS					
including	1071.00	1074.00	3.00	2.00						0.9		MSS					
including	1051.50	1060.75	9.25	6.20	2.1	0.4	7.4	1.2				MSS					
	1084.55	1085.20	0.65				0.2	37.3		1.1							
GWM-21E-78	159.30	159.80						4.3		1.3		DSS	280	-80	5494894	655761	438
	166.00	167.00	1.00	0.80	9.0		0.3	7.7	4	1.4		DSS					
	170.70	176.00	5.30	4.00			0.4	9.5	0.3	1.4		DSS					
including	171.70	172.50	0.80	0.60			0.5	25.8	0.8	5.2		DSS					
	181.00	183.00	2.00	1.50	11.9	0.8	44.1	7.4	0.6			MSS					
GWM-21E-82	199.50	200.20	0.70	0.30	15.6	28.7	4.3	240.8	11.1	0.7	1.3	DSS	171	-75	5494931	654127	261
	208.00	213.55	5.55	2.60	17.9	32.9	6.9	271.2	8.3	1.3	0.9	MSS					
	237.90	239.25	1.35	0.60		21.6	0.7	92.8	16.0	0.6		DSS					
GWM-21E-83A	268.40	272.70	4.30	3.10		8.3	1.0	67.4	3.4	0.3	0.4	MSS	179	-54	5495041	654559.9	300
including	269.50	270.20	0.70	0.50	15.6	28.8	3.9	146.9	15.4	0.3	1.5	MSS					
GWM-21E-84	310.50	314.80	4.30	3.60		35.9	2.6	254.5	19.3	1.1	1.9	MSS	179	-55	5495041	654559.9	225
GWM-21E-85	192.10	195.95	3.85	1.80	14.0	25.7	7.5	121.7	6.6	0.2	1.7	MSS	171	-75	5494931	654127	207
	200.00	205.30	5.30	2.50	28.0	51.5	14.3	192.2	18.1	0.2	1.6	MSS					
GWM-21E-86	311.70	314.30	2.60	1.20			0.2	18.6		1.2		DSS	170	-73	5494903	654770	499.2
	343.00	343.75	0.75	0.30			0.2			1.5		DSS					
	392.80	395.80	3.00	1.30	16.1		13.9	50.7	1.1	0.5		MSS					
including	393.30	393.80	0.50	0.20	45.5		43.1	87.5	0.6			MSS					
	395.80	397.30	1.50	0.70			0.7	16.7	0.2	0.3		DSS					
	408.50	419.40	10.90	4.90			1.3	6.1	0.8			DSS					
	419.40	422.35	2.95	1.30	24.0		22.3	46.2	1.3	0.2		MSS					
	443.40	444.40	1.00	0.50	20.8		18.5	70.7	1.4	0.3		MSS					

Newiska Drill Hole Results																		
Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)	
															Northing	Easting		
GWM18-NK-01	149.40	150.10	0.70						0.5			DSS	9.3°	-70	5493148	662993	501	
	347.60	348.10	0.50						0.8			DSS						
	348.10	348.90	0.80						0.5			DSS						
	364.90	366.00	1.10						0.8			DSS						
	370.60	371.20	0.60					22.3	1.6	0.7		DSS						
	390.40	392.20	1.80					12.9		0.5		DSS						
	403.90	404.40	0.50							0.5		DSS						
	405.60	406.30	0.80				0.3	33.7	0.2	0.7		DSS						
	423.00	445.00	22.00					12.8		0.5		DSS						
	including	423.90	424.60	0.70				122.1		4.2		DSS						
	including	432.80	433.40	0.60				53.5		2.4		DSS						
	including	437.40	437.70	0.50				39.5		1.8		DSS						
	including	439.30	440.00	0.70			0.9	20.7		0.9		DSS						
	472.00	472.70	0.70					0.6		0.3	DSS							
GWM18-NK-02	417.00	418.00	1.00				1.9	49.7		1.6		DSS	343	-75	5493148	662985	576.8	
	432.75	433.25	0.50				0.3	46.1		1.2		DSS						
	441.75	442.30	0.60					50.7		1.0		DSS						
	545.30	545.85	0.60				0.2	145.0	6.7	2.1		DSS						
GWM18-NK-03	396.00	397.00	1.00				0.3	37.3		1.0		DSS	16	-73	5493148	662985	552	
	420.20	427.30	7.10				0.1	25.1		1.2		DSS						
	including	421.80	422.35	0.60				0.4	47.2		3.6							DSS
	including	423.55	424.15	0.60					80.8	1.2	4.1							DSS
	including	426.70	427.30	0.60			0.8	68.2		2.5		DSS						
GWM18-NK-05	No significant values											332	-51	5493516	661342	231		
GWM18-NK-06	No significant values											32	-61	5493516	661342	231		
GWM18-NK-10	Stopped before the targets due to lack of water											323	-45	5493071	664467	700		
GWM18-NK-12	272.00	273.00	1.00				2.5	128.7				DSS	323	-45	5493148	663663	600	
	301.60	302.60	1.00				0.7					DSS						
	316.50	317.50	1.00					33.3	0.9	0.3		DSS						
	323.00	324.00	1.00				0.9	13.0	0.8		0.3	DSS						
	549.00	550.00	1.00				1.7					DSS						
GWM19-NK-04	329.30	329.90	0.60							0.3		DSS	350	-55	5492549	654906	633	
	330.85	331.55	0.70							0.4		DSS						
	192.80	194.15	1.35						0.3			DSS						
	216.80	217.20	0.40						1.2			DSS						
	217.20	217.80	0.60						0.4			DSS						
	315.45	315.85	0.40					4.8		0.4		DSS						
	320.05	320.70	0.65					10.4		1.5		DSS						
	357.25	358.05	0.80					10.8		0.9		DSS						
	414.20	414.95	0.75					12.1				DSS						
GWM19-NK-09	211.20	211.70	0.50							2.6		DSS	327	-45	5492950	655017	399	
	334.70	335.50	0.80				0.4	33				DSS						

Newiska Drill Hole Results																	
Hole ID	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
	139.30	140.05	0.75									DSS					
	140.05	140.75	0.70									DSS					
	150.20	150.70	0.50									DSS					
	172.35	172.85	0.50						0.7			DSS					
	249.85	250.55	0.70					33.4				DSS					
	268.90	269.40	0.50					10.9			0.4	DSS					
GWM19-NK-14B	4.95	6.00	1.05					35.0				DSS	360	-65	5493068.5	663926	336
	109.80	110.80	1.00								0.3	DSS					
	112.05	112.60	0.55								0.2	DSS					
	113.90	114.50	0.60								0.3	DSS					
	167.50	168.00	0.50					12.3			0.4	DSS					
	169.15	169.65	0.50					8.5			0.3	DSS					
	173.50	174.00	0.50					5.3			0.3	DSS					
	181.50	182.00	0.50							0.3		DSS					
	183.10	183.60	0.50							0.3		DSS					
	199.70	200.15	0.45					9.2			0.2	DSS					
	200.15	200.70	0.55							0.5	0.2	DSS					
	200.70	201.40	0.70							0.2		DSS					
	204.90	205.40	0.50							3.3		DSS					
	239.90	240.40	0.50					5.5		0.3	0.6	DSS					
	324.90	326.30	1.40							0.4		DSS					
	329.50	330.00	0.50							0.3		DSS					
	334.10	334.95	0.85							1.0		DSS					
GWM-21NK-19	71.80	72.55	0.75				0.2						300	-57	5492826	655023	579
	239.35	240.10	0.75					1.4									
	266.10	267.15	1.05					0.3									
GWM-21NK-20	440.80	441.45	0.65					3.1					305	-45	5492550	654612	681
	547.55	548.10	0.55				0.3	1.7									
	553.20	553.90	0.70				0.14										
Casa-Berardi Drill Hole Results																	
Hole #	From (m)	To (m)	Intercept (m)	TW (m)	Au Eq** (g/t)	Zn Eq** (g/t)	Au (g/t)	Ag (g/t)	Zn (%)	Cu (%)	Pb (%)	Type* **	Azimuth	Dip	UTM		Total Depth (m)
															Northing	Easting	
GWM-21CB-02	399.00	400.00	1.00				0.7						24	-58	5496085	654366	672
	460.95	461.50	0.55				0.8										
	465.00	466.00	1.00				0.4										
	468.50	469.00	0.50				0.3										
	469.50	469.50	0.50				0.5										
	524.00	525.00	1.00				0.2										
	438.00	439.00	1.00				0.3										
GWM-21CB-12	101.00	103.00	2.00				0.5						34	-63	5496085	654366	699
	111.00	112.00	1.00				1.7										
	557.00	557.50	0.50				0.6										

*Changed due so screen assay result

**Au (Eq g/t) and Zn (Eq %) represent the in-situ metal content expressed as Au and Zn equivalents.

Equivalents are not provided when the underlying Au and/or Zn metal content is below 25% of the intersect value.

Preliminary analysis indicates that no metal is dominant; however, Au and Zn are the largest contributors to the Estrades resource.

Equivalencies are calculated using the following metal prices (US\$) and exchange rate (US\$/C\$) provided by RPA:

Au \$1,450/oz, Ag \$21.00/oz, Zn \$1.15/lb, Cu \$3.50/lb, Pb \$1.00/lb, US\$0.80/C\$1.00.

***MSS = massive sulphide, SMS = semi-massive sulphide DSS = disseminated and stringer sulphides.

Holes were not drilled in sequential numerical order. If true width (TW) is not specified, the orientation of the zone is unknown at this time.